THE JOURNAL OF PHYSIOLOGY

EDITED FOR

THE PHYSIOLOGICAL SOCIETY

BY

H. B. BARLOW J. A. V. BATES J. BLIGH
J. R. BRONK P. C. CALDWELL J. DIAMOND
R. H. T. EDWARDS D. K. HILL L. L. IVERSEN
J. J. B. JACK D. H. JENKINSON B. R. JEWELL
N. JOELS J. F. LAMB J. LEE A. R. MARTIN
J. N. MILLS C. RASHBASS T. A. SEARS
P. D. WALL J. G. WIDDICOMBE G. WISEMAN
P. F. BAKER (*Secretary*) R. H. ADRIAN (*Chairman*)

Volume 232

1973

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB
American Branch: 32 East 57th Street, New York, N.Y. 10022

© The Physiological Society 1973

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS OF VOLUME 232

No. 1 *June* 1973

PAGE

Spontaneous quantal transmitter release: a statistical analysis and some implications. By J. I. HUBBARD and S. F. JONES . . 1

Effect of insulin upon the sodium pump in frog skeletal muscle. By RICHARD D. MOORE 23

Kinetics of potassium transport across single distal tubules of rat kidney. By MARGARIDA DE MELLO-AIRES, GERHARD GIEBISH and GERHARD MALNIC. With an Appendix by PETER F. CURRAN . 47

Effects of biogenic amines on central thermoresponsive neurones in the rabbit. By T. HORI and T. NAKAYAMA 71

The membrane effects, and sensitivity to strychnine, of neural inhibition of the Mauthner cell, and its inhibition by glycine and GABA. By J. DIAMOND, S. ROPER and G. M. YASARGIL. . . . 87

Analysis of Mauthner cell responses to iontophoretically delivered pulses of GABA, glycine and L-glutamate. By J. DIAMOND and S. ROPER 113

Effects of manganese on the electrical and mechanical properties of frog skeletal muscle fibres. By D. J. CHIARANDINI and E. STEFANI. 129

Psychophysical evidence for sustained and transient detectors in human vision. By J. J. KULIKOWSKI and D. J. TOLHURST . . 149

Prostaglandin E_1 fever induced in rabbits. By J. T. STITT . . 163

Effect of activation of α and β adrenergic receptors on the hepatic cell membrane potential in perfused dog liver. By L. LAMBOTTE . 181

Effects of tubocurarine and eserine on the axon-Schwann cell relationship in the squid nerve fibre. By JORGE VILLEGAS . . 193

No. 2 *July* 1973

Body fluids and temperature responses of heat-exposed women before and after ovulation with and without rehydration. By L. C. SENAY JR. 209

Effects of various secretagogues upon ^{42}K and ^{22}Na uptake during *in vitro* hormone release from the rat adenohypophysis. By JACOB KRAICER and JOHN V. MILLIGAN 221

PAGE

Relationships between luminance and visual acuity in the rhesus monkey. By C. R. CAVONIUS and D. O. ROBBINS 239

Potassium accumulation in smooth muscle and associated ultrastructural changes. By A. W. JONES, A. P. SOMLYO and AVRIL V. SOMLYO 247

The visual areas in the splenial sulcus of the cat. By MADHU KALIA and D. WHITTERIDGE 275

The role of the liver in non-shivering thermogenesis in the rat. By H. B. STONER 285

The distribution of sodium and potassium in amphibian embryos during early development. By CHRISTINE SLACK, ANNE E. WARNER and R. L. WARREN 297

Intracellular and intercellular potentials in the early amphibian embryo. By CHRISTINE SLACK and ANNE E. WARNER 313

Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path. By T. V. P. BLISS and T. LØMO 331

Long-lasting potentiation of synaptic transmission in the dentate area of the unanaesthetized rabbit following stimulation of the perforant path. By T. V. P. BLISS and A. R. GARDNER-MEDWIN. . 357

Neurones in the dorsal horn of the rat responding to scrotal skin temperature changes. By R. F. HELLON and N. K. MISRA . . 375

Neurones in the ventrobasal complex of the rat thalamus responding to scrotal skin temperature changes. By R. F. HELLON and N. K. MISRA 389

Neurones in the somatosensory cortex of the rat responding to scrotal skin temperature changes. By R. F. HELLON, N. K. MISRA and K. A. PROVINS 401

No. 3 *July* 1973

Dorsal root potentials produced by afferent volleys in cutaneous group III fibres. By MICHAEL GREGOR and MANFRED ZIMMERMANN 413

Stimulus-response functions of rapidly adapting mechanoreceptors in the human glabrous skin area. By M. KNIBESTÖL . . 427

Equilibrium of nucleotides in frog sartorius muscle during an isometric tetanus at 20° C. By P. CANFIELD and G. MARÉCHAL . . 453

PAGE

Energy balance in frog sartorius muscle during an isometric tetanus at 20° C. By P. Canfield, J. Lebacq and G. Maréchal . 467

Placental iron transfer in the cat. By Erica Baker and E. H. Morgan. 485

Responses of single rods in the retina of the turtle. By E. A. Schwartz 503

Activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys. I. Functional cell types and their anatomical distribution in the supraoptic nucleus and the internuclear zone. By James N. Hayward and David P. Jennings . 515

Activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys. II. Osmosensitivity of functional cell types in the supraoptic nucleus and the internuclear zone. By James N. Hayward and David P. Jennings 545

Photoreceptors in the crayfish compound eye: electrical interactions between cells as related to polarized-light sensitivity. By Kenneth J. Muller 573

Further effects of chlorpromazine on the hexose permeability of the human erythrocyte. By G. F. Baker and H. J. Rogers . . 597

Efflux of potassium from isolated rod outer segments: a photic effect. By A. Cavaggioni, R. T. Sorbi and S. Turini . . . 609

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

23–24 *March* 1973

DEMONSTRATIONS

PAGE

Gillis, J. M., Maes, N. & Verellen, Christine. Controlled application of calcium to sarcolemma-free muscle fibres. 1*P*

Eley, C. & Kitney, R. I. A switchable electronic filter for pre-processing biological signals 3*P*

Caldwell, P. C. & Lea, T. J. Use of an intracellular glass scintillator for the continuous measurement of the uptake of ^{14}C-labelled glycine into squid giant axons 4*P*

Clark, R. P. Techniques for sampling and identifying airborne particles . . 5*P*

Jayaraj, P., Quilliam, T. A. & Tilly, R. Oral nerve endings in the sheep . . 7*P*

Alpsan, D., Eccles, M. J., Lal, S. & Wormald, D. I. A device for selectively blocking nerve fibres, using a transient polarizing current 9*P*

Edmonds, C. J. & Thompson, B. D. Further development of a method for prolonged infusion of unrestrained rats 10*P*

Blount, R., Foreman, Pat, Harding, Moyra & Segal, M. B. The perfusion of the isolated choroid plexus in the sheep 12*P*

Jones, Rosemary & Tuffery, A. R. Relationship of end-plate morphology to junctional chemosensitivity 13*P*

Cooke, E. C. & Lippold, O. C. J. Axial movement of the eye, in response to a flash of light, related to the occipital evoked response 15*P*

Brierley, J. B., Horton, R. W., Meldrum, B. S. & Vigouroux, R. A. Physiological basis of epileptic brain damage; three experimental models in the adolescent baboon (T) 17*P*

Cooke, E. C. & Tress, Kathleen, H. A method for recording cerebral recovery cycles in the conscious unrestrained rat 17*P*

Avanzino, G. L., Calligaro, A. & Ermirio, Rosa. Ultrastructural patterns in the rabbit heart pace-maker area localized by electrophysiological methods. . 18*P*

Musgrove, J. A free standing device for measuring isometric muscle strength . 20*P*

Gardner-Medwin, A. R. The relation between the supernormal conduction velocity of cerebellar parallel fibres and the number of conditioning volleys (T) . . 22*P*

MacKay, D. M. Evidence of lateral interaction between visual texture-sensitive channels (T) 22*P*

Ford L. E. & Huxley, A. F. A moving coil servo device giving step displacements of 0·2 mm in 0·3 ms. (T). 22*P*

COMMUNICATIONS

Boyd, G. W. Isolation of a binding protein for pig renin 22*P*

Amyes, S. J. G., Roberts, Phyllida M., Scott, Patricia, P. & Suri, B. S. Post-natal changes in red cell, plasma and liver folate concentrations of the cat, rat, rabbit and dog 23*P*

Brokensha, G. & Westbury, D. R. Evidence from the adaptation of the discharge of the frog muscle spindle for the participation of multiple spike generators . 25*P*

Baker, P. F., & Potashner, S. J. Glutamate transport in invertebrate nerve: the relative importance of ions and metabolic energy. 26*P*

PAGE

Casteels, R., Rœymaekers L. & Wuytack, F. Metabolism of smooth muscle cells under aerobic and anaerobic conditions 27*P*

Hubel, David H. & Wiesel, Torsten, N. A re-examination of stereoscopic mechanisms in area 17 of the cat 29*P*

Coroneos, N. J., Keaney, N. P., Lane, J. R., McDowell, D. G., Pickerodt, V. W. A. & Turner, J. M. The time course of the cerebral circulatory response to metabolic depression 30*P*

Boyd, I. A. & Kalu, K. U. The relation between axon size and number of lamellae in the myelin sheath for afferent fibres in groups I, II and III in the cat . 31*P*

Porter, Gillian, M. L. & Scratcherd, T. The effect of nicotinic acid and alloxan on the secretion of electrolytes and amylase by the isolated saline perfused pancreas of the cat 33*P*

Ikeda, Hisako & Wright, M. J. Optical quality of the cat's eye and human eye . 34*P*

Beleslin, D. B., Grbovic, Leposava & Radmanovic, B. Z. On the behavioural effects of carbachol injected into the cerebral ventricles of cats 36*P*

Lopes, O. U. & Neto, J. Cipolla. The effect of hypothalamic lesions on the carotid occlusion reflex 37*P*

Kirkwood, P. A. & Sears, T. A. Interaction between the monosynaptic e.p.s.p. and the central respiratory drive potential of expiratory motoneurones in the cat 38*P*

Beverley, K. I. & Regan, D. Selective adaptation in stereoscopic depth perception 40*P*

Argibay, J. A. & Hutter, O. F. Voltage-clamp experiments on the inactivation of the delayed potassium current in skeletal muscle fibres 41*P*

Muir, T. C., Pollock, D. & Turner, C. J. The effects of electrical stimulation of the sympathetic nerves on the size and mitotic index of rat salivary glands . 43*P*

Plant, H. C. & Ward, W. R. Effect of progesterone on the pituitary responsiveness to luteinizing hormone releasing hormone (LHRH) in intact anoestrous ewes 45*P*

Anner, Beatrice, Ferrero, J., Jirounek, P. & Straub, R. W. Inhibition of intracellular orthophosphate uptake in rabbit vagus nerve by Na withdrawal and low temperature 47*P*

Rice, Lory R. Effect of external sodium on the unidirectional rate coefficients of sodium transport in feline red cells. 48*P*

Fabian, B. C. & Mervitz, P. S. The stimulation of DNA synthesis in regeneration blastemas from the hind limbs of tadpoles – an organ culture study . . 50*P*

Harris, J. B., Marshall, M. W. & Ward, M. R. Action potential generation in singly and multiply innervated avian muscle fibres 51*P*

Henderson, R., Ritchie, J. M. & Strichartz, G. R. The binding of labelled saxitoxin to mammalian non-myelinated nerve fibres 53*P*

13–14 *April* 1973

DEMONSTRATIONS

Staff of the Faculty of Medicine. Medical education in the Southampton region . 55*P*

Codd, R. D., Nightingale, J. M. & Todd, R. W. An adaptive multi-functional hand prosthesis 55*P*

Sedgwick, E. M. & York, Barbara. Recording neurograms and their interpretation by cross correlation 56*P*

McNaughton, N. & Sedgwick, E. M. A simple bipolar cannula-electrode for chemical and electrical stimulation and electrical recording in free-moving rats (T) . 57*P*

PAGE

Sabbahi Awadalla, M. A. & Sedgwick, E. M. Excitability changes in human motoneurones measured by the H reflex and produced by local cooling of the skin (T) 58P

Cohen, M. J., Pitman, R. M. & Tweedle, C. D. Cobalt staining used for demonstrating neuronal branching 58P

Crossman, A. R., El-Khawad, A. O. A., Walker, R. J. & Woodruff, G. N. Effects of ergometrine on dopamine receptors 59P

Butterworth, K. R. & Pelling, D. Mesenteric venous blood sampling *in vivo* in the rat 60P

Holden, J. S. Free amino acid levels in the cockroach *Periplaneta americana* . 61P

Akhtar, M., Azana, M. J., Kerkut, G. A., Piggott, S. M., Rasool, C. G., Walker, R. J. & Woodruff, G. N. Studies on amino acid receptors from neurones of *Helix aspersa* 62P

Leake, L. D., Smith, P. A., Sunderland, A. J. & Walker, R. J. Studies on neurones from the segmental ganglion of the leech, *Hirudo medicinalis* . . . 63P

Lambert, J. D. C. The effect of drugs on identified neurones in the sub-oesophageal ganglia of *Helix aspersa* 64P

Gayton, R. J., Kerkut, G. A., Lambert, J. D. C., Loker, J. E. & Walker, R. J. Mapping of nerve cells in the brain of the snail, *Helix aspersa* . . . 65P

Durkin, T. P. & Kerkut, G. A. Behaviourally induced changes in rat brain acetylcholinesterase (AChE) activity 66P

Houchin, Jane. Procion Yellow electrodes for intracellular recording and staining of neurones in the somatosensory cortex of the rat 67P

Al-Merani, S. M. A., Cambridge, D., Chapman, B. J. & Munday, K. A. Cannulation of the renal artery of the rat 69P

COMMUNICATIONS

Harris, P. J., Munday, K. A., Noble, A. R. & Winch, M. A. Relationship between renin activity and concentration; application of a direct renin assay following partial renal artery occlusion 70P

Al-Merani, S. M. A., Chapman, B. J. & Munday, K. A. Renal vasodilatation and the antinatriuretic effect of angiotensin in the rat 71P

Johnson, R. H. & Rennie, M. J. The effect of diet upon the metabolic changes with exercise in long-distance runners 73P

Russell, W. J. The average and standard deviation of the auditory evoked response in the cerebral cortex of the conscious rat 74P

Hainsworth R., Karim, F. & Stoker, J. B. The effects of aortic and carotid baroreceptors on a peripheral vein 75P

Keith, I. C., Kidd, C. & Penna, P. E. Modification of sympathetic chronotropic carotid sinus reflex responses by hypothalamic stimulation 77P

Levin, R. J. & Syme, Gabrielle. Effectiveness of thyroxine and triiodothyronine in surgical and propylthiouracil induced hypothyroidism assessed by changes in intestinal electrogenic transfer 78P

Devynck, M. A., Fermandjian, S., Meyer, P. & Pernollet, M. G. Individualization of angiotensin receptors in smooth muscle cell membranes 79P

Szereda-Przestaszewska, Malgorzata & Widdicombe, J. G. Reflex changes in the lumen of the cat larynx due to chemical irritation of the upper airways . . . 80P

Evans, R. H. & Smith, J. W. Mode of action of catecholamines on skeletal muscle 81P

Bhoola, K. D. & Lemon, M. J. C. Studies on the activation of adenylate cyclase from the submaxillary gland and pancreas 83P

PAGE

Burns, J. K. Serum sodium and potassium and blood glucose levels in cynamolgus monkeys after administration of melatonin 84*P*

Hall, W. J. & Martin, J. D. G. Prostaglandin E_1 and net water flow across isolated frog skin 85*P*

Forrester, T. & Hassan, M. O. Appearance of adenosine triphosphate in the perfusate from active frog skeletal muscle 86*P*

Bevan, S., Grampp, W. & Miledi, R. Further observations on Schwann-cell m.e.p.p.s 88*P*

Munday, K. A., Parsons, B. J., Poat, Judith A. & Smith, D. J. The effect of divalent cations on angiotensin stimulation of fluid transport by rat colon . . . 89*P*

Davies, C. T. M. & Sargeant, A. J. Physiological responses to one- and two-limb work in the sitting position 91*P*

Sanford, P. A. & Smyth, D. H. The effects of fasting on intestinal absorption . 92*P*

Darling, Kathryn F. & Thompson, G. E. The effect of injecting acetylcholine and noradrenaline into the third cerebral ventricle, on blood pressure and plasma free fatty acids in sheep 93*P*

Bell, A. W. & Finlay, J. D. The effect of cold on blood flow and oxygen consumption in the hind leg of the ox 94*P*

Bush, B. M. H. & Cannone, A. J. A stretch reflex in crabs evoked by muscle receptor potentials in non-impulsive afferents 95*P*

Jones, M. T. & Tiptaft, E. M. Evidence for two corticosteroid receptor mechanisms in the feedback control of corticotrophin secretion 97*P*

Hamon, G. & Worcel, M. Mechanism of excitation of uterine smooth muscle. Changes in ionic fluxes induced by angiotensin 99*P*

Taylor, D. E. M. Some observations on the effect of slow distension of the bladder and the rectum on cardiac output in the cat 100*P*

Chapman, R. A. & Ellis, D. Synergistic effects of cooling and caffeine on the contraction of the frog's heart 101*P*

Cameron, I. R., Caronna, J. & Miller, Roxana. The effect of acute hyperkalaemia on the c.s.f.-blood potential difference and the control of c.s.f. pH . . . 102*P*

Ramage, A. G., Walker, R. J. & Woodruff, G. N. The storage and release of transmitter substances from *Helix* neurones 104*P*

Foreman, Pat & Segal, M. B. The permeability of the amnion epithelium to small non-electrolytes 105*P*

Blagbrough, Avril, Brierley, J. B. & Nicholson, A. N. Alternation behaviour in the rhesus monkey after profound hypoxia 106*P*

Commissiong, J. W. & Sedgwick, E. M. Do noradrenaline and 5-hydroxytryptamine have reciprocal effects on the motoneurone pool? 108*P*

Rutt, N. S., Stephens, S. D. G. & Thornton, A. R. D. An experiment with surface recording electrocochleography 109*P*

Barcroft, H. The effect of cyanide, of circulatory arrest and of activity on intrinsic vasoconstrictor tone in blood vessels 111*P*

AUTHOR INDEX

(D) denotes Demonstration; (T) Title only

PAGE

AKHTAR, M., AZANA, M. J., KERKUT, G. A., PIGGOTT, S. M., RASOOL, C. G., WALKER, R. J. and WOODRUFF, G. N. Studies on amino acid receptors from neurones of *Helix aspersa* 62P

AL-MERANI, S. M. A., CAMBRIDGE, D., CHAPMAN, B. J. and MUNDAY, K. A. Cannulation of the renal artery of the rat 69P

AL-MERANI, S. M. A., CHAPMAN, B. J. and MUNDAY, K. A. Renal vasodilatation and the antinatriuretic effect of angiotensin in the rat 71P

ALPSAN, D., ECCLES, M. J., LAL, S. and WORMALD, D. I. A device for selectively blocking nerve fibres, using a transient polarizing current (D) . . . 9P

AMYES, S. J. G., ROBERTS, PHYLLIDA, M., SCOTT, PATRICIA P. and SURI, B. S. Postnatal changes in red cell, plasma and liver folate concentrations of the cat, rat, rabbit and dog. 23P

ANNER, BEATRICE, FERRERO, J., JIROUNEK, P. & STRAUB, R. W. Inhibition of intracellular orthophosphate uptake in rabbit vagus nerve by Na withdrawal and low temperature 47P

ARGIBAY, J. A. and HUTTER, O. F. Voltage-clamp experiments on the inactivation of the delayed pctassium current in skeletal muscle fibres 41P

AVANZINO, G. L., CALLIGARO, A. and ERMIRIO, ROSA. Ultrastructural patterns in the rabbit heart pace-maker area localized by electrophysiological methods (D) 18P

AZANAZA, M. J., AKHTAR, M., KERKUT, G. A., PIGGOTT, S. M., RASOOL, C. G., WALKER, R. J. and WOODRUFF, G. N. Studies on amino acid receptors from neurones of *Helix aspersa* (D). 62P

BAKER, ERICA and MORGAN, E. H. Placental iron transfer in the cat 485

BAKER, G. F. and ROGERS, H. J. Further effects of chlorpromazine on the hexose permeability of the human erythrocyte 597

BAKER, P. F. and POTASHNER, S. J. Glutamate transport in invertebrate nerve: the relative importance of ions and metabolic energy 26P

BARCROFT, H. The effect of cyanide, of circulatory arrest and of activity on intrinsic vasoconstrictor tone in blood vessels 111P

BELESLIN, D. B., GRBOVIĆ, LEPOSAVA and RADMANOVIĆ, B. Z. On the behavioural effects of carbachol injected into the cerebral ventricles of cats . . . 36P

BELL, A. W. and FINLAY, J. D. The effect of cold on blood flow and oxygen consumption in the hind leg of the ox. 94P

BEVAN, S., GRAMPP, W. and MILEDI, R. Further observations of Schwann-cell m.e.p.p.s 88P

BEVERLEY, K. I. and REGAN, D. Selective adaptation in stereoscopic depth perception 40P

BHOOLA, K. D. and LEMON, M. J. C. Studies on the activation of adenylate cyclase from the submaxillary gland and pancreas 83P

BLAGBROUGH, AVRIL, BRIERLEY, J. B. and NICHOLSON, A. N. Alternation behaviour in the rhesus monkey after profound hypoxia 106P

BLISS, T. V. P. and GARDNER, MEDWIN, A. R. Long-lasting potentiation of synaptic transmission in the dentate area of the unanaesthetized rabbit following stimulation of the perforant path 357

PAGE

BLISS, T. V. P. and LOMO, T. Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path 331

BLOUNT, R., FOREMAN, PAT, HARDING, MOYRA and SEGAL, M. B. The perfusion of the isolated choroid plexus in the sheep (D) 12*P*

BRIERLEY, J. B., BLAGBROUGH, AVRIL and NICHOLSON, A. N. Alternation behaviour in the rhesus monkey after profound hypoxia 106*P*

BRIERLEY, J. B., HORTON, R. W., MELDRUM, B. S. and VIGOUROUX, R. A. Physiological basis of epileptic brain damage; three experimental models in the adolescent baboon (T) (D) 17*P*

BOYD, G. W. Isolation of a binding protein for pig renin 22*P*

BOYD, I. A. and KALU, K. U. The relation between axon size and number of lamellae in the myelin sheath for afferent fibres in groups I, II and III in the cat. 31*P*

BROKENSHA, G. and WESTBURY, D. R. Evidence from the adaptation of the discharge of the frog muscle spindle for the participation of multiple spike generators 25*P*

BURNS, J. K. Serum sodium and potassium and blood glucose levels in cynamolgus monkeys after administration of melatonin 84*P*

BUSH, B. M. H. and CANNONE, A. J. A stretch reflex in crabs evoked by muscle receptor potentials in non-impulsive afferents. 95*P*

BUTTERWORTH, K. R. and PELLING, D. Mesenteric venous blood sampling *in vivo* in the rat 60*P*

CALDWELL, P. C. and LEA, T. J. Use of an intracellular glass scintillator for the continuous measurement of the uptake of ^{14}C-labelled glycine into squid giant axons (D) 4*P*

CALLIGARO, A., AVANZINO, G. L. and ERMIRIO, ROSA. Ultrastructural patterns in the rabbit heart pace-maker area localized by electrophysiological methods (D) 18*P*

CAMBRIDGE, D., AL-MERANI, S. M. A., CHAPMAN, B. J. and MUNDAY, K. A. Cannulation of the renal artery of the rat (D) 69*P*

CAMERON, I. R., CARONNA, J. and MILLER, ROXANA. The effect of acute hyperkalaemia on the c.s.f. blood potential difference and the control of c.s.f. pH 102*P*

CANFIELD, P., LEBACQ, J. and MARÉCHAL, G. Energy balance in frog sartorius muscle during an isometric tetanus at 20° C 467

CANFIELD, P. and MARÉCHAL, G. Equilibrium of nucleotides in frog sartorius muscle during an isometric tetanus at 20° C 453

CANNONE, A. J. and BUSH, B. M. H. A stretch reflex in crabs evoked by muscle receptor potentials in non-impulsive afferents. 95*P*

CARONNA, J., CAMERON, I. R. and MILLER, ROXANA, The effect of acute hyperkalaemia on the c.s.f.-blood potential difference and the control of c.s.f. pH 102*P*

CASTEELS, R., RAEYMAEKERS, L. and WUYTACK, F. Metabolism of smooth muscle cells under aerobic and anaerobic conditions 27*P*

CAVAGGIONI, A., SORBI, R. T. and TURINI, S. Efflux of potassium from isolated rod outer segments: a photic effect 609

CAVONIUS, C. R. and ROBBINS, D. O. Relationships between luminance and visual acuity in the rhesus monkey 239

CHAPMAN, B. J., AL-MERANI, S. M. A., CAMBRIDGE, D. and MUNDAY, K.A. Cannulation of the renal artery of the rat (D) 69*P*

CHAPMAN, B. J., AL-MERANI, S. M. A. and MUNDAY, K. A. Renal vasodilatation and the antinatriuretic effect of angiotensin in the rat 71*P*

PAGE

CHAPMAN, R. A. and ELLIS, D. Synergistic effects of cooling and caffeine on the contraction of the frog's heart 101P

CHIARANDINI, D. J. and STEFANI, E. Effects of manganese on the electrical and mechanical properties of frog skeletal muscle fibres 129

CLARK, R. P. Techniques for sampling and identifying airborne particles (D) . 5P

CODD, R. D., NIGHTINGALE, J. M. and TODD, R. W. An adaptive multi-functional hand prosthesis 55P

COHEN, M. J., PITMAN, R. M. and TWEEDLE, C. D. Cobalt staining used for demonstrating neuronal branching 58P

COMMISSIONG, J. W. and SEDGWICK, E. M. Do noradrenaline and 5-hydroxytryptamine have reciprocal effects on the motoneurone pool? 108P

COOKE, E. C. and LIPPOLD, O. C. J. Axial movement of the eye, in response to a flash of light, related to the occipital evoked response (D) 15P

COOKE, E. C. and TRESS, KATHLEEN, H. A method for recording cerebral recovery cycles in the conscious unrestrained rat (D) 17P

CORONEOS, N. J., KEANEY, N. P., LANE, J. R., MCDOWELL, D. G., PICKERODT, V. W. A. and TURNER, J. M. The time course of the cerebral circulatory response to metabolic depression 30P

CROSSMAN, A. R., EL-KHAWAD, A. O. A., WALKER, R. J. and WOODRUFF, G. N. Effects of ergometrine on dopamine receptors 59P

CURRAN, PETER F. Appendix to "Kinetics of potassium transport across single distal tubules of rat kidney" By MARGARIDA DE MELLO-AIRES, GERHARD GIEBISCH and GERHARD MALNIC 47

DARLING, KATHRYN F. and THOMPSON, G. E. The effect of injecting acetylcholine and noradrenaline into the third cerebral ventricle, on blood pressure and plasma free fatty acids in sheep 93P

DAVIES, C. T. M. and SARGEANT, A. J. Physiological responses to one- and two-limb work in the sitting position 91P

DE MELLO-AIRES, MARGARIDA, GIEBISCH, GERHARD and MALNIC, GERHARD. Kinetics of potassium transport across single distal tubules of rat kidney. With an Appendix by PETER F. CURRAN 47

DEVYNCK, M. A., FERMANDJIAN, S., MEYER, P. and PERNOLLET, M. G. Individualization of angiotensin receptors in smooth muscle cell membranes . . . 79P

DIAMOND, J. and ROPER, S. Analysis of Mauthner cell responses to iontophoretically delivered pulses of GABA, glycine and L-glutamate 113

DIAMOND, J., ROPER, S. and YASARGIL, G. M. The membrane effects, and sensitivity to strychnine, of neural inhibition of the Mauthner cell, and its inhibition by glycine and GABA. 87

DURKIN, T. P. and KIRKUT, G. A. Behaviourally induced changes in rat brain acetylcholinesterase (AChE) activity 66P

ECCLES, M. J., ALPSAN, D., LAL, S. and WORMALD, D. I. A device for selectively blocking nerve fibres, using a transient polarizing current (D) . . . 9P

EDMONDS, C. J. and THOMPSON, B. D. Further development of a method for prolonged infusion of unrestrained rats (D). 10P

ELEY, C. and KITNEY, R. I. A switchable electronic filter for pre-processing biological signals (D) 3P

EL-KHAWARD, A. O. A., CROSSMAN, A. R., WALKER, R. J. and WOODRUFF, G. N. Effects of ergometrine on dopamine receptors (D) 59P

ELLIS, D. and CHAPMAN, R. A. Synergistic effects of cooling and caffeine on the contraction of the frog's heart 101P

PAGE

ERMIRIO, ROSA, AVANZINO, G. L. and CALLIGARO, A. Ultrastructural patterns in the rabbit heart pace-maker area localized by electrophysiological methods (D) 18*P*

EVANS, R. H. and SMITH, J. W. Mode of action of catecholamines on skeletal muscle 81*P*

FABIAN, B. C. and MERVITZ, P. S. The stimulation of DNA synthesis in regeneration blastemas from the hind limbs of tadpoles – an organ culture study . . 50*P*

FERMANDJIAN, S., DEVYNCK, M. A., MEYER, P. and PERNOLLET, M. G. Individualization of angiotensin receptors in smooth muscle cell membranes. . . 79*P*

FERRERO, J., ANNER, BEATRICE, JIROUNEK, P. and STRAUB, R. W. Inhibition of intracellular orthophosphate uptake in rabbit vagus nerve by Na withdrawal and low temperature 47*P*

FINDLAY, J. D. and BELL, A. W. The effect of cold on blood flow and oxygen consumption in the hind leg of the ox. 94*P*

FORD, L. E. and HUXLEY, A. F. A moving coil servo device giving step displacements of 0·2 mm in 0·3 ms. (T) (D) 22*P*

FOREMAN, PAT, BLOUNT, R., HARDING, MOYRA and SEGAL, M. B. The perfusion of the isolated choroid plexus of the sheep (D) 12*P*

FOREMAN, PAT and SEGAL, M. B. The permeability of the amnion epithelium to small non-electrolytes 105*P*

FORRESTER, T. and HASSAN, M. O. Appearance of adenosine triphosphate in the perfusate from active frog skeletal muscle 86*P*

GARDNER-MEDWIN, A. R. The relation between the supernormal conduction velocity of cerebellar parallel fibres and the number of conditioning volleys (T) (D) 22*P*

GARDNER-MEDWIN, A. R. & BLISS, T. V. P. Long-lasting potentiation of synaptic transmission in the dentate area of the unanaesthetized rabbit following stimulation of the perforant path 357

GAYTON, R. J., KERKUT, G. A., LAMBERT, J. D. C., LOKER, J. E. and WALKER, R. J. Mapping of nerve cells in the brain of the snail, *Helix aspersa* . . . 65*P*

GIEBISCH, GERHARD, DE MELLO-AIRES, MARDARIDA and MALNIC, GERHARD. Kinetics of potassium transport across single distal tubules of rat kidney . . 47

GILLIS, J. M., MAES, M. and VERELLEN, CHRISTINE. Controlled application of calcium to sarcolemma-free muscle fibres (D) 1*P*

GRBOVIĆ, LEPOSAVA, BELESLIN, D. B. and RADMANOVIĆ, B. Z. On the behavioural effects of carbachol injected into the cerebral ventricles of cats . . . 36*P*

GRAMPP, W., BEVAN, S. and MILEDI, R. Further observations on Schwann-cell m.e.p.p.s. 88*P*

GREGOR, MICHAEL and ZIMMERMANN, MANFRED. Dorsal root potentials produced by afferent volleys in cutaneous group III fibres 413

HAINSWORTH, R., KARIM, F. and STOKER, J. B. The effects of aortic and carotid baroreceptors on a peripheral vein. 75*P*

HALL, W. J. and MARTIN, J. D. G. Prostaglandin E_1 and net water flow across isolated frog skin 85*P*

HAMON, G. and WORCEL, M. Mechanism of excitation of uterine smooth muscle. Changes in ionic fluxes induced by angiotensin 99*P*

HARDING, MOYRA, BLOUNT, R., FOREMAN, PAT and SEGAL, M. B. The perfusion of the isolated choroid plexus of the sheep (D) 12*P*

HARRIS, J. B., MARSHALL, M. W. and WARD, M. R. Action potential generation in singly and multiply innervated avian muscle fibres 51*P*

HARRIS, P. J., MUNDAY, K. A., NOBLE, A. R. and WINCH, M. A. Relationship between renin activity and concentration; application of a direct renin assay following partial renal artery occlusion 70*P*

PAGE

HASSAN, M. O. and FORRESTER, T. Appearance of adenosine triphosphate in the perfusate from active frog skeletal muscle 86P

HAYWARD, JAMES N. and JENNINGS, DAVID P. Activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys. I. Functional cell types and their anatomical distribution in the supraoptic nucleus of the internuclear zone 515

HAYWARD, JAMES N. and JENNINGS, DAVID P. Activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys. II. Osmosensitivity of functional cell types in the supraoptic nucleus and the internuclear zone 545

HELLON, R. F. and MISRA, N. K. Neurones in the dorsal horn of the rat responding to scrotal skin temperature changes 375

HELLON, R. F. and MISRA, N. K. Neurones in the ventrobasal complex of the rat thalamus responding to scrotal skin temperature changes 389

HELLON, R. F., MISRA, N. K. and PROVINS, K. A. Neurones in the somatosensory cortex of the rat responding to scrotal skin temperature changes . . . 401

HENDERSON, R., RITCHIE, J. M. and STRICHARTZ, G. R. The binding of labelled saxitoxin to mammalian non-myelinated nerve fibres 53P

HOLDEN, J. S. Free amino acid levels in the cockroach, *Periplaneta americana* . 61P

HORI, T. and NAKAYAMA, T. Effects of biogenic amines on central thermoresponsive neurones in the rabbit 71

HORTON, R. W., BRIERLEY, J. B., MELDRUM, B. S. and VIGOUROUX, R. A. Physiological basis of epileptic brain damage; three experimental models in the adolescent baboon (T) (D) 17P

HOUCHIN, JANE. Procion Yellow electrodes for intracellular recording and staining of neurones in the somatosensory cortex of the rat 67P

HUBBARD, J. I. and JONES, S. F. Spontaneous quantal transmitter release: a statistical analysis and some implications 1

HUBEL, DAVID H. and WIESEL, TORSTEN. N. A re-examination of stereoscopic mechanisms in area 17 of the cat 29P

HUTTER, O. F. and ARGIBAY, J. A. Voltage-clamp experiments on the inactivation of the delayed potassium current in skeletal muscle fibres 41P

HUXLEY, A. F. and FORD, L. E. A moving coil servo device step giving displacements of 0·2 mm in 0·3 ms (T) (D). 22P

IKEDA, HISAKO and WRIGHT, M. J. Optical quality of the cat's eye and human eye 34P

JAYARAJ, P., QUILLIAM, T. A. and TILLY, R. Oral nerve endings in the sheep (D) 7P

JENNINGS, DAVID, P. and HAYWARD, JAMES N. Activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys I. Functional cell types and their anatomical distribution in the supraoptic nucleus and the internuclear zone 155

JENNINGS, DAVID P. and HAYWARD, JAMES, N. Activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys II. Osmosensitivity of functional cell types in the supraoptic nucleus and the internuclear zone 545

JIROUNEK, P., ANNER, BEATRIC, FERRERO, J. and STRAUB, R. W. Inhibition of intracellular orthophosphate uptake in rabbit vagus nerve by Na withdrawal and low temperature 47P

JOHNSON, R. H. and RENNIE, M. J. The effect of diet upon the metabolic changes with exercise in long-distance runners 73P

PAGE

JONES, A. W., SOMLYO, A. P. and SOMLYO, AVRIL V. Potassium accumulation in smooth muscle and associated ultrastructural changes 247

JONES, M. T. and TIPTAFT, E. M. Evidence for two corticosteroid receptor mechanisms in the feedback control of corticotrophin secretin. 97P

JONES, ROSEMARY and TUFFERY, A. R. Relationship of end-plate morphology to junctional chemosensitivity (D) 13P

JONES, S. F. and HUBBARD, J. I. Spontaneous quantal transmitter release: a statistical analysis and some implications 1

KALIA, MADHU and WHITTERIDGE, D. The visual areas in the splenial sulcus of the cat 275

KALU, K. U. and BOYD, I. A. The relation between axon size and number of lamellae in the myelin sheath for afferent fibres in groups I, II and III in the cat 31P

KARIM, F., HAINSWORTH, R. and STOKER, J. B. The effect of aortic and carotid caroreceptors on a peripheral vein 75P

KEANEY, N. P., CORONEOS, N. J., LANE, J. R., MCDOWALL, D. G., PICKERODT, V. W. A. and TURNER, J. M. The time course of the cerebral circulatory response to metabolic depression 30P

KEITH, I. C., KIDD, C. and PENNA, P. E. Modification of sympathetic chronotropic carotid sinus reflex responses by hypothalamic stimulation 77P

KERKUT, G. A., AKHTAR, M., AZANZA, G. A., PIGGOTT, S. M., RASOOL, C. G., WALKER, R. J. and WOODRUFF, G. N. Studies on amino acid receptors from neurones of *Helix aspersa* (D). 62P

KERKUT, G. A. and DURKIN, T. P. Behaviourally induced changes in rat brain acetylcholinesterase (AChE) activity (D) 66P

KERKUT, G. A., GAYTON, R. J., LAMBERT, J. D. C., LOKER, J. E. and WALKER, J. Mapping of nerve cells in the brain of the snail, *Helix aspersa* (D). . . . 65P

KIDD, C., KEITH, I. C. and PENNA, P. E. Modification of sympathetic chronotropic carotid sinus reflex responses by hypothalamic stimulation 77P

KIRKWOOD, P. A. and SEARS, T. A. Interaction between the monosynaptic e.p.s.p. and the central respiratory drive potential of expiratory motoneurones in the cat 38P

KITNEY, R. I. and ELEY, C. A switchable electronic filter for pre-processing biological signals (D) 3P

KNIBESTÖL, M. Stimulus-response functions of rapidly adapting mechanoreceptors in the human glabrous skin area 427

KRAICER, JACOB and MILLIGAN, JOHN V. Effects of various secretagogues upon ^{42}K and ^{22}Na uptake during *in vitro* hormone release from the rat adenohypophysis 149

KULIKOWSKI, J. J. and TOLHURST, D. J. Psychophysical evidence for sustained and transient detectors in human vision. 221

LAL, S., ALPSAN, D., ECCLES, M. J. and WORMALD, D. I. A device for selectively blocking nerve fibres, using a transient polarizing current(D) . . . 9P

LAMBERT, J. D. C. The effect of drugs on identified neurones in the sub-oesophageal ganglia of *Helix aspersa* 64P

LAMBERT, J. D. C., GAYTON, R. J., KERKUT, G. A., LOKER, J. E. and WALKER, J. Mapping of nerve cells in the brain of the snail, *Helix aspersa* (D). . . . 65P

LAMBOTTE, L. Effect of activation of α and β adrenergic receptors on the hepatic cell membrane potential in perfused dog liver 181

LANE, J. R., CORONEOS, N. J., KEANEY, N. P., MCDOWALL, D. G., PICKERODT, V. W. A. and TURNER, J. M. The time course of the cerebral circulatory response to metabolic depression 30P

PAGE

LEA, T. J. and CALDWELL, P. C. Use of an intracellular glass scintillator for the continuous measurements of the uptake of ^{14}C-labelled glycine into squid giant axons (D) 4P

LEAKE, L. D., SMITH, P. A., SUNDERLAND, A. J. and WALKER, R. J. Studies on neurones from the segmental ganglion of the leech, *Hirudo medicinalis* . . 63P

LEBACQ, J., CANFIELD, P. and MARÉCHAL, G. Energy balance in frog sartorius muscle during an isometric tetanus at 20° C 466

LEMON, M. J. C. and BHOOLA, K. D. Studies on the activation of adenylate cyclase from the submaxillary gland and pancreas 83P

LEVIN, R. J. and SYME, GABRIELLE. Effectiveness of thyroxine and triiodothyronine in surgical and propylthiouracil induced hypothyroidism assessed by changes in intestinal electrogenic transfer 78P

LIPPOLD, O. C. J. and COOKE, E. C. Axial movement of the eye, in response to a flash of light, related to the occipital evoked response (D) 15P

LOKER, J. E., GAYTON, R, J., KERKUT, G. A., LAMBERT, J. D. C. and WALKER, R. J. Mapping of nerve cells in the brain of the snail, *Helix aspersa* (D). . . 65P

LŌMO, T. and BLISS, T. V. P. Long lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path 331

LOPES, O. U. and NETO, J. CIPOLLA. The effect of hypothalamic lesions on the carotid occlusion reflex 37P

MCDOWALL, D. G., CORONEOS, N. J., KEANEY, N. P., LANE, J. R., PICKERODT, V. W. A., and TURNER, J. M. The time course of the cerebral circulatory response to metabolic depression 30P

MACKAY, D. M. Evidence of lateral interaction between visual texture-sensitive channels (T) (D) 22P

MCNAUGHTON, N. and SEDGWICK, E. M. A simple bipolar cannula-electrode for chemical and electrical stimulation and electrical recording in free-moving rats (T) 57P

MAES, M., GILLIS, J. M. and VERELLEN, CHRISTINE. Controlled application of calcium to sarcolemma-free muscle fibres (D) 1P

MALNIC, GERHARD, DE MELLO-AIRES, MARGARIDA and GIEBISCH, GERHARD. Kinetics of potassium transport across single distal tubules of rat kidney . . 47

MARÉCHAL, G. and CANFIELD, P. Equilibrium of nucleotides in frog sartorius muscle during an isometric tetanus at 20° C 453

MARÉCHAL, G., CANFIELD, P. and LEBACQ, J. Energy balance in frog sartorius muscle during an isometric tetanus at 20° C 466

MARSHALL, M. W., HARRIS, J. B. and WARD, M. R. Action potential generation in singly and multiply innervated avian muscle fibres 51P

MARTIN, J. D. G. and HALL, W. J. Prostaglandin E_1 and net water flow across isolated frog skin 85P

MELDRUM, B. S., BRIERLEY, J. B., HORTON, R. W. and VIGOUROUX, R. A. Physiological basis of epileptic brain damage; three experimental models in the adolescent baboon (T) (D) 17P

MERVITZ, P. S. and FABIAN, B. C. The stimulation of DNA synthesis in regeneration blastemas from the hind limbs of tadpoles – an organ culture study . 50P

MEYER, P., DEVYNCK, M. A., FERMANDJIAN, S. and PERNOLLET, M. G. Individualization of angiotensin receptors in smooth muscle cell membranes . . . 79P

MILLIGAN, JOHN V. and KRAICER, JACOB. Effects of various secretagogues upon ^{42}K and ^{22}Na uptake during *in vitro* hormone release from the rat adenohypophysis 221

PAGE

MILEDI, R., BEVAN, S. and GRAMPP, W. Further observations on Schwann-cell m.e.p.p.s. 88*P*

MISRA, N. K. and HELLON, R. F. Neurones in the dorsal horn of the rat responding to scrotal skin temperature changes 375

MISRA, N. K. and HELLON, R. F. Neurones in the ventrobasal complex of the rat thalamus responding to scrotal skin temperature changes 389

MISRA, N. K., HELLON, R. F. and PROVINS, K. A. Neurons in the somatosensory cortex of the rat responding to scrotal skin temperature changes . . . 401

MOORE, RICHARD, D. Effect of insulin upon the sodium pump in frog skeletal muscle 23

MORGAN, E. H. and BAKER, ERICA. Placental iron transfer in the cat . . . 485

MUIR, T. C., POLLOCK, D. and TURNER, C. J. The effects of electrical stimulation of the sympathetic nerves on the size and mitotic index of rat salivary glands . 43*P*

MULLER, KENNETH J. Photoreceptors in the crayfish compound eye: electrical interactions between cells as related to polarized light-sensitivity . . . 573

MUNDAY, K. A., AL-MERANI, S. M. A., CAMBRIDGE, D. and CHAPMAN, B. J. Cannulation of the renal artery of the rat (D) 69*P*

MUNDAY, K. A., AL-MERANI, S. M. A. and CHAPMAN, B. J. Renal vasodilatation and the antinatriuretic effect of angiotensin in the rat 71*P*

MUNDAY, K. A., HARRIS, P. J., NOBLE, A. R. and WINCH, M. A. Relationship between renin activity and concentration; application of a direct renin assay following partial renal artery occlusion 70*P*

MUNDAY, K. A. PARSONS, B. J., POAT, JUDITH A. and SMITH, D. J. The effect of divalent cations on angiotensin stimulation of fluid transport by rat colon . 89*P*

MUSGROVE, J. A free standing device for measuring isometric muscle strength (D) 20*P*

NAKAYAMA, T. and HORI, T. Effects of biogenic amines on central thermoresponsive neurones in the rabbit 71

NETO, J. CIPOLLA and LOPES, O. U. The effect of hypothalamic lesions on the carotid occlusion reflex 37*P*

NICHOLSON, A. N., BLAGBROUGH, AVRIL and BRIERLEY, J. B. Alternation behaviour of the rhesus monkey after profound hypoxia 106*P*

NIGHTINGALE, J. M., CODD, R. D. and TODD, R. W. An adaptive multifunctional hand prosthesis (D) 55*P*

NOBLE, A. R., HARRIS, P. J., MUNDAY, K. A. and WINCH, M. A. Relationship between renin activity and concentration; application of a direct renin assay following partial renal artery occlusion 70*P*

PARSONS, B. J., MUNDAY, K. A., POAT, JUDITH A. and SMITH, D. J. The effect of divalent cations on angiotensin stimulation of fluid transport by rat colon 89*P*

PELLING, D. and BUTTERWORTH, K. R. Mesenteric venous blood sampling *in vivo* in the rat (D). 60*P*

PERNOLLET, M. G., DEVYNCK, M. A., FERMANDJIAN, S. and MEYER, P. Individualization of angiotensin receptors in smooth muscle cell membranes. . . . 79*P*

PENNA, P. E., KEITH, I. C. and KIDD, C. Modification of sympathetic chronotropic carotid sinus reflex responses by hypothalamic stimulation 77*P*

PICKERODT, V. W. A., CORONEOS, N. J., KEANEY, N. P., LANE, J. R., MCDOWALL, D. G. and TURNER, J. M. The time course of the cerebral circulatory response to metabolic depression 30*P*

PIGGOTT, S. M., AKHTAR, M., AZANZA, M. J., KERKUT, G. A., RASOOL, R. J., WALKER, R. J. and WOODRUFF, G. N. Studies on amino acid receptors from neurones of *Helix aspersa* (D). 62*P*

PAGE

PITMAN, R. M., COHEN, M. J. and TWEEDLE, C. D. Cobalt staining used for demonstrating neuronal branching (D) 58P

PLANT, H. C. and WARD, W. R. Effect of progesterone on the pituitary responsiveness to luteinizing hormone releasing hormone (LHRH) in intact anoestrous ewes 45P

POAT, JUDITH A., MUNDAY, K. A., PARSONS, B. J. and SMITH, D. J. The effect of divalent cations on angiotensin stimulation of fluid transport by rat colon 89P

POLLOCK, D., MUIR, T. C. and TURNER, C. J. The effects of electrical stimulation of the sympathetic nerves on the size and mitotic index of rat salivary glands 43P

PORTER, GILLIAN M. L. and SCRATCHERD, T. The effect of nicotinic acid and alloxan on the secretion of electrolytes and amylase by the isolated saline perfused pancreas of the cat 33P

POTASHNER, S. J. and BAKER, P. F. Glutamate transport in invertebrate nerve: the relative importance of ions and metabolic energy 26P

PROVINS, K. A., HELLON, R. F. and MISRA, N. K. Neurones in the somatosensory cortex of the rat responding to scrotal skin temperature changes 401

QUILLIAM, T. A., JAYARAJ, P. and TILLY, R. Oral nerve endings in the sheep (D) 7P

RADMANOVIĆ, B. Z., BELESLIN, D. B. and GRBOVIĆ, LEPOSAVA. On the behavioural effects of carbachol injected into the cerebral ventricles of cats 36P

RAEYMAEKERS, L., CASTEELS, R. and WUYTACK, F. Metabolism of smooth muscle cells under aerobic and anaerobic conditions 27P

RAMAGE, A. G., WALKER, R. J. and WOODRUFF, G. N. The storage and release of transmitter substances from *Helix* neurones 104P

RASOOL, C. G., AKHTAR, M., AZANZA, M. J., KERKUT, G. A., PIGGOTT, S. M., WALKER, R. J. and WOODRUFF, G. N. Studies on amino acid receptors from neurones of *Helix aspersa* (D). 62P

REGAN, D. and BEVERLEY, K. I. Selective adaptation in stereoscopic depth perception 40P

RENNIE, M. J. and JOHNSON, R. H. The effect of diet upon the metabolic changes with exercise in long-distance runners 73P

RICE, LORY R. Effect of external sodium on the unidirectional rat coefficients of sodium transport in feline red cells. 48P

RITCHIE, J. M., HENDERSON, R. and STRICHARTZ, G. R. The binding of labelled saxitoxin to mammalian non-myelinated nerve fibres 53P

ROBBINS, D. O. and CARVONIUS, C. R. Relationships between luminance and visual acuity in the rhesus monkey 239

ROBERTS, PHYLLIDA M., AMYES, S. J. G., SCOTT, PATRICIA P. and SURI, B. S. Postnatal changes in red cell, plasma and liver folate concentrations of the cat, rat, rabbit and dog 23P

ROGERS, H. J. and BAKER, G. F. Further effects of chlorpromazine on the hexose permeability of the human erythrocyte 597

ROPER, S. and DIAMOND, J. Analysis of Mauthner cell responses to iontophoretically delivered pulses of GABA, glycine and L-glutamate 113

ROPER, S., DIAMOND, J. and YASARGIL, G. M. The membrane effects, and sensitivity to strychnine, of neural inhibition of the Mauthner cell, and its inhibition by glycine and GABA 87

RUTT, N. S., STEPHENS, S. D. G. and THORNTON, A. R. D. An experiment with surface recording electrocochleography 109P

PAGE

RUSSELL, W. J. The average and standard deviation of the auditory evoked response in the cerebral cortex of the conscious rat 74*P*

SABBAHI AWADALLA, M. A. and SEDGWICK, E. M. Excitability changes in human motoneurones measured by the H reflex and produced by local cooling of the skin (T) 58*P*

SANFORD, P. A. and SMYTH, D. H. The effects of fasting on intestinal absorption 92*P*

SARGEANT, A. J. and DAVIES, C. T. M. Physiological responses to one- and two-limb work in the sitting position 91*P*

SCHWARTZ, E. A. Responses of single rods in the retina of the turtle . . . 503

SCOTT, PATRICIA P., AMYES, S. J. G., ROBERTS, PHYLLIDA M. and SURI, B. S. Postnatal changes in red cell, plasma and liver folate concentrations of the cat, rat, rabbit and dog 23*P*

SCRATCHERD, T. and PORTER, GILLIAN M. L. The effect of nicotinic acid and alloxan on the secretion of electrolytes and amylase by the isolated saline perfused pancreas of the cat 33*P*

SEARS, T. A. and KIRKWOOD, P. A. Interaction between the monosynaptic e.p.s.p. and the central respiratory drive potential of expiratory motoneurones in the cat 38*P*

SEDGWICK, E. M. and COMMISSIONG, J. W. Do noradrenaline and 5-hydroxytryptamine have reciprocal effects on the motoneurone pool? 108*P*

SEDGWICK, E. M. and MCNAUGHTON, N. A simple bipolar cannula-electrode for chemical and electrical stimulation and electrical recording in free-moving rats (D) (T) 57*P*

SEDGWICK, E. M. and SABBAHI AWADALLA, M. A. Excitability changes in human motoneurones measured by the H reflex and produced by local cooling of the skin (D) (T) 58*P*

SEDGWICK, E. M. and YORK, BARBARA. Recording neurograms and their interpretation by cross correlation 56*P*

SEGAL, M. B., BLOUNT, R., FOREMAN, PAT and HARDING, MOYRA. The perfusion of the isolated choroid plexus of the sheep (D) 12*P*

SEGAL, M. B. and FOREMAN, PAT. The permeability of the amnion epithelium to small non-electrolytes 105*P*

SENAY, L. C. JR. Body fluids and temperature responses of heat-exposed women before and after ovulation with and without rehydration 209

SLACK, CHRISTINE and WARNER, ANNE E. Intracellular and intercellular potentials in the early amphibian embryo 313

SLACK, CHRISTINE, WARNER, ANNE E. and WARREN, R. L. The distribution of sodium and potassium in amphibian embryos during early development . 297

SMITH, P. A., LEAKE, L. D., SUNDERLAND, A. J. and WALKER, R. J. Studies on neurones from the segmental ganglion of the leech, *Hirudo medicinalis* (D) . 63*P*

SMITH, D. J., MUNDAY, K. A., PARSONS, B. J. and POAT, JUDITH A. The effect of divalent cations on angiotensin stimulation of fluid transport by rat colon . 89*P*

SMITH, J. W. and EVANS, R. H. Mode of action of catecholamines on skeletal muscle 81*P*

SMYTH, D. H. and SANFORD, P. A. The effects of fasting on intestinal absorption . 92*P*

SOMLYO, A. P., JONES, A. W. and SOMLYO, AVRIL V. Potassium accumulation in smooth muscle and associated ultrastructural changes 247

SOMLYO, AVRIL V., JONES, A. W. and SOMLYO, A. P. Potassium accumulation in smooth muscle and associated ultrastructural changes 247

PAGE

SORBI, R. T., CAVAGGIONI, A. and TURINI, S. Efflux of potassium from isolated rod outer segments: a photic effect 609

STAFF OF THE FACULTY OF MEDICINE. Medical education in the Southampton region 55P

STEFANI, E. and CHIARANDINI, D. J. Effects of manganese on the electrical and mechanical properties of frog skeletal muscle fibres 129

STEPHENS, S. D. G., RUTT, N. S. and THORNTON, A. R. D. An experiment with surface recording electrocochleography 109P

STOKER, J. B., HAINSWORTH, R. and KARIM, F. The effects of aortic and carotid baroreceptors on a peripheral vein. 75P

STONER, H. B. The role of the liver in non-shivering thermogenesis in the rat . 285

STRAUB, R. W., ANNER, BEATRICE, FERRERO, J. and JIROUNEK, P. Inhibition of intracellular orthophosphate uptake in rabbit vagus nerve by Na withdrawal and low temperature 47P

STITT, J. T. Prostaglandin E_1 fever induced in rabbits 163

STRICHARTZ, G. R., HENDERSON, R. and RITCHIE, J. M. The binding of labelled saxitoxin to mammalian non-myelinated nerve fibres 53P

SUNDERLAND, A. J., LEAKE, L. D., SMITH, P. A. and WALKER, R. J. Studies on neurones from the segmental ganglion of the leech, *Hirudo medicinalis* (D) . 63P

SURI, S., AMYES, S. J. G., ROBERTS, PHYLLIDA M. and SCOTT, PATRICIA P. Post-natal changes in red cell, plasma and liver folate concentrations of the cat, rat, rabbit and dog. 23P

SYME, GABRIELLE and LEVIN, R. J. Effectiveness of thyroxine and triidothyronine in surgical and propylthiouracil induced hypothyroidism assessed by changes in intestinal electrogenic transfer 78P

SZEREDA-PRZESTASZEWSKA, MALGORZATA and WIDDICOMBE, J. G. Reflex changes in the lumen of the cat larynx due to chemical irritation of the upper airways 80P

TAYLOR, D. E. M. Some observations on the effect of slow distension of the bladder and the rectum on cardiac output in the cat 100P

THOMPSON, B. D. and EDMONDS, C. J. Further development of a method for prolonged infusion of unrestrained rats (D). 10P

THOMPSON, G. E. and DARLING, KATHRYN, F. The effect of injecting acetylcholine and noradrenaline into the third cerebral ventricle, on blood pressure and plasma free fatty acids in sheep 93P

THORNTON, A. R. D., RUTT, N. S. and STEPHENS, S. D. G. An experiment with surface recording electrocochleography 109P

TILLY, R., JAYARAJ, P. and QUILLIAM, T. A. Oral nerve endings in the sheep (D) 7P

TIPTAFT, E. M. and JONES, M. T. Evidence for two corticosteroid receptor mechanisms in the feed-back control of corticotrophin secretion 97P

TODD, R. W., CODD, R. D. and NIGHTINGALE, J. M. An adaptive multifunctional hand prosthesis (D) 55P

TOLHURST, D. J. and KULIKOWSKI, J. J. Psychophysical evidence for sustained and transient detectors in human vision 149

TRESS, KATHLEEN, H. and COOKE, E. C. A method for recording cerebral recovery cycles in the conscious, unrestrained rat (D) 17P

TUFFERY, A. R. and JONES, ROSEMARY. Relationship of end-plate morphology to junctional chemosensitivity (D) 13P

TURINI, S., CAVAGGIONI, A. and SORBI, R. T. Efflux of potassium from isolated rod outer segments: a photic effect 609

PAGE

TURNER, C. J., MUIR, T. C. and POLLOCK, D. The effects of electrical stimulation of the sympathetic nerves on the size and mitotic index of rat salivary glands 43*P*

TURNER, J. M., CORONEOS, N. J., KEANEY, N. P., LANE, J. R., MCDOWALL, D. G. and PICKERODT, V. W. A. The time course of the cerebral circulatory response to metabolic depression 30*P*

TWEEDLE, C. D., COHEN, M. J. and PITMAN, R. M. Cobalt staining used for demonstrating neuronal branching (D) 58*P*

VERELLEN, CHRISTINE, GILLIS, J. M. and MAES, M. Controlled application of calcium to sarcolemma-free muscle fibres (D) 1*P*

VIGOUROUX, R. A., BRIERLEY, J. B., HORTON, R. W. and MELDRUM, B. S. Physiological basis of epileptic brain damage: three experimental models in the adolescent baboon (T) (D) 17*P*

VILLEGAS, JORGE. Effects of tubocurarine and eserine on the axon-Schwann cell relationship in the squid nerve fibre 193

WALKER, R. J., AKHTAR, M., AZANZA, M. J., KERKUT, G. A., PIGGOTT, S. M., RASOOL, C. G. and WOODRUFF, G. N. Studies on amino acid receptors from neurones of *Helix aspersa* (D) 62*P*

WALKER, R. J., CROSSMAN, A. R., EL-KWAWARD, A. O. A. and WOODRUFF, G. N. Effects of ergometrine on dopamine receptors (D) 59*P*

WALKER, R. J., GAYTON, R. J., KERKUT, G. A., LAMBERT, J. D. C. and LOKER, J. E. Mapping of nerve cells in the brain of the snail, *Helix aspersa* (D). . . . 65*P*

WALKER, R. J., LEAKE, L. D., SMITH, P. A. and SUNDERLAND, A. J. Studies on neurones from the segmental ganglion of the leech, *Hirudo medicinalis* (D) 63*P*

WALKER, R. J., RAMAGE, A. G. and WOODRUFF, G. N. The storage and release of transmitter substances from *Helix* neurones 104*P*

WARD, M. R., HARRIS, J. B. and MARSHALL, M. W. Action potential generation in singly and multiply innervated avian muscle fibres 51*P*

WARD, W. R. and PANT, H. C. Effect of progesterone on the pituitary responsiveness in luteinizing hormone releasing hormone (LHRH) in intact anoestrous ewes. 45*P*

WARNER, ANNE E. and SLACK, CHRISTINE. Intracellular and intercellular potentials in the early amphibian embryo 313

WARNER, ANNE E., SLACK, CHRISTINE and WARREN, R. L. The distribution of sodium and potassium in amphibian embryos during early development . 297

WARREN, R. L., SLACK, CHRISTINE and WARNER, ANNE E. The distribution of sodium and potassium in amphibian embryos during early development . 297

WESTBURY, D. R. and BROKENSHA, G. Evidence from the adaptation of the discharge of the frog muscle spindle for the participation of multiple spike generators 25*P*

WHITTERIDGE, D. and KALIA, MADHU. The visual areas in the splenial sulcus of the cat. 275

WIDDICOMBE, J. G. and SZEREDA-PRZESTASZEWSKA, MALGORZATA. Reflex changes in the lumen of the cat larynx due to chemical irritation of the upper airways 80*P*

WIESEL, TORSTEN N. and HUBEL, DAVID H. A re-examination of stereoscopic mechanisms in area 17 of the cat 29*P*

WINCH, M. A., HARRIS, P. J., MUNDAY, K. A. and NOBLE, A. R. Relationship between renin activity and concentration; application of a direct renin assay following partial renal artery occlusion 70*P*

WOODRUFF, G. N., AKHTAR, M., AZANZA, M. J., KERKUT, G. A., PIGGOTT, S. M., RASOOL, C. G. and WALKER, R. J. Studies on amino acid receptors from neurones of *Helix aspersa* (D). 62*P*

PAGE

WOODRUFF, G. N., CROSSMAN, A. R., EL-KHAWARD, A. O. A. and WALKER, R. J. Effects of ergometrine on dopamine receptors (D) 59P

WOODRUFF, G. N., RAMAGE, A. G. and WALKER, R. J. The storage and release of transmitter substances from *Helix* neurones 104P

WORCEL, M. and HAMON, G. Mechanism of excitation of uterine smooth muscle. Changes in ionic fluxes induced by angiotensin 99P

WORMALD, D. I., ALPSAN, D., ECCLES, M. J. and LAL, S. A device for selectively blocking nerve fibres, using a transient polarizing current (D) 9P

WRIGHT, M. J. and IKEDA, HISAKO. Optical quality of the cat's eye and human eye 34P

WUYTACK, F., CASTEELS, R. and RAEYMAEKERS, L. Metabolism of smooth muscle cells under aerobic and anaerobic conditions 27P

YASARGIL, G. M., DIAMOND, J. and ROPER, S. The membrane effects, and sensitivity to strychnine, of neural inhibition of the mauthner cell, and its inhibition by glycine and GABA 87

YORK, BARBARA and SEDGWICK, E. M. Recording neurograms and their interpretation by cross-correlation (D) 56P

ZIMMERMANN, MANFRED, and GREGOR, MICHAEL. Dorsal root potentials produced by afferent volleys in cutaneous group III fibres 413

SUBJECT INDEX

Absorption, the effects of fasting on intestinal – (rat), 92*P*

Acetylcholinesterase, behaviourally induced changes in brain – (AChE) activity (rat), 66*P*

Adenohypophysis, effects of various secretagogues upon ^{42}K and ^{22}Na uptake during *in vitro* hormone release from – (rat), 221

Adenylate cyclase, studies on the activation of – from the submaxillary gland and pancreas, 83*P*

Adrenergic receptors, effect of activation of α and β – on the hepatic cell membrane potential in perfused dog liver, 181

Amino acids, free – levels in the cockroach (*Periplaneta americana*), 61*P*

Amnion, the permeability of the – epithelium to small non-electrolytes (guinea-pig), 105*P*

Angiotensin, mechanism of excitation of uterine smooth muscle, changes in ionic fluxes induced by – (rat), 99*P*
renal vasodilatation and the antinatriuretic effect of – in the (rat), 71*P*
the effect of divalent cations on – stimulation of fluid transport by, colon (rat), 89*P*

Artery, cannulation of the renal – of the (rat), 69*P*

ATP, appearance of – in the perfusate from active skeletal muscle (frog), 86*P*

Baroreceptors, the effects of aortic and carotid – on a peripheral vein (dog), 75*P*

Blood, mesenteric venous – sampling *in vivo* in the (rat), 60*P*

Blood flow, the effect of cold on – and oxygen consumption in the hind leg of the ox, 94*P*

Blood pressure, the effect of injecting acetylcholine and noradrenaline into the third cerebral ventricle, on – and plasma free fatty acid in (sheep), 93*P*

Body fluids, – and temperature responses of heat-exposed women before and after ovulation with and without rehydration, 209

Cardiac muscle, synergistic effects of cooling and caffeine on the contraction of the heart (frog), 101*P*

Cardiac output, some observations on the effect of slow distension of the bladder and the rectum on – in the (cat), 110*P*

Carotid reflex, the effect of hypothalamic lesions on the carotid occlusion reflex (rat), 37*P*

Carotid sinus reflex, modification of sympathetic chronotropic – responses by hypothalamic stimulation (dog), 77*P*

Cerebral circulation, the time course of the cerebral circulatory response to metabolic depression (baboon), 30*P*

Cerebral excitability, a method for recording cerebral recovery cycles in the conscious unrestrained rat, 17*P*

Cerebro-spinal fluid, the effect of acute hyperkalaemia on the – blood potential difference and the control of – pH (dog), 102*P*

Chlorpromazine, further effects of – on the hexose permeability of the human erythrocyte, 597

Choroid plexus, the perfusion of the isolated choroid plexus in the sheep, 12*P*

Cobalt, staining used for demonstrating neuronal branching (cockroach), 58*P*

Corticotrophin, evidence for two corticosteroid receptor mechanisms in the feedback control of – secretion (rat), 97*P*

Cutaneous fibres, dorsal root potentials produced by afferent volley in cutaneous group III fibres (cat), 413

Development, intracellular and intercellular potentials in the early amphibian embryo, 313
the distribution of sodium and potassium in amphibian embryos during early –, 297

Dopamine, effects of ergometrine on – receptors (snail, rat), 59*P*

Dorsal root potentials, – produced by afferent volleys in cutaneous group III fibres (cat), 413

Electrocochleography, an experiment with surface recording – (man), 109*P*

End-plate, relationship of end-plate morphology to junctional chemosensitivity (rat), 13*P*

Energy balance, – in frog sartorius muscle during an isometric tetanus at 20° C, 466

Erythrocyte, further effects of chlorpromazine on the hexose permeability of the human –, 597
Evoked response, the average and standard deviation of the auditory – in the cerebral cortex of the conscious rat, 74*P*
Exercise, physiological responses to one- and two-limb work in the sitting position, 91*P*
the effect of diet upon the metabolic changes with – in long-distance runners, 73*P*
Eye movements, axial movement of the eye, in response to a flash of light, related to the occipital evoked response, 15*P*

Fluid transport, the effect of divalent cations on angiotensin stimulation of – by, colon (rat), 89*P*
Folic end, post-natal changes in red cell, plasma and liver folate concentrations of the cat, rat, rabbit and dog, 23*P*
Free fatty acids, the effect of injecting acetylcholine and noradrenaline into the third cerebral ventricle, on blood pressure and plasma – in (sheep), 93*P*

Gamma-amino butyric acid, the membrane effects and sensitivity to strychnine of neural inhibition of the Mauthner cell and its inhibition by glycine and – (goldfish), 87
Glutamate, – transport in invertebrate nerve: the relative importance of ions and metabolic energy, 26*P*
Glycine, the membrane effects; and sensitivity to strychnine, of neural inhibition of the Mauthner cell and its inhibition by – and GABA (goldfish), 87

Hand, an adaptive multi-functional – prosthesis, 55*P*
Heart, ultrastructural patterns in the rabbit heart pace-maker area localized by electrophysiological methods, 18*P*
Heat exposure, body fluids and temperature responses of – on women before and after ovulation with and without rehydration, 209
Hexose transfer, further effects of chlorpromazine on the – permeability of the human erythrocyte, 597
Hippocampus, long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized, following stimulation of the perforant path (1) (rabbit), 331
long-lasting potentiation of synaptic transmission in the dentate area of the unanaesthetized, following stimulation of the perforant path (2) (rabbit), 357
Hypothalamus, activity of magnocellular neuroendocrine cells in the – of unanaesthetized monkeys. I. Functional cell types and their anatomical distribution in the supraoptic nucleus and the internuclear zone, 515
activity of magnocellular neuroendocrine cells in the – of unanaesthetized monkeys II. Osmosensitivity of functional cell types in the supraoptic nucleus and the internuclear zone, 545
effects of biogenic amines on central thermo-responsive neurones in the (rabbit), 71
Hypothyroidism, effectiveness of thyroxine and triiodothyronine in surgical and propylthiouracil induced – assessed by changes in intestinal electrogenic transfer (rat), 78*P*
Hypoxia, alternation behaviour in the rhesus monkey, after profound – 106*P*

Infusion techniques, further development of a method for prolonged infusion of unrestrained rats, 10*P*
Insulin, effect of – upon the sodium pump in skeletal muscle (frog), 23
Ions, the distribution of sodium and potassium in amphibian embryos during early development, 297
Iontophoresis, analysis of Mauthner cell responses to iontophoretically delivered pulses of GABA, glycine and L-glutamate (goldfish), 113
Iron, placental – transfer in the cat, 485

Kidney, kinetics of potassium transport across single distal tubules of rat kidney (rat), 47

Larynx, reflex changes in the lumen of the – due to chemical irritation of the upper airways (cat), 80*P*
Liver, effect of activation of α and β adrenergic receptors on the hepatic cell membrane potential in perfused – (dog) 181
the role of the – in non-shivering thermogenesis in the (rat), 285
Luteinizing hormone, effect of progesterone on the pituitary responsiveness to – releasing hormone (LHRH) in intact anoestrous ewes, 45*P*

Manganese, effects of – on the electrical and mechanical properties of skeletal muscle fibres (frog), 129

Mauthner cell, analysis of – responses to iontophoretically delivered pulses of GABA, glycine and L-glutamate (goldfish), 113

the membrane effects, and sensitivity to strychnine, of neural inhibition of the – and its inhibition by glycine and GABA (goldfish), 87

Mechanoreceptors, stimulus response functions of rapidly adapting – in the human glabrous skin area, 427

Melatonin, serum sodium and potassium and blood glucose levels in cynamolgus – after administration of – (monkeys), 84*P*

Membrane potential, effect of activation of α and β adrenergic receptors on the hepatic cell – in perfused liver (dog), 181

Motoneurones, do noradrenaline and 5-hydroxytryptamine have reciprocal effects on the – pool? (rat), 108*P*

Movement detectors, psychophysical evidence for sustained and transient – in human vision, 149

Muscle, a free standing device for measuring isometric – strength, 20*P*

action potentials generation in singly and multiply innervated avian – fibres, 51*P*

Muscle spindles, evidence from the adaptation of the discharge of the frog – for the participation of multiple spike generators, 25*P*

Myelin sheath, the relation between axon size and number of lamellae in the myelin sheath for afferent fibres in groups I, II and III in the cat, 31*P*

Nerve, a device for selectivity blocking nerve fibres, using a transient polarizing current, 9*P*

Nerve endings, oral nerve endings in the sheep, 7*P*

Neurograms, recording – and their interpretation by cross correlation, 56*P*

Neuroendocrine cells, activity of magnocellular – in the hypothalamus of unanaesthetized monkeys I. Functional cell types and their anatomical distribution in the supraoptic nucleus and the internuclear zone, 515

activity of magnocellular – in the hypothalamus of unanaesthetized monkeys II. Osmosensitivity of functional cell types in the supraoptic nucleus and the internuclear zone, 545

Neurones, – in the dorsal horn of the responding to scrotal skin temperature changes (rat), 375

– in the ventrobasal complex of the thalamus responding to scrotal skin temperature changes (rat), 389

cobalt straining used for demonstrating neuronal branching (cockroach), 58*P*

mapping of nerve cells in the brain of the snail (*Helix aspersa*), 65*P*

procion yellow electrodes for intracellular recording and staining of – in the somatosensory cortex of the (rat), 67*P*

studies on – from the segmental ganglion of the leech (*Hirudo medicinalis*), 63*P*

the effect of drugs on identified – in the sub-oesophageal ganglia of (*Helix aspersa*), 64*P*

Nucleotides, equilibrium of – in frog sartorius muscle during an isometric tetanus at 20°C, 453

Orthophosphate, inhibition of intracellular – uptake in rabbit vagus nerve by Na withdrawal and low temperature, 47*P*

Ovulation, body fluids and temperature responses of heat-exposed women before and after – with and without rehydration, 209

Pancreas, the effect of nicotinic acid and alloxan on the secretion of electrolytes and amylase by the isolated saline perfused pancreas of the cat, 33*P*

Particle analysis, techniques for sampling and identifying airborne particles, 5*P*

Permeability, the – of the amnion epithelium to small non-electrolytes (guinea-pig), 105*P*

Photoreceptors, efflux of potassium from isolated rod outer segments: a photic effect (frog), 609

– in the crayfish compound eye: electrical interactions between cells as related to polarized-light sensitivity, 573

Placenta, placental iron transfer in the cat, 485

Polarized light, photoreceptors in the crayfish compound eye: electrical interactions between cells as related to – sensitivity, 573

Potassium, – accumulation in smooth muscle and associated ultrastructural changes (rabbit, guinea-pig), 247

efflux of – from isolated rod outer segments: a photic effect (frog), 609

kinetics of – transport across single distal tubules of kidney (rat), 47

Potentials, intracellular and intercellular – in the early amphibian embryo, 313
Procion Yellow – electrodes for intracellular recording and staining of neurones in the somatosensory cortex of the (rat), 67*P*
Prostaglandin E_1, – and net water flow across isolated, skin (frog), 85*P*
fever induced in (rabbits), 163

Receptors, individualization of angiotensin– in smooth muscle cell membranes (rabbit), 79*P*
studies on amino acid – from neurones of (*Helix aspersa*), 62*P*
Regeneration, the stimulation of DNA synthesis in – blastemas from the hind limbs of tadpoles – an organ culture study, 50*P*
Releasing hormone, effect of progesterone on the pituitary responsiveness to luteinizing hormone – (LHRH) in intact anoestrous ewes, 45*P*
Renin, isolation of a binding protein for pig –, 22*P*
relationship between – activity and concentration; application of a direct – assay following partial renal artery occlusion (dog), 70*P*
Respiration, interaction between the monosynaptic EPSP and the Central Respiratory Drive Potential of expiratory motoneurones in the cat, 38*P*
Retina, responses of single rods in the – of the turtle, 503
Rods, efflux of potassium from isolated – outer segments: a photic effect (frog), 609
responses of single – in the retina of the turtle, 503

Salivary glands, the effects of electrical stimulation of the sympathetic nerves on the size and mitotic index of rat salivary glands, 43*P*
Saxitoxin, the binding of labelled – to mammalian non-myelinated nerve fibres, 53*P*
Schwann cell, effects of tubocurarine and eserine on the axon – relationship in the nerve fibre (squid), 193
further observations on – m.e.p.p.s (frog), 88*P*
Scintillation counting, use of an intracellular glass scintillator for the continuous measurement of the uptake of ^{14}C-labelled glycine into squid giant axons, 4*P*
Scrotal temperature, neurones in the dorsal horn of the, responding to – skin-changes (rat), 375
neurones in the ventrobasal complex of the thalamus responding to – skin-changes (rat), 389
neurones in the somatosensory cortex of the, responding to – skin changes (rat), 401
Secretion, effects of various secretagogues upon ^{42}K and ^{22}Na uptake during *in vitro* hormone release from the adenohypophysis (rat), 221
Signal analysis, a switchable electronic filter for pre-processing biological signals, 3*P*
Skeletal muscle, appearance of adenosine triphosphate in the perfusate from active – (frog), 86*P*
controlled application of calcium to sarcolemma-free muscle fibres (rat), 1*P*
effects of manganese on the electrical and mechanical properties of – fibres (frog), 129
energy balance in frog sartorius muscle during an isometric tetanus at 20° C, 466
equilibrium of nucleotides in frog sartorius muscle during an isometric tetanus at 20° C, 453
mode of action of catecholamines on –, 81*P*
voltage-clamp experiments on the inactivation of the delayed potassium current in – fibres, 41*P*
Skin, stimulus-response functions of rapidly adapting mechanoreceptors in the human glabrous – area, 427
Skin temperature, neurones in the dorsal horn of the, responding to scrotal – changes (rat), 375
neurones in the ventrobasal complex of the thalamus responding to scrotal – changes (rat), 389
neurones in the somato-sensory cortex of the, responding to scrotal skin – changes (rat), 401
Smooth muscle, mechanism of excitation of uterine –, changes in ionic fluxes induced by angiotensin (rat), 99*P*
metabolism of – cells under aerobic and anaerobic conditions (guinea-pig), 27*P*
potassium accumulation, in – and associated ultrastructural changes, 247
Sodium pump, effect of insulin upon the – (rabbit, guinea-pig) in frog skeletal muscle, 23
Sodium transport, effect of external sodium on the unidirectional rate coefficients of – in feline red cells, 48*P*

Somatosensory cortex, neurones in the – of the, responding to scrotal skin temperature changes (rat), 401
Splenial sulcus, the visual area in the – of the (cat), 275
Squid axons, effects of tubocurarine and eserine on the axon-Schwann cell relationship in the nerve fibres (squid), 193
Stretch reflex, a – in, evoked by muscle receptor potentials in non-impulsive afferents (crabs), 95*P*
Strychnine, the membrane effects, and sensitivity to – of neural inhibition of the Mauthner cell, and its inhibition by glycine and GABA (goldfish), 87
Supraoptic neurones, activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys I. Functional cell types and their anatomical distribution in the – nucleus and the internuclear zone, 515
activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys II. Osmosensitivity of functional cell types in the – nucleus and the internuclear zone, 545
Synaptic plasticity, long-lasting potentiation of synaptic transmission in the dentate area of the unanaesthetized, following stimulation of the perforant path (2) (rabbit), 357
Synaptic transmission, long lasting potentiation of – in the dentate area of the anaesthetized, following stimulation of the perforant path (1) (rabbit), 331

Thermogenesis, the role of the liver in non-shivering – in the (rat), 285
Thermoregulation, effects of biogenic amines on central thermo-responsive neurones in the (rabbit), 71
Prostaglandin E_1 fever induced in (rabbits). 163
Transferrin, placental iron transfer in the cat, 485
Transmitter release, sponaneous quantal – a statistical analysis and some implications (rat), 1
the storage and release of transmitter substances from *Helix* neurones, 104*P*

Vasoconstrictor tone, the effect of cyanide, of circulatory arrest and of activity on intrinsic – in blood vessels, 111*P*
Ventricle, on the behavioural effects of carbachol injected into the cerebral – of cats, 36*P*
Vision, a re-examination of stereoscopic mechanisms in area 17 of the cat, 29*P*
optical quality of the cat's eye and human eye, 34*P*
selective adaptation in stereoscopic depth perception (man), 40*P*
Psychophysical evidence for sustained and transient detectors in human, 149
Visual acuity, relationships between luminance and – in the (rhesus monkey), 239
Visual areas, the – in the splenial sulcus of the (cat), 275
Visual sensitivity, relationships between luminance and visual acuity in the (rhesus monkey), 239

Water flow, prostaglandin E_1 and net – across isolated, skin, (frog), 85*P*

THE JOURNAL OF PHYSIOLOGY

EDITED FOR

THE PHYSIOLOGICAL SOCIETY

BY

H. B. BARLOW J. A. V. BATES J. BLIGH
J. R. BRONK P. C. CALDWELL J. DIAMOND
R. H. T. EDWARDS D. K. HILL L. L. IVERSEN
J. J. B. JACK D. H. JENKINSON B. R. JEWELL
N. JOELS J. F. LAMB J. LEE A. R. MARTIN
J. N. MILLS C. RASHBASS T. A. SEARS
P. D. WALL J. G. WIDDICOMBE G. WISEMAN
P. F. BAKER (*Secretary*) R. H. ADRIAN (*Chairman*)

Volume 233

1973

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB
American Branch: 32 East 57th Street, New York, N.Y. 10022

© The Physiological Society 1973

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS OF VOLUME 233

No. 1 *August* 1973

PAGE

Innervation of extrafusal and intrafusal fibres in snake muscle. by G. S. CLIFF and R. M. A. RIDGE 1

Foetal bile pigment handling after administration of [^{14}C] haemin. By BENJAMIN T. JACKSON, ROGER LESTER, JOANNA M. LITTLE, GEORGE J. PIASECKI, HELMUT F. J. RAUSCHECKER and PAUL M. SMITH 19

The physiological role of calcitonin assessed through chronic calcitonin deficiency in rats. By M. ASHWINI KUMAR and W. C. STURTRIDGE 33

Extra-segmental reflexes derived from intercostal afferents: phrenic and laryngeal responses. By JOHN E. REMMERS 45

Effect of lateral cervical cord lesions on the respiratory rhythm of anaesthetized, decerebrate cats after vagotomy. By JOHN E. REMMERS and W. G. TSIARAS 63

The response of malnourished babies to cold. By O. G. BROOKE, M. HARRIS, and CARMENCITA B. SALVOSA 75

The time course of cardiovascular changes in lactation in the rat. By ANN HANWELL and J. L. LINZELL 89

The effects of engorgement with milk and of suckling on mammary blood flow in the rat. By ANN HANWELL and J. L. LINZELL 111

Excitation-contraction coupling in voltage clamped uterine smooth muscle. By JEAN MIRONNEAU 127

Background configuration and rod threshold. By P. LENNIE and D. I. A. MACLEOD 143

Relationship between the velocity of rolling granulocytes and that of the blood flow in venules. By ANNE ATHERTON and G. V. R. BORN 157

The rate of action of tetrodotoxin on myelinated nerve fibres of *Xenopus laevis* and *Rana esculenta*. By J. R. SCHWARZ, W. ULBRICHT and H.-H. WAGNER 167

Release of transmitters into the perfused third cerebral ventricle of the cat. By RUTH ASHKENAZI, R. B. HOLMAN and MARTHE VOGT 195

PAGE

Cortical pyramidal tract interneurones and their sensitivity to L-glutamic acid. By T. W. STONE 211

No. 2 *September* 1973

Sodium and water contents of sarcoplasm and sarcoplasmic reticulum in rat skeletal muscle: effects of anisotonic media, ouabain and external sodium. By ELLEN ROGUS and KENNETH L. ZIERLER. 227

Adaptation and dynamics of cat retinal ganglion cells. By CHRISTINA ENROTH-CUGELL and R. M. SHAPLEY 271

Flux, not retinal illumination, is what cat retinal ganglion cells really care about. By CHRISTINA ENROTH-CUGELL and R. M. SHAPLEY 311

Active transport of ^{131}I across the blood-brain barrier. By HUGH DAVSON and JILLIAN R. HOLLINGSWORTH 327

Splanchnic slowly adapting mechanoreceptors with punctate receptive fields in the mesentery and gastrointestinal tract of the cat. By J. F. B. MORRISON 349

Rubidium influx into rat skeletal muscles in relation to electrical activity. By R. P. KERNAN and MARY MCDERMOTT 363

Biionic potentials in the proximal tubule of *Necturus* kidney. By TAKIS ANAGNOSTOPOULOS 375

Sodium movements in high-sodium beef red cells: properties of a ouabain-insensitive exchange diffusion. By R. MOTAIS 395

Characteristics of a sulphydryl group essential for sodium exchange diffusion in beef erythrocytes. By R. MOTAIS and F. SOLA . . 423

On the mechanism of halothane anaesthesia. By C. D. RICHARD 439

The role of the sympathetic innervation in the control of plasma glucagon concentration in the calf. By S. R. BLOOM, A. V. EDWARDS and N. J. A. VAUGHAN 457

No. 3 *September* 1973

Gastric emptying in young pigs. By B. A. OCHIA 467

The formation of synapses in reinnervated mammalian striated muscle. By M. R. BENNETT, ELSPETH M. MCLACHLAN and R. S. TAYLOR 481

PAGE

The formation of synapses in mammalian striated muscle reinnervated with autonomic preganglionic nerves. By M. R. Bennett, Elspeth M. McLachlan and R. S. Taylor 501

Rate of uptake of endogenous cortisol by the left ventricle of the anaesthetized dog during ventilation with ambient air and during hypoxia. By J. Kolanowski and J. Lammerant 519

Cerebral glucose transport and oxygen consumption in sheep and rabbits. By J. R. Pappenheimer and B. P. Setchell 529

Studies on the site of termination of static and dynamic fusimotor fibres within muscle spindles of the tenuissimus muscle of the cat. By M. C. Brown and R. G. Butler 553

Retention of the original topographic polarity by the 180° rotated tectal reimplant in young adult goldfish. By Myong G. Yoon. 575

Wave-length dependencies of light scattering in normal and cold swollen rabbit corneas and their structural implications. By R. A. Farrell, R. L. McCally and P. E. R. Tatham 589

Effects of anions and cations on the resting membrane potential of internally perfused barnacle muscle fibres. By N. Lakshminarayanaiah and E. Rojas 613

Matching and facilitation of the neuromuscular junction of the lobster: a possible case for influence of muscle on nerve. By Eric Frank 635

The thermal effects of shortening in tetanic contractions of frog muscle. By Valerie A. Dickinson and Roger C. Woledge. . 659

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

2 *June* 1973

DEMONSTRATIONS

PAGE

Gandy, Gillian, Jacobson, W. & Sidman, R. Inhibition of a transmethylation reaction in the central nervous system – an experimental model for subacute combined degeneration of the cord. 1*P*

Gabella, G. & Juorio, A. V. Changes in the concentration and uptake of noradrenaline in degenerating adrenergic fibres 3*P*

Rüdel, R. & Taylor, S. R. Aequorin luminescence during contraction of amphibian skeletal muscle 5*P*

Cavanagh, P. R., Davies, C. T. M., Grieve, D. W. & Sargeant, A. J. Electromyographic, kinesiological and metabolic examination of running on a treadmill. 7*P*

Ashley, C. C. & Moisescu, D. G. Tension changes in isolated bundles of frog and barnacle myofibrils in response to sudden changes in the external free calcium concentration. 8*P*

Steven, D. H. Placental separation in the ewe 10*P*

Lewis, P. R. The use of EMMA-4 to measure cholinesterase activity . . . 12*P*

France, Venetia M. & Wood, J. R. Gallstones in foetal sheep 13*P*

Barnes, R. J., Comline, R. S. & Silver, Marian. Foetal urine production in the sheep 14*P*

Appleton, T. C. X-ray microanalysis of diffusible electrolytes in ultrathin frozen sections 15*P*

Jacks, F. & Setchell, B. P. A technique for studying the transfer of substances from venous to arterial blood in the spermatic cord of wallabies and rams . 17*P*

Fitzsimons, J. T. & Szczepańska-Sadowska, Ewa K. Drinking elicited by isoprenaline in the dog 19*P*

Crombie, Paula R. A comparison of placental ultrastructure in the later stages of pregnancy in the horse, sheep and cow (T) 20*P*

Malinowska, K. W. & Nathanielsz, P. W. The assay of corticosterone, aldosterone, cortisone and cortisol in single plasma samples obtained from foetal and neonatal animals 20*P*

Gruchy, C. E. & Steven, D. H. Innervation of reticular papillae in sheep and goats (T) 22*P*

Van Winkle, W. B. & Zaimis, Eleanor. Ultrastructural and biochemical features of a fast- and a slow-contracting skeletal muscle of the cat: a comparison (T) . 22*P*

Buckle, J. W. The use of radiotelemetry to measure uterine activity in the unrestrained pregnant rat during the infusion of pharmacologically active compounds 22*P*

COMMUNICATIONS

Elliott, Annie B. & Ong, C. N. Oxygen consumption *in vitro* by skin and urinary bladder of the euryhaline frog, *Rana cancrivora* 23*P*

Buller, A. J. & Kean, C. J. C. Further observations on the force velocity characteristics of cross-innervated cat skeletal muscle 24*P*

Lamb, J. F. & Polson, Jean. Effect of low potassium and lithium growth medium on ouabain binding in HeLa cells (T) 25*P*

PAGE

Richards, C. D. Does trichloroethylene have a different mode of action from other general anaesthetics? 25*P*

Guertzenstein, P. G. & Silver, Ann. Further studies on the role of a bilateral chemosensitive zone on the ventral surface of the brainstem in the maintenance of arterial blood pressure 27*P*

Keynes, R. D. & Rojas, E. Characteristics of the sodium gating current in the squid giant axon 28*P*

Howarth, J. V. & von Muralt, A. The optical birefringence spike during the action potential (T) 30*P*

Mitchell, G., Rosendorff, C. & Scriven, D. R. The effect of catecholamines and catecholamine inhibitors on hypothalamic vascular tone 30*P*

Davis, Jane, Kvale, P. A., Prime, F. J., Schroter, R. C. & Sudlow, M. F. Effect of gas density on the uptake of CO during steady-state breathing 32*P*

Horder, T. J. & Spitzer, Janet L. Absence of cell mobility across the retina in *Xenopus laevis* embryos 33*P*

Bennett, A. & Stockley, Helen L. A study of the intrinsic innervation of human isolated gastrointestinal muscle using electrical stimulation 34*P*

Ambache, N., Killick, S. W., Srinivasan, Vasanta & Zar, M. Aboo. Presynaptic inhibition of adrenergic motor transmission in rat anococcygeus muscle by D-lysergic acid diethylamide (LSD) 35*P*

Caro, C. G. Transport of ^{14}C-4 cholesterol between intra-luminal serum and artery wall in isolated dog common carotid artery 37*P*

Heuser, J. & Lennon, Anamaria. Morphological evidence for exocytosis of acetylcholine during formation of synaptosomes from Torpedo electric organ . . 39*P*

Lowy, J. & Mulvany, M. J. Effect of calcium on mechanical properties of rigor frog sartorius muscles 41*P*

Angel, A. & Clarke, K. A. Fine somatotopic representation of the forelimb area of the ventro-basal thalamus of the albino rat 43*P*

Baker, P. F. & Glitsch, H. G. Does metabolic energy participate directly in the Na^+-dependent extrusion of Ca^{2+} ions from squid giant axons? 44*P*

Errington, M. L. & Rocha e Silva M. Jr. The effect of bradykinin potentiating monapeptide (BPP_{9a}) on prolonged haemorrhagic shock in dogs 46*P*

Lake, N., Phillis, J. W. & Yarbrough, G. G. Involvement of calcium in the inhibitory effects of putative transmitter substances in the cerebral cortex . . 47*P*

AUTHOR INDEX

(D) Denotes Demonstration. (T) Title only

PAGE

AMBACHE, N., KILLICK, S. W., SRINIVASAN, VASANTA and ZAR, M. ABOO. Presynaptic inhibition of adrenergic motor transmission in rat anococcygeus muscle by D-lysergic acid diethylamide (LSD) 35*P*

ANAGNOSTOPOULOS, TAKIS. Biionic potentials in the proximal tubule of *Necturus* kidney 375

ANGEL, A. and CLARKE, K. A. Fine somatotopic representation of the forelimb area of the ventro-basal thalamus of the albino rat 43*P*

APPLETON, T. C. X-ray microanalysis of diffusible electrolytes in ultrathin frozen sections. (D) 15*P*

ASHKENAZI, RUTH, HOLMAN, R. B. and VOGT, MARTHE. Release of transmitters into the perfused third cerebral ventricle of the cat 195

ASHLEY, C. C. and MOISESCU, D. G. Tension changes in isolated bundles of frog and barnacle myofibrils in response to sudden changes in the external free calcium concentration (D) 8*P*

ATHERTON, ANNE and BORN, G. V. R. Relationship between the velocity of rolling granulocytes and that of the blood flow in venules. 157

BAKER, P. F. and GLITSCH, H. G. Does metabolic energy participate directly in the Na^+-dependent extrusion of Ca^{2+} ions from squid giant axons . . . 44*P*

BARNES, R. J., COMLINE, R. S. and SILVER, MARIAN. Foetal urine production in the sheep (D) 14*P*

BENNETT, A. and STOCKLEY, HELEN L. A study of the intrinsic innervation of human isolated gastrointestinal muscle using electrical stimulation . . 34*P*

BENNETT, M. R., MCLACHLAN, ELSPETH M. and TAYLOR, R. S. The formation of synapses in reinnervated mammalian striated muscle 481

BENNETT, M. R., MCLACHLAN, ELSPETH M. and TAYLOR, R. S. The formation of synapses in mammalian striated muscle reinnervated with autonomic preganglionic nerves 501

BLOOM, S. R., EDWARDS, A. V. and VAUGHAN, N. J. A. The role of the sympathetic innervation in the control of plasma glucagon concentration in the calf. . 457

BORN, G. V. R. and ATHERTON, ANNE. Relationships between the velocity of rolling granulocytes and that of the blood flow in venules 157

BROOKE, O. G., HARRIS, M. and SALVOSA, CARMENCITA B. The response of malnourished babies in cold. 75

BROWN, M. C. and BUTLER, R. G. Studies on the site of termination of static and dynamic fusimotor fibres within muscle spindles of the tenuissimus muscle of the cat 553

BUCKLE, J. W. The use of radiotelemetry to measure uterine activity in the unrestrained pregnant rat during the infusion of pharmacologically active compounds (D) 22*P*

BULLER, A. J. and KEAN, C. J. C. Further observations on the force velocity characteristics of cross-innervated cat skeletal muscle 24*P*

BUTLER, R. G. and BROWN, M. C. Studies on the site of termination of static and dynamic fusimotor fibres within muscle spindles of the tenuissimus muscle of the cat 553

PAGE

CARO, C. G. Transport of ^{14}C-4 cholesterol between intra-luminal serum and artery wall in isolated dog common carotid artery 37*P*

CAVANAGH, P. R., DAVIES, C. T. M., GRIEVE, D. W. and SARGEANT, A. J. Electromyographic, kinesiological and metabolic examination of running on a treadmill (D) 7*P*

CLARKE, K. A. and ANGEL, A. Fine somatotopic representation of the forelimb of the ventro-basal thalamus of the albino rat 43*P*

CLIFF, G. S. and RIDGE, R. M. A. P. Innervation of extrafusal and intrafusal fibres in snake muscle 1

COMLINE, R. S., BARNES, R. J. and SILVER, MARIAN. Foetal urine production in the sheep (D) 14*P*

CROMBIE, PAULA R. A comparison of placental ultrastructure in the later stages of pregnancy in the horse, sheep and cow (T), (D) 20*P*

DAVIES, C. T. M., CAVANAGH, P. R., GRIEVE, D. W. and SARGEANT, A. J. Electromyograpic, kinesiological and metabolic examination of running on a treadmill (D) 7*P*

DAVIES, JANE, KVALE, P. A., PRIME, F. J., SCHROTER, R. C. and SUDLOW, M. F. Effect of gas density on the uptake of CO during steady-state breathing . 32*P*

DAVSON, HUGH and HOLLINGSWORTH, JILLIAN R. Active transport of ^{131}I across the blood-brain barrier 327

DICKINSON, VALERIE A. and WOLEDGE, ROGER C. The thermal effects of shortening in tetanic contractions of frog muscle 659

EDWARDS, A. V., BLOOM, S. R. and VAUGHAN, N. J. A. The role of the sympathetic innervation in the control of plasma glucagon concentration in the calf. . 457

ELLIOTT, ANNIE B. and ONG, C. N. Oxygen consumption *in vitro* by skin and urinary bladder of the euryhaline frog, *Rana cancrivora* 23*P*

ENROTH-CUGELL, CHRISTINA and SHAPLEY, R. M. Adaptation and dynamics of cat retinal ganglion cells 271

ENROTH-CUGELL, CHRISTINA and SHAPLEY, R. M. Flux, not retinal illumination, is what cat retinal ganglion cells really care about 311

ERRINGTON, M. L. and ROCHA E SILVA, M. JR. The effect of bradykinin potentiating monopeptide (BPP_{9a}) on prolonged haemorrhagic shock in dogs . . 46*P*

FARRELL, R. A., MCCALLY, R. L. and TATHAM, P. E. R. Wave-length dependencies of light scattering in normal and cold swollen rabbit corneas and their structural implications 589

FITZSIMONS, J. T. and SZCZEPANSKA-SADOWSKA, EWA K. Drinking elicited by isoprenaline in the dog (D). 19*P*

FRANCE, VENETIA M. and WOOD, J. R. Gallstones in foetal sheep (D) . . . 13*P*

FRANK, ERIC. Matching of facilitation at the neuromuscular junction of the lobster: a possible case for influence of muscle on nerve 635

GABELLA, G. and JUORIO, A. V. Changes in the concentration and uptake of noradrenaline in degenerating adrenergic fibres (D) 3*P*

GANDY, GILLIAN, JACOBSON, W. and SIDMAN, R. Inhibition of a transmethylation reaction in the central nervous system – an experimental model for subacute combined degeneration of the cord (D) 1*P*

GLITSCH, H. G. and BAKER, P. F. Does metabolic energy participate directly in the Na^+-dependent extrusion of Ca^{2+} ions from squid giant axons? . . . 44*P*

GRIEVE, D. W., CAVANAGH, P. R., DAVIES, C. T. M. and SARGEANT, A J. Electromyographic, kinesiological and metabolic examination of running on a treadmill (D) 7*P*

PAGE

GRUCHY, C. E. and STEVEN, D. H. Innervation of reticular papillae in sheep and goats (T) (D) 22P

GUERTZENSTEIN, P. G. and SILVER, ANN. Further studies on the role of a bilateral chemosensitivity zone on the ventral surface of the brain stem in the maintenance of arterial blood pressure 27P

HANWELL, ANN and LINZELL, J. L. The time course of cardiovascular changes in lactation in the rat. 93

HANWELL, ANN and LINZELL, J. L. The effects of engorgement with milk and of suckling on mammary blood flow in the rat 111

HARRIS, M., BROOKE, O. G. and SALVOSA, CARMENCITA, B. The response of malnourished babies to cold. 75

HEUSER, J. and LENNON, ANAMARIA. Morphological evidence for exocytosis of acetylcholine during formation of synaptosomes from Torpedo electric organ. 39P

HOLLINGSWORTH, JILLIAN R. and DAVSON, HUGH. Active transport of ^{131}I across the blood-brain barrier 327

HOLMAN, R. B., ASHKENAZI, RUTH and VOGT, MARTHE. Release of transmitters into the perfused third cerebral ventricle of the cat 195

HORDER, T. J. and SPITZER, JANET L. Absence of cell mobility across the retina in *Xenopus laevis* embryos 33P

HOWARTH, J. V. and VON MURALT, A. The optical birefringence spike during the action potential (T) 30P

JACKS, F. and SETCHELL, B. P. A technique for studying the transfer of substances from venous to arterial blood in the spermatic cord of wallabies and rams (D) 17P

JACKSON, BENJAMIN T., LESTER, ROGER, LITTLE, JOANNA M., PIASECKI, GEORGE J., RAUSCHECKER, HELMUT, F. J. and SMITH, PAUL M. Foetal bile pigment handling after administration of [^{14}C]haemin 19

JACOBSON, W., GANDY, GILLIAN and SIDMAN, R. Inhibition of a transmethylation reaction in the central nervous system – an experimental model for subacute combined degeneration of the cord (D) 1P

JUORIO, A. V. and GABELLA, G. Changes in the concentrations and uptake of noradrenaline in degenerating adrenergic fibres (D) 3P

KEAN, C. J. C. and BULLER, A. J. Further observations on the force velocity characteristics of cross-innervated cat skeletal muscle 24P

KERNAN, R. P. and MCDERMOTT, MARY. Rubidium influx into rat skeletal muscles in relation to electrical activity 363

KEYNES, R. D. and ROJAS, E. Characteristics of the sodium gating current in the squid giant axon 28P

KILLICK, S. W., AMBACHE, N., SRINIVASAN, VASANTA and ZAR, M. ABOO. Presynaptic inhibition of adrenergic motor transmission in rat anococcygeus muscle by D-lysergic acid diethylamide (LSD) 35P

KOLANOWSKI, J. and LAMMERANT, J. Rate of uptake of endogenous cortisol by the left ventricle of the anaesthetized dog during ventilation with ambient air and during hypoxia 519

KUMAR, M. ASHWINI and STUBTRIDGE, W. C. The physiological role of calcitonin assessed through chronic calcitonin deficiency in rats 33

KVALE, P. A., DAVIS, JANE, PRIME, F. J., SCHROTER, R. C. and SUDLOW, M. F. Effect of gas density on the uptake of CO during steady-state breathing . 32P

LAKE, N., PHILLIS, J. W. and YARBROUGH, G. G. Involvement of calcium in the inhibition effects of putative transmitter substances in the cerebral cortex . 47P

LAKSHMINARAYANAIAH, N. and ROJAS, E. Effects of anions and cations on the resting membrane potential of internally perfused barnacle muscle fibres . . 613

PAGE

LAMB, J. F. and POLSON, JEAN. Effect of low potassium and lithium growth medium on ouabain binding in HeLa cells (T) 25P

LAMMERANT, J. and KOLANOWSKI, J. Rate of uptake on endogenous cortisol by the left ventricle of the anaesthetized dog during ventilation with ambient air and during hypoxia 519

LENNIE, P. and MACLEOD, D. I. A. Background configuration and rod threshold . 143

LENNON, ANAMARIA and HEUSER, J. Morphological evidence for exocytosis of acetylcholine during formation of synaptosomes from Torpedo electric organ 39P

LESTER, ROGER, JACKSON, BENJAMIN T., LITTLE, JOANNA M., PIASECKI, GEORGE J., RAUSCHECKER, HELMUT F. J. and SMITH, PAUL M. Foetal bile pigment handling after administration of [^{14}C] haemin. 19

LEWIS, P. R. The use of EMMA-4 to measure cholinesterase activity (D) . . 12P

LINZELL, J. L. and HANWELL, ANN. The time course of cardiovascular changes in lactation in the rat. 89

LINZELL, J. L. and HANWELL, ANN. The effects of engorgement with milk and of suckling on mammary blood flow in the rat 111

LITTLE, JOANNA M., JACKSON, BENJAMIN T., LESTER, ROGER, PIASECKI, GEORGE J. RAUSCHECKER, HELMUT R. J. and SMITH, PAUL M. Foetal bile pigment handling after administration of [^{14}C] haemin 19

LOWY, J. and MULVANY, M. J. Effect of calcium on mechanical properties of rigor frog sartorius mucles 41P

MCCALLY, R. L., FARRELL, R. A. and TATHAM, P. E. R. Wave-length dependencies of light scattering in normal and cold swollen rabbit corneas and their structural implications 589

MCDERMOTT, MARY and KERNAN, R. P. Rubidium influx into rat skeletal muscles in relation to electrical activity 363

MCLACHLIN, ELSPETH M., BENNETT, M. R. and TAYLOR, R. S. The formation of synapses in reinnervated mammalian striated muscle 481

MCLACHLAN, ELSPETH M., BENNETT, M. R. and TAYLOR, R. S. The formation of synapses in mammalian striated muscle reinnervated with autonomic preganglionic nerves 501

MACLEOD, D. I. A. and LENNIE, P. Background configuration and rod threshold . 143

MALINOWSKA, K. W. and NATHANIELSZ, P. W. The assay of corticosterone, aldosterone, cortisone and cortisol in single plasma samples obtained from foetal and neonatal animals (D) 20P

MIRONNEAU, JEAN. Excitation-contraction coupling in voltage clamped uterine smooth muscle 127

MITCHELL, G., ROSENDORFF, C. and SCRIVEN, D. R. The effect of catecholamines and catecholamine inhibitors on hypothalamic vascular tone 30P

MOISESCU, D. G. and ASHLEY, C. C. Tension changes in isolated bundles of frog and barnacle myofibrils in response to sudden changes in the external free calcium concentration (D) 8P

MORRISON, J. F. B. Splanchnic slowly adapting mechanoreceptors with punctate receptive fields in the mesentery and gastrointestinal tract of the cat . . 349

MOTAIS, R. Sodium movements in high-sodium beef red cells: properties of a ouabain-insensitive exchange diffusion. 395

MOTAIS, R. and SOLA, F. Characteristics of a sulphydryl group essential for sodium exchange diffusion in beef erythrocytes 423

MULVANY, M. J. and LOWY, J. Effect of calcium on mechanical properties of rigor frog sartorius muscles 41P

PAGE

NATHANIELSZ, P. W. and MALINOWSKA, K. W. The assay of corticosterone, aldosterone, cortisone and cortisol in single plasma samples obtained from foetal and neonatal animals (D) 20P

OCHIA, B. A. Gastric emptying in young pigs 467

ONG, C. N. and ELLIOTT, ANNIE B. Oxygen consumption *in vitro* by skin and urinary bladder of the euryhaline frog, *Rana cancrivora*. 23P

PAPPENHEIMER, J. R. and SETCHELL, B. P. Cerebral glucose transport and oxygen consumption in sheep and rabbits 529

PHILLIS, J. W., LAKE, N. and YARBROUGH, G. G. Involvement of calcium in the inhibitory effects of putative transmitter substances in the cerebral cortex . 47P

PIASECKI, GEORGE J., JACKSON, BENJAMIN T., LESTER, ROGER, LITTLE, JOANNA M., RAUSCHECKER, F. J. and SMITH, PAUL M. Foetal bile pigment handling after administration of [^{14}C] haemin 19

POLSON, JEAN and LAMB, J. F. Effect of low potassium and lithium growth medium on ouabain binding in HeLa cells (T) 25P

PRIME, F. J., DAVIS, JANE, KVALE, P. A., SCHROTER, R. C. and SUDLOW, M. F. Effect of gas density on the uptake of CO during steady-state breathing . 32P

RAUSCHECKER, HELMUT F. J., JACKSON, BENJAMIN T., LESTER, ROGER, LITTLE, JOANNA M., PIASECKI, GEORGE J. and SMITH, PAUL M. Foetal bile pigment handling after administration of [^{14}C] haemin. 19

REMMERS, JOHN E. Extra-segmental reflexes derived from intercostal afferents: phrenic and laryngeal responses 45

REMMERS, JOHN E. and TSIARAS, W. G. Effect of lateral cervical cord lesions on the respiratory rhythm of anaesthetized, decerebrate cats after vagotomy . 63

RICHARDS, C. D. On the mechanism of halothane anaesthesia 439

RICHARDS, C. D. Does the trichloroethylene have a different mode of action from other general anaesthetics? 25P

RIDGE, R. M. A. and CLIFF, G. S. Innervation of extrafusal and intrafusal fibres in snake muscle 1

ROCHA E. SILVA, JR. M. and ERRINGTON, M. L. The effect of bradykinin potentiating nonapeptide (BPP_{9a}) on prolonged haemorrhagic shock in dogs . . 46P

ROGUS, ELLEN and ZIERLER, KENNETH L. Sodium and water contents of sarcoplasm and sacroplasmic reticulum in rat skeletal muscle: effects of anisotonic media, ouabain and external sodium 227

ROJAS, E. and KEYNES, R. D. Characteristics of the sodium gating current in the squid giant axon 28P

ROJAS, E. and LAKSHMINARAYANAIAH, N. Effects of anions and cations on the resting membrane potential of internally perfused barnacle muscle fibres . . 613

ROSENDORFF, C., MITCHELL, G. and SCRIVEN, D. R. The effect of catecholamines and catecholamine inhibitors on hypothalmic vascular tone 30P

RUDEL, R. and TAYLOR, S. R. Aequorin luminescence during contraction of amphibian skeletal muscle (D). 5P

SALVOSA, CARMENCITA B., BROOKE, O. G. and HARRIS, M. The response of malnourished babies to cold. 75

SARGEANT, A. J., CAVANAGH, P. R., DAVIES, C. T. M. and GRIEVE, D. W. Electromyographic, kinesiological and metabolic examination of running on a treadmill (D) 7P

SCHROTER, R. C., DAVIS, JANE, KVALE, P. A., PRIME, F. J. and SUDLOW, M. F. Effect of gas density on the uptake of CO during steady-state breathing . 32P

PAGE

SCHWARZ, J. R., ULBRICHT, W. and WAGNER, H.-H. The rate of action of tetrodotoxin on myelinated nerve fibres of *Xenopus laevis* and *Rana esculenta* . 167

SCRIVEN, D. R., MITCHELL, G. and ROSENDORFF, C. The effect of catecholamines and catecholamine inhibitors on hypothalmic vascular tone 30*P*

SETCHELL, B. P. and JACKS, F. A technique for studying the transfer of substances from venous to arterial blood in the spermatic cord of wallabies and rams (D) 17*P*

SETCHELL, B. P. and PAPPENHEIMER, J. R. Cerebral glucose transport and oxygen consumption in sheep and rabbits 529

SHAPLEY, R. M. and ENROTH-CUGELL, CHRISTINA. Adaptation and dynamics of cat retinal ganglion cells 271

SHAPLEY, R. M. and ENROTH-CUGELL, CHRISTINA. Flux, not retinal illumination, is what cat retinal ganglion cells really care about 311

SIDMAN, R., GANDY, GILLIAN and JACOBSON, W. Inhibition of a transmethylation reaction in the central nervous system – an experimental model for subacute combined degeneration of the cord (D) 1*P*

SILVER, ANN and GUERTZENSTEIN, P. G. Further studies on the role of a bilateral chemosensitive zone on the ventral surface of the brain stem in the maintenance of arterial blood pressure 27*P*

SILVER, MARIAN, BARNES, R. J. and COMLINE, R. S. Foetal urine production in the sheep (D) 14*P*

SMITH, PAUL M., JACKSON, BENJAMIN T., LESTER, ROGER, LITTLE, JOANNA M., PIASECKI, GEORGE J. and RAUSCHECKER, HELMUT F. J. Foetal bile pigment handling after administration of [^{14}C] haemin. 19

SOLA, F. and MOTAIS, R. Characteristics of a sulphydryl group essential for sodium exchange diffusion in beef erythrocytes 423

SPITZER, JANET, L. and HORDER, T. J. Absence of cell mobility across the retina in *Xenopus laevis* embryos. 33*P*

SRINIVASAN, VASANTA, AMBACHE, N., KILLICK, S. W. and ZAR, M. ABOO. Presynaptic inhibition of adrenergic motor transmission in rat anococcygeus muscle by D-lysergic acid diethylamine (LSD) 35*P*

STEVEN, D. H. Placental separation in the ewe (D) 10*P*

STEVEN, D. H. and GRUCHY, C. E. Innervation of reticular papillae in sheep and goats (D) (T) 22*P*

STOCKLEY, HELEN L. and BENNETT, A. A study of the intrinsic innervation of human isolated gastrointestinal muscle using electrical stimulation . . 34*P*

STONE, T. W. Cortical pyamidal tract interneurones and their sensitivity to L-glutamic acid 211

STURTRIDGE, W. C. and KUMAR, M. ASHWINI. The physiological role of calcitonin assessed through chronic calcitonin deficiency in rats 33

SUDLOW, M. F., DAVIS, JANE, KVALE, P. A., PRIME, F. J. and SCHROTER, R. C. Effect of gas density on the uptake of CO during steady-state breathing . 32*P*

SZCZEPANSKA-SADOWSKA, EWA K. and FITZSIMONS, J. T. Drinking elicited by isoprenaline in the dog (D) 19*P*

TATHAM, P. E. R., FARRELL, R. A. and MCCALLY, R. L. Wave-length dependencies of light scattering in normal and cold swollen rabbit corneas and their structural implications 589

TAYLOR, R. S., BENNETT, M. R. and MCLACHLAN, ELSPETH M. The formation of synapses in reinnervated mammalian striated muscle 481

TAYLOR, R. S., BENNETT, M. R. and MCLACHLAN, ELSPETH M. The formation of synapses in mammalian striated muscle reinnervated with autonomic preganglionic nerves 501

PAGE

TAYLOR, S. R. and RUDEL, R. Aequorin luminescence during contraction of amphibian skeletal muscle (D) 5P

TSIARAS, W. G. and REMMERS, JOHN E. Effect of lateral cervical cord lesions on the respiratory rhythm of anaesthetized, decerebrate cats after vagotomy . . 63

ULBRICHT, W., SCHWARZ, J. R. and WAGNER, H.-H. The rate of action of tetrodotoxin on myelinated nerve fibres of *Xenopus laevis* and *Rana esculenta* . 167

VAN WINKLE, W. B. and ZAIMIS, ELEANOR. Ultrastructural and biochemical features of a fast- and a slow-contracting skeletal muscle of the cat: a comparison (T) (D) 22P

VAUGHAN, N. J. A., BLOOM, S. R. and EDWARDS, A. V. The role of the sympathetic innervation in the control of plasma glucagon concentration in the calf . 457

VOGT, MARTHE, ASHKENAZI, RUTH and HOLMAN, R. B. Release of transmitters into the perfused third cerebral ventricle of the cat 195

VON MURALT, A. and HOWARTH, J. V. The optical birefringence spike during the action potential (T) 30P

WAGNER, H.-H., SCHWARZ, J. R. and ULBRICHT, W. The rate of action of tetrodotoxin on myelinated nerve fibres of *Xenopus laevis* and *Rana esculenta* . . 167

WOLEDGE, ROGER C. and DICKINSON, VALERIE A. The thermal effects of shortening in tetanic contractions of frog muscle 659

WOOD, J. R. and FRANCE, VENETIA M. Gallstones in foetal sheep (D) . . . 13P

YARBROUGH, G. G., LAKE, N. and PHILLIS, J. W. Involvement of calcium in the inhibitory effects of putative transmitter substances in the cerebral cortex . 47P

YOON, MYONG G. Retention of the original topographic polarity by the 180° rotated tectal reimplant in young adult goldfish 575

ZAIMIS, ELEANOR and VAN WINKLE, W. B. Ultrastructural and biochemical features of a fast- and a slow-contracting skeletal muscle of the cat: a comparison (D) (T) 22P

ZAR, M. ABOO, AMPACHE, N., KILLICK, S. W. and SRINIVASAN, VASANTA. Presynaptic inhibition of adrenergic motor transmission in rat anococcygeus muscle by D-lysergic acid diethylamide (LSD) 35P

ZIERLER, KENNETH L. and ROGUS, ELLEN. Sodium and water contents of sarcoplasm and sarcoplasmic reticulum in rat skeletal muscle: effects of anisotonic media, ouabain and external sodium 227

SUBJECT INDEX

Adaptation, – and dynamics of cat retinal ganglion cells, 271
Adrenergic transmission, presynaptic inhibition of – motor – in rat anococcygeus muscle by D-lysergic acid diethylamide (LSD), 35*P*
Anaesthesia, on the mechanism of halothane – (guinea-pig), 439
Anaesthetics, does trichloroethylene have a different mode of action from other general –, ? 25*P*
Artery, transport of ^{14}C-4 cholesterol between intra-luminal serum and artery wall in isolated dog common carotid –, 37*P*

Bilirubin, foetal bile pigment handling after administration of [^{14}C] haemin (sheep), 19
Blood-brain barrier, active transport of ^{131}I across the – (rabbit), 327
Blood flow, relationship between the velocity of rolling granulocytes and that of the – in venules (hamster, mouse), 157
Blood pressure, further studies on the role of a bilateral chemosensitivity zone on the ventral surface of the brain stem in the maintenance of arterial – (cats), 27*P*
Bradykinin potentiating nonapeptide, the effect of – (BPP_{9a}) on prolonged haemorrhagic shock in dogs, 46*P*
Brain, cerebral glucose transport and oxygen consumption in sheep and rabbits, 529
Breathing, effect of gas density on the uptake of CO during steady-state –, 32*P*

Calcitonin, the physiological role of – assessed through chronic-deficiency in rats, 33
Calcium transport, does metabolic energy participate directly in the Na^+-dependent extrusion of Ca^{2+} ions from squid giant axons? 44*P*
Cerebral cortex, involvement of calcium in the inhibitory effects of putative transmitter substances in the cerebral cortex (rat), 47*P*
Cerebral ventricle, release of transmitters into the perfused third – of the cat, 195
Cerebrospinal fluid, active transport of ^{131}I across the blood-brain barrier (rabbit), 327
Cerebrovascular tone, the effect of catecholamines and catecholamine inhibitors on hypothalamic vascular tone, 30*P*
Cervical cord, effect of lateral – lesions on the respiratory rhythm of anaesthetized decerebrate cats after vagotomy, 63
Cholinesterase, the use of EMMA-4 to measure activity, 12*P*
Circulation, the effects of engorgement with milk and of suckling on mammary blood flow in the rat, 111
the time course of cardiovascular changes in lactation in the rat, 89
Cold, the response of malnourished babies to –, 75
Cornea, wave-length dependencies of light scattering in normal and cold swollen rabbit – and their structural implications, 589
Cortex, cortical pyramidal tract interneurones and their sensitivity to L-glutamic acid (rat), 211
Cortisol, rate of uptake of endogenous – by the left ventricle of the anaesthetized dog during ventilation with ambient air and during hypoxia, 519

Drinking, – elicited by isoprenaline in the dog, 19*P*

Epithelia, oxygen consumption *in vitro* by skin and urinary bladder of the euryhaline frog, *Rana cancrivora*, 23*P*
Exchange diffusion, characteristics of a sulphydryl group essential for sodium – in beef erythrocytes, 423
sodium movements in high-sodium beef red cells: properties of a ouabain-insensitive –, 395
Excitation-contraction coupling, – in voltage clamped uterine smooth muscle (rat), 127
Facilitation, matching of – at the neuromuscular junction of the lobster: a possible case for influence of muscle on nerve, 635
Foetal steroids, the assay of corticosterone, aldosterone and cortisol in single plasma samples obtained from foetal and neonatal animals, 20*P*

Foetal urine, – production in the sheep, 14*P*
Foetus, foetal bile pigment handling after administration of [^{14}C] haemin (sheep), 19

Gallstones, – in foetal sheep, 13*P*
Gastric emptying, – in young pigs, 467
Gastrointestinal muscle, a study of the intrinsic innervation of human isolated – using electrical stimulation, 34*P*
Gastrointestinal tract, splanchnic slowly adapting mechanoreceptors with punctate receptive fields in the mesentery and – of the cat, 349
Gating currents, characteristics of the sodium – in the squid giant axons, 28*P*
Glucagon, the role of the sympathetic innervation in the control of plasma-concentration in the calf, 457
Glucose transport, cerebral – and oxygen consumption in sheep and rabbits, 529
Glutamic acid, cortical pyramidal tract interneurones and their sensitivity to L-glutamic acid (rat), 211
Granulocytes, relationship between the velocity of rolling – and that of the blood flow in venules (hamster, mouse), 157

Haemin, foetal bile pigment handling after administration of [^{14}C] –, (sheep), 19
Halothane, on the mechanism of – anaesthesia (guinea-pig), 439
Heat production, the thermal effects of shortening in tetanic contractions of frog muscle, 659
5-Hydroxytryptamine, release of transmitters into the perfused third cerebral ventrical of the cat, 195
Hypoxia, rate of uptake of endogenous cortisol by the left ventricle of the anaesthetized dog during ventilation with ambient air and during –, 519

Intercostal afferents, extra-segmental reflexes derived from – : phrenic and laryngeal responses (cat), 45

Lactation, the time course of cardiovascular changes in – in the rat, 89
Left ventricle, rate of uptake of endogenous cortisol by the – of the anaesthetized dog during ventilation with ambient air and during hypoxia, 519
Light scattering, wave-length dependencies of – in normal and cold swollen rabbit corneas and their structural implications, 589

D-lysergic acid diethylamide, presynaptic inhibition of adrenergic motor transmission in rat anococcygeus muscle by – (LSD), 35*P*

Malnutrition, the response of malnourished babies to cold, 75
Manganese, Excitation-contraction coupling in voltage clamped uterine smooth muscle, (rat), 127
Mechanoreceptors, splanchnic slowly adapting – with punctate receptive fields in the mesentery and gastrointestinal tract of the cat, 349
Mesentery, splanchnic slowly adapting mechanoreceptors with punctate receptive fields in the – and gastrintestinal tract of the cat, 349
Milk, the effects of engorgement with – and of suckling on mammary blood flow in the rat, 111
Muscle, tension changes in isolated bundles of frog and barnacle myofibrils in response to sudden changes in the external free calcium concentration, 8*P*
Muscle fibres, effects of anions and cations on the resting membrane potential of internally perfused barnacle –, 613
Muscle spindle, innervation of extrafusal and intrafusal fibres in snake muscle, 1
studies on the site of termination of static and dynamic fusimotor fibres within – of the tenuissimus muscle of the cat, 553
Myelinated nerve fibre, the rate of action of tetrodotoxin on – of *Xenopus laevis* and *Rana esculenta*, 167

Neuromuscular junction, matching of facilitation at the – of the lobster: a possible case for influence of muscle on nerve, 635
Noradrenaline, changes in the concentration and uptake of – in degenerating adrenergic fibres (guinea-pig), 3*P*

Placenta, placental separation in the ewe, 10*P*
Polarization, retention of the original topographic polarity by the 180° rotated tectal reimplant in young adult goldfish, 575
Proximal tubule, biionic potentials in the – of *Necturus* kidney, 375
Pyramidal tract, cortical – interneurones and their sensitivity to L-glutamic acid (rat), 211

Optic tectum, retention of the original topographic polarity by the 180° rotated tectal reimplant in young adult goldfish, 575
Oxygen consumption, cerebral glucose transport and – in sheep and rabbits, 529

Red blood cells, characteristics of a sulphydryl group essential for sodium exchange diffusion in beef erythrocytes, 423
sodium movements in high-sodium beef red cells: properties of a ouabain-insensitive exchange diffusion, 395
Reflexes, extra-segmental – derived from intercostal afferents: phrenic and laryngeal responses (cat), 45
Reinnervation, the formation of synapses in mammalian striated muscle reinnervated with autonomic preganglionic nerves (rabbit), 501
the formation of synapses in reinnervated mammalian striated muscle (rabbit), 481
Respiratory rhythm, effect of lateral cervical cord lesions on the – of anaesthetized, decerebrate cats after vagotomy, 63
Resting potential, effects of anions and cations on the resting membrane potential of internally perfused barnacle muscle fibres, 613
Retina, absence of cell mobility across the – in *Xenopus laevis* embryos, 33*P*
adaptation and dynamics of cat retinal ganglion cells, 271
flux, not retinal illumination, is what cat retinal ganglion cells really care about, 311
Rubidium, – influx into rat skeletal muscles in relation to electrical activity, 373
Running, electromyographic, kinesiological and metabolic examination of – on a treadmill (man), 7*P*

Sarcoplasm, sodium and water contents of – and sarcoplasmic reticulum in rat skeletal muscle: effects of anisotonic media, ouabain and external sodium, 227
Sarcoplasmic reticulum, sodium and water contents of sarcoplasm and – in rat skeletal muscle, effects of anisotonic media, ouabain and external sodium, 227
Skeletal muscle, aequorin luminescence during contraction of amphibian –, (frog, toad), 5*P*
effect of calcium on mechanical properties of rigor frog sartorius muscles, 41*P*
further observations on the force velocity characteristics of cross-innervated cat –, 24*P*
rubidium influx into rat – in relation to electrical activity, 363
sodium and water contents of sarcoplasm reticulum in rat skeletal muscle: effects of anisotonic media, ouabain and external sodium, 227
the formation of synapses in mammalian striated muscle reinnervated with autonomic preganglionic nerves (rabbit), 501
the formation of synapses in reinnervated mammalian striated muscle (rabbit), 481
the thermal effects of shortening in tetanic contractions of frog muscle, 659
Smooth muscle, excitation-contraction coupling in voltage clamped uterine – (rat), 127
Snake muscle, Innervation of extrafusal and intrafusal fibres in –, 1
Somatotopic representation, fine – of the forelimb area of the ventro-basal thalamus of albino rat, 43*P*
Spermatic cord, a technique for studying the transfer of substances from venous to arterial blood in the – of wallabies and rams, 17*P*
Spinal cord, inhibition of a transmethylation reaction in the central nervous system – an experimental model for subacute combined degeneration of the cord (mouse), 1*P*
Squid axon, characteristics of the sodium gating current in the squid giant axon, 28*P*
Suckling, the effects of engorgement with milk and of – on mammary blood flow in the rat, 111
Sulphydryl group, characteristics of a – essential for sodium exchange diffusion in beef erythrocytes, 423
Sympathetic innervation, the role of the – in the control of plasma glucagon concentration in the calf, 457
Synapse formation, the formation of synapses in mammalian striated muscle reinnervated with autonomic preganglionic nerves (rabbit), 501
the formation of synapses in reinnervated mammalian striated muscle (rabbit), 481

Temperature regulation, the response of malnourished babies to cold, 75

Tetrodotoxin, the rate of action of – on myelinated nerve fibres of *Xenopus laevis* and *Rana esculenta*, 167

Transmitter release, morphological evidence for exocytosis of acetylcholine during formation of synaptosomes from Torpedo electric organ, 39*P*

release of transmitters into the perfused third cerebral ventricle of the cat, 195

Uterine activity, the use of radiotelemetry to measure – in the unrestrained pregnant rat during the infusion of pharmacologically active compounds, 22*P*

Vision, background configuration and rod threshold (man), 143

X-ray microanalysis, of diffusible electrolytes in ultrathin frozen sections, 15*P*

THE JOURNAL OF PHYSIOLOGY

EDITED FOR

THE PHYSIOLOGICAL SOCIETY

BY

H. B. BARLOW J. A. V. BATES J. BLIGH
J. R. BRONK P. C. CALDWELL J. DIAMOND
R. H. T. EDWARDS D. K. HILL L. L. IVERSEN
J. J. B. JACK D. H. JENKINSON B. R. JEWELL
N. JOELS J. F. LAMB J. LEE A. R. MARTIN
J. N. MILLS C. RASHBASS T. A. SEARS
P. D. WALL J. G. WIDDICOMBE G. WISEMAN
P. F. BAKER (*Secretary*) R. H. ADRIAN (*Chairman*)

Volume 234

1973

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB
American Branch: 32 East 57th Street, New York, N.Y. 10022

© The Physiological Society 1973

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS OF VOLUME 234

No. 1 *October* 1973

PAGE

The respiratory effects in man of altering the time profile of alveolar carbon dioxide and oxygen within each respiratory cycle. By D. J. C. Cunningham, M. G. Howson and S. B. Pearson . 1

Development of a mammalian fast muscle: dynamic and biochemical properties correlated. By D. B. Drachman and D. M. Johnston 29

Ionic dependence of adrenal steroidogenesis and ACTH-induced changes in the membrane potential of adrenocortical cells. By E. K. Matthews and M. Saffran 43

Effects of cold exposure on tissue blood flow in the new-born lamb. By G. Alexander, A. W. Bell and J. R. S. Hales . . 65

Pancreatic enzyme response to secretin and cholecystokinin-pancreozymin in the rat. By U. R. Folsch and K. G. Wormsley . 79

Receptive field analysis: responses to moving visual contours by single lateral geniculate neurones in the cat. By B. Dreher and K. J. Sanderson 95

The effect of a water load on cutaneous water loss in man. By Judith A. Allen and I. C. Roddie 119

Sodium-dependent transport of sugars and iodide from the cerebral ventricles of the rabbit. By M. W. B. Bradbury and Hans E. Brøndsted 127

Binding of catecholamines to connective tissue and the effect upon the responses of blood vessels to noradrenaline and to nerve stimulation. By Garth Powis 145

Detection and resolution of visual stimuli by turtle photoreceptors. By D. A. Baylor and A. L. Hodgkin 163

Colour-dependence of cone responses in the turtle retina. By M. G. F. Fuortes, E. A. Schwartz and E. J. Simon . . . 199

Membrane potential measurement in parotid acinar cells. By G. L. Pedersen and O. H. Petersen 217

Acidaemia produced by spinal stimulation in the pithed rat. By Judith M. Atkinson, G. J. Dusting and M. J. Rand . . . 229

No. 2 *October* 1973

PAGE

Protein fractions from mouse salivary gland affecting epithelial cells in organ culture. By BARBARA E. C. BANKS and S. J. WALTER 241

The maturation of neuromuscular function in a multiply innervated structure: development of the longitudinal smooth muscle of the foetal mammalian gut and its cholinergic excitatory, adrenergic inhibitory, and non-adrenergic inhibitory innervation. By MICHAEL D. GERSHON and ELIZABETH BARNES THOMPSON 257

Effect of pyrogen and antipyretics on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats. By W. FELDBERG, K. P. GUPTA, A. S. MILTON and SABINE WENDLANDT 279

The role of a reactive disulphide bond in the function of the acetylcholine receptor at the frog neuromuscular junction. By D. BEN-HAIM, E. M. LANDAU and I. SILMAN 305

The effect of repetitive stimulation on facilitation of transmitter release at the frog neuromuscular junction. By K. L. MAGLEBY . 327

The effect of tetanic and post-tetanic potentiation on facilitation of transmitter release at the frog neuromuscular junction. By K. L. MAGLEBY 353

Differential effects of glycerol treatment on membrane capacity and excitation-contraction coupling in toad sartorius fibres. By ANGELA F. DULHUNTY and PETER W. GAGE. With an Appendix by PETER H. BARRY 373

Effects of thermal stimulation of medulla oblongata and spinal cord on decerebrate rabbits. By C. Y. CHAI and M. T. LIN . . 409

An electrophysiological dissection of the hypothalamic regions which regulate the pre-ovulatory secretion of luteinizing hormone in the rat. By R. G. DYER 421

Presbyopia and the water content of the human crystalline lens. By R. F. FISHER and BARBARA E. PETTET 443

Evidence that exoplasmic transport of trophic factors is involved in the regulation of peripheral nerve fields in salamanders. By C. E. AGUILAR, M. A. BISBY, E. COOPER and J. DIAMOND . . . 449

Speed of repolarization and morphology of glycerol-treated frog muscle fibres. By S. NAKAJIMA, YASUKO NAKAJIMA and L. D. PEACHEY 465

PAGE

Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man. By R. H. T. EDWARDS, L.-G. EKELUND, R. C. HARRIS, C. M. HESSER, E. JULTMAN, A. MELCHER and O. WIGERTZ 481

No. 3 *October* 1973

Systematic arterial baroreceptors in ducks and the consequences of their denervation on some cardiovascular responses to diving. By D. R. JONES 499

The composition of maternal plasma and foetal urine after feeding and drinking in chronically catheterized ewes during the last two months of pregnancy. By D. J. MELLOR and J. S. SLATER . . 519

Analysis of unitary spikes recorded extracellularly from frog olfactory receptor cells and axons. By THOMAS V. GETCHELL . . 533

Ionic properties of the neuromuscular junction of the frog: effects of denervation and pH. By A. MALLART and A. TRAUTMANN . . 553

The positive dynamic current and its inactivation properties in cardiac Purkinje fibres. By HARRY A. FOZZARD and MASAYASU HIRAOKA 569

Effects of low temperature on the positive dynamic current of cardiac Purkinje fibres. By MARI HIRAOKA and MASAYASU HIRAOKA 587

The action of cobalt ions on neuromuscular transmission in the frog. By J. N. WEAKLY 597

An analysis of the cable properties of spinal motoneurones using a brief intracellular current pulse. By R. IANSEK and S. J. REDMAN 613

The attenuation of passively propagating dendritic potentials in a motoneurone cable model. By S. J. REDMAN 637

The amplitude, time course and charge of unitary excitatory postsynaptic potentials evoked in spinal motoneurone dendrites. By R. IANSEK and S. J. REDMAN 665

Pancreatic acinar cells: acetylcholine-induced membrane depolarization, calcium efflux and amylase release. By E. K. MATTHEWS, O. H. PETERSEN and J. A. WILLIAMS 689

PAGE

Alterations in secretory patterns following vagotomy in rats with Pavlov or Heidenhain pouches. By L. LUNDELL and S. E. SVENSSON 703

Physiological types and histochemical profiles in motor units of the cat gastrocnemius. By R. E. BURKE, D. N. LEVINE, P. TSAIRIS and F. E. ZAJAC III. 723

Anatomy and innervation ratios in motor units of cat gastrocnemius. By R. E. BURKE and P. TSAIRIS 749

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

13–14 *July* 1973

DEMONSTRATIONS

PAGE

Duchen, L. W., Excell, Barbara J., Patel, R. & Smith, Betty. Light and electron microscopic changes in mouse muscle fibres and motor end-plates caused by the depolarizing fraction (cardio-toxin) of the venom of *Dendroaspis jamesoni* 1*P*

Murthy, K. S. K. & Taylor, A. The use of *Rana tigrina* for experiments on dorsal and ventral spinal nerve roots 3*P*

Hussein, T., Hillman, H. & Sartory, P. Autofluorescence in isolated rabbit Deiters' neurones and the presence of a nucleolar membrane 3*P*

King-Smith, P. E. & Kulikowski, J. J. Lateral interaction in the detection of composite spatial patterns 5*P*

Robinson, I. C. A. F. & Walker, J. M. Assay of oxytocin on the superfused mouse mammary gland using an automatic apparatus 6*P*

Bell, P. M. G. A programming device for bio-assay 7*P*

Keatinge, W. R. & Sloan, R. E. G. Measurement of deep body temperature from external auditory canal with servo-controlled heating around ear . . . 8*P*

Insam, E. & Lal, S. An inexpensive device for computing and displaying the amplitude histograms of slowly varying electrical waveforms . . . 9*P*

Boyd, C. A. R., Cheeseman, C. I. & Parsons, D. S. Transport and metabolism of peptides and amino acids by frog intestine perfused through vascular bed *in situ* 10*P*

Meade, F. & Owen-Thomas, J. B. A paramagnetic method for measurement of the carbon dioxide content of a gas mixture 12*P*

Ginsburg, S. & Spindler, A. J. Apparatus for the formation and study of artificial lipid membranes 14*P*

McNaughton, P. A. & Spindler, A. J. Voltage clamp of cardiac Purkinje fibres using a sucrose gap 16*P*

Rolls, E. T. Polar frequency response of the human ear 18*P*

Dale, E. & Hulliger, M. A cycle histogram program for on-line use on a PDP 12A computer 19*P*

Banister, Jean, Herpol, Claire, Johnston, Daphne & Nail, B. Perfusion of the vascular beds of the carotid labyrinth of *Rana catesbeiana* 20*P*

Iles, J. F. Demonstration of afferent terminations in the cat spinal cord . . 22*P*

Curry, F. E., Mason, J. C., Michel, C. C. & White, I. F. A method for investigating the ultrastructure of a single capillary of known permeability properties . 24*P*

Michel, C. C., Snow, G. R. & Tasker, J. A. A method for measuring the permeability of individually perfused capillaries of the frog mesentery to coloured molecules 25*P*

Curry, F. E., Mason, J. C. & Michel, C. C. The development of a method of measuring the filtration coefficient of individually perfused frog mesenteric capillaries 26*P*

COMMUNICATIONS

Gosline, C. J., Macleod, D. I. A. & Rushton, W. A. H. Rod dark-adaptation measured above the cone threshold 27*P*

PAGE

Gerschenfeld, H. M. & Paupardin-Tritsch, Daniele. Excitatory and inhibitory monosynaptic actions mediated by a serotonin containing neurone in *Aplysia californica* 28P

Fink, R. & Lüttgau, H. Ch. The effect of metabolic poisons upon the membrane resistance of striated muscle fibres 29P

Newsom Davis, J. Discharge properties of primary and secondary endings in human intercostal muscle spindles studied *in vitro* 30P

Cameron, I. R. & Poole-Wilson, P. A. The effect of an acute acidosis on the potassium content of cardiac muscle 32P

King-Smith, P. E. & Kulikowski, J. J. Spatial arrangement of the flicker and pattern detectors for a fine line 33P

Boss, J. M. N., Hollis, P. G. & Myśliwski, A. Nuclear chromatin patterns in the life-cycle of human cells 35P

Matthews, Margaret R. & Nelson, Vicki. Ultrastructural changes at the synapse associated with depression of synaptic transmission in rat superior cervical ganglion after injury of post-ganglionic axons 36P

Tsien, R. W. Does adrenaline act by directly modifying the external membrane surface charge of cardiac Purkinje fibres? 37P

Bigland-Ritchie, Brenda & Woods, J. Oxygen consumption and integrated electrical activity of muscle during positive and negative work 39P

Jenkins, D. M. G. & Lew, V. L. Ca uptake by ATP-depleted red cells from different species with and without associated increase in K permeability . 41P

Kitney, R. I. & Weber, W. V. The analysis of thermally elicited reflex vasomotor activity in the ferret's paw 42P

Curry, F. E., Mason, J. C. & Michel, C. C. The effect of bovine γ-globulin and Ca^{2+} on the filtration coefficient of individual frog mesenteric capillaries . 43P

Baile, C. A. & Forbes, J. M. Diffusion of noradrenaline between hypothalamus and cerebral ventricles of sheep 44P

Pickard, J. D. The mechanism of action of prostaglandin $F_{2\alpha}$ on cerebral flow in the baboon 46P

Wilcken, D. E. L. & Eikens, E. Reactive hyperaemia in the dog heart: assessment of post-hyperaemic coronary vascular reactivity and of the effects of temporarily restricting arterial inflow 48P

Ramsay, D. J., Rolls, Barbara J. & Wood, R. J. Increased drinking in dogs during congestive heart failure 48P

Green, G. G. R. & Kay, R. H. The adequate stimuli for channels in the human auditory pathways concerned with the modulation present in frequency-modulated tones 50P

Dando, M. R. & Macmillan, D. L. Tendon organs and tendon organ reflexes in decapod crustacea 52P

McNaughton, P. A. & Noble, D. The role of intracellular calcium ion concentration in mediating the adrenaline-induced acceleration of the cardiac pacemaker potential 53P

Abbott, Joan & Pichon, Y. Ionic permeability of perineural sheath of crayfish central nervous system 54P

Harrison, M. T. & Paul, D. H. The block of spontaneous spike discharges in cerebellar Purkinje cells. 56P

Fitzpatrick, R. J. & Sharma, S. C. Prostaglandin F in the vena caval blood during the oestrous cycle of the ewe 57P

Boullin, D. J., Crampton, R. F., Heading, Christine E. & Pelling, D. Intestinal absorption of six dipeptides 59P

PAGE

Harper, A. M., Lassen, N. A., MacKenzie, E. T., Rowan, J. O., Sengupta, D. & Strandgaard, S. The upper limit of 'autoregulation' of cerebral blood flow in the baboon 61*P*

Kean, C. J. C., Lewis, D. M. & McGarrick, J. D. Isotonic contractions of denervated muscle in the cat 62*P*

Brazil, O. Vital, Excell, Barbara J. & Sanatana de Sa, Sonia. The importance of phospholipase A in the action of the crotoxin complex at the frog neuromuscular junction 63*P*

Hammond, P. Is retinal receptive field shape systematically related to retinal location? 64*P*

Atherton, Anne & Born, G. V. R. Effects of neuraminidase and *N*-acetyl neuraminic acid on the adhesion of circulating granulocytes and platelets in venules . 66*P*

Clarke, P. G. H. A retinotopic representation in the pigeon cerebellum . . 68*P*

Graham, J. M. & Keatinge, W. R. Sensitivity of inner and outer parts of the media of the sheep carotid artery to vasodilator drugs 69*P*

Florio, J. T. & Morrison, J. B. Ventilatory response to exercise and inspired carbon dioxide measured in divers 70*P*

Band, D. M. & Wolff, C. B. The effect of hypoxia on the respiratory fluctuations in chemoreceptor discharge in the cat 71*P*

Parkinson, P. I. The effect of graduated exercise on the concentration of adenine nucleotides in plasma 72*P*

Bradbury, M. W. B., Burden, Janet, Dicker, A., Hillhouse, E., Jones, M. T. & Philbrick, D. Stimulation of rat hypothalamus *in vitro* 74*P*

Assem, E. S. K., Schild, H. O. & Wan, Beatrice Y. C. The effect of an H_2-receptor antagonist on histamine-stimulated acid secretion by rat stomach *in vitro* . 75*P*

Donaldson, I. M. L. & Nash, J. R. G. Interaction between visual cortical areas: the effect of a chronic lesion in area 17 on the properties of area 18 units in the cat 77*P*

Hanwell, Ann & Peaker, M. The effect of post-ganglionic denervation on functional hypertrophy in the salt gland of the goose during adaptation to salt water . 78*P*

Christie, Janice E., Ljungberg, T. & Ungerstedt, U. Dopamine neurones and electrical self-stimulation in the lateral hypothalamus 80*P*

Aiyer, M. S., Chiappa, Sharon A., Fink, G. & Greig, Fenella. A priming effect of luteinizing hormone releasing factor on the anterior pituitary gland in the female rat 81*P*

Hill, R. G., Simmonds, M. A. & Straughan, D. W. Presynaptic inhibition and the depressant actions of GABA and glycine in the feline cuneate nucleus: changes related to electrographic seizure activity 83*P*

Handwerker, H., Iggo, A. & Zimmermann II, M. Dorsal horn neurones driven by cutaneous input: interaction between mechanoreceptors and nociceptors . 84*P*

Stanton, M. G. Cell membrane resistance and capacity measured using lone single-barrelled micro-electrodes 86*P*

Kirkwood, P. A. & Sears, T. A. Monosynaptic excitation of thoracic expiratory motoneurones from lateral respiratory neurones in the medulla of the cat . 87*P*

Norman, J. & Whitwam, J. G. The vagal contribution to changes in heart rate evoked by stimulation of cutaneous nerves in the dog 89*P*

Hathorn, M. K. S. Periodicities in ventilation in new-born infants 90*P*

Hughes, J. M. B., Jones, Hazel A. & Wilson, A. G. Extrinsic and intrinsic hysteresis of intrapulmonary bronchi *in situ* 92*P*

PAGE

Bartoli, A., Cross, Brenda, Guz, A., Jain, S. K., Noble, M. I. M. & Trenchard, Diana. A vagal reflex modifying ventilation activated by CO_2 in the lungs . 93*P*

Lumbers, Eugenie R. Renin and angiotensin II of extrarenal origin in the plasma of female rabbits 94*P*

Holzbauer, Margarethe. Central depressant steroids in the ovaries of rats during different phases of the oestrous cycle 96*P*

Douglas, W. W. & Ueda, Y. Mast cell secretion (histamine release) induced by 48–80: calcium-dependent exocytosis inhibited strongly by cytochalasin only when glycolysis is rate-limiting 97*P*

McCall, Elaine & Youlten, L. J. F. Prostaglandin E_1 synthesis by phagocytosing rabbit polymorphonuclear leucocytes: its inhibition by indomethacin and its role in chemotaxis 98*P*

Walsh, E. G. Motion at the ankle induced by random forces – frequency analysis 100*P*

Gonshor, A. & Melvill Jones, G. Changes of human vestibulo-ocular response induced by vision-reversal during head rotation 102*P*

Anlezark, G. M., Arbuthnott, G. W., Christie, J. E. & Crow, T. J. Electrical self-stimulation with electrodes in the region of the interpeduncular nucleus . 103*P*

Cronly-Dillon, John. The effect of colchicine on memory 104*P*

Beal, A. M. & Harrison, F. A. The effect of renal arterial infusions of alkali metal cations on electrolyte excretion by the sheep kidney 105*P*

Daly, I. de Burgh & Daly, M. de Burgh. Sympathetic nerve control of pulmonary vascular resistance and impedance in isolated perfused lungs of the dog. . 106*P*

Edwards, P. A. A test for a non-specific diffusion step in glucose transport across the red cell membrane (T) 108*P*

Blakeley, A. G. H., Powis, G. & Summers, R. J. Uptake of (L)-noradrenaline in the isolated cat heart perfused with blood containing desmethylimipramine (DMI) and 17-β-oestradiol (17βO) 108*P*

Woods, R. I. Penetration of horseradish peroxidase between all elements of the carotid body 109*P*

Blakemore, C., Donaghy, M. J., Maffei, L., Movshon, J. A., Rose, D. & Van Sluyters, R. C. Nitrous oxide can be an adequate anaesthetic (T). 110*P*

Critchley, J. A. J. H., Ungar, A. & Welburn, P. J. The release of adrenaline and noradrenaline by the adrenal glands of cats and dogs in reflexes arising from the carotid chemoreceptors and baroreceptors 111*P*

Bhattacharya, J., Cunningham, D. J. C., Howson, M. G., Lee, M. J. R. & Sleight, P. The effects of mild hypoxia with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the baroreceptor-cardiac-depressor reflex in man . 112*P*

Michell, A. R. The biochemical basis of salt appetite; preliminary examination of a hypothesis 114*P*

Pant, H. C. Concentrations of plasma LH and FSH in cycling ewes following a single injection of 17β-oestradiol 115*P*

AUTHOR INDEX

(D) Denotes Demonstration; (T) Title only.

PAGE

ABBOTT, JOAN and PICHON, Y. Ionic permeability of perineural sheath of crayfish central nervous system 54*P*

AGUILAR, C. E., BISBY, M. A., COOPER, E. and DIAMOND, J. Evidence that axoplasmic transport of trophic factors is involved in the regulation of peripheral nerve fields in salamanders 449

ALEXANDER, G., BELL, A. W. and HALES, J. R. S. Effects of cold exposure on tissue blood flow in the new-born lamb 65

ALLEN, JUDITH A. and RODDIE, I. C. The effect of a water load on cutaneous water loss in man 119

ANLEZARK, G. M., ARBUTHNOTT, G. W., CHRISTIE, J. E. and CROW, T. J. Electrical self-stimulation with electrodes in the region of the interpeduncular nucleus . 103*P*

ARBUTHNOTT, G. W., ANLEZARK, G. M., CHRISTIE, J. E. and CROW, T. J. Electrical self-stimulation with electrodes in the region of the interpeduncular nucleus . 103*P*

ATKINSON, JUDITH M., DUSTING, C. J. and RAND, M. J. Acidaemia produced by spinal stimulation in the pithed rat 229

BAILE, C. A. and FORBES, J. M. Diffusion of noradrenaline between hypothalamus and cerebral ventricles of sheep 44*P*

BANISTER, JEAN, HERPOL, CLAIRE, JOHNSTON, DAPHNE and NAIL, B. Perfusion of the vascular beds of the carotid labyrinth of *Rana catesbeiana* (D) . . . 20*P*

BANKS, BARBARA E. C. and WALTERS, S. J. Protein fractions from mouse salivary glands affecting epithelial cells in organ culture 241

BARRY, PETER H. Appendix to Differential effects of glycerol treatment on membrane capacity and excitation-contraction coupling in toad sartorius fibres. By ANGELA F. DULHUNTY and PETER W. GAGE 373

BAYLOR, D. A. and HODGKIN, A. L. Detection and resolution of visual stimuli by turtle photoreceptors 163

BEAL, A. M. and HARRISON, F. A. The effect of renal arterial infusions of alkali metal cations on electrolyte excretion by the sheep kidney 105*P*

BELL, A. W., ALEXANDER, G. and HALES, J. R. S. Effects of cold exposure on tissue blood flow in the new-born lamb 65

BELL, P. M. G. A programming device for bio-assay (D) 7*P*

BEN-HAIM, D., LANDAU, E. M. and SILMAN, I. The role of a reactive disulphide bond in the function of the acetylcholine receptor at the frog neuromuscular junction 305

BIGLAND-RITCHIE, BRENDA and WOODS, J. Oxygen consumption and integrated electrical activity of muscle during positive and negative work 39*P*

BISBY, M. A., AGUILAR, C. E., COOPER, E. and DIAMOND, J. Evidence that axoplasmic transport of trophic factors is involved in the regulation of peripheral nerve fields in salamanders 449

BHATTACHARYA, J., CUNNINGHAM, D. J. C., HOWSON, M. G., LEE, M. J. R. and SLEIGHT, P. The effects of mild hypoxia with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the baroreceptor-cardiac-depressor reflex in man 112*P*

BLAKELEY, A. G. H., POWIS, G. and SUMMERS, R. J. Uptake of (L)-noradrenaline in the isolated cat heart perfused with blood containing desmethylimipramine (DMI) and 17-β-oestradiol (17βO) 108*P*

PAGE

BLAKEMORE, C., DONAGHY, M. J., MAFFEI, L., MOVSHON, J. A., ROSE, D. and VAN SLUYTERS, R. C. Nitrous oxide can be an adequate anaesthetic (T) . . . 110*P*

BORN, G. V. R. and ATHERTON, ANNE. Effects of neuraminidase and *N*-acetyl neuraminic acid on the adhesion of circulating granulocytes and platelets in venules 66*P*

BOSS, J. M. N., HOLLIS, P. G. and MYŚLIWSKI, A. Nuclear chromatin patterns in the life cycle of human cells 35*P*

BOULLIN, D. J., CRAMPTON, R. F., HEADING, CHRISTINE E. and PELLING, D. Intestinal absorption of six dipeptides 59*P*

BOYD, C. A. R., CHEESEMAN, C. I. and PARSONS, D. S. Transport and metabolism of peptides and amino acids by frog intestine perfused through vascular bed *in situ* (D) 10*P*

BRADBURY, M. W. B. and BRØNDSTED, HANS E. Sodium-dependent transport of sugars and iodide from the cerebral ventricles of the rabbit 127

BRAZIL, O. VITAL, EXCELL, BARBARA J. and SANATANA DE SA, SONIA. The importance of phospholipase A in the action of the crotoxin complex at the frog neuromuscular junction 63*P*

BRØNDSTED, HANS E. and BRADBURY, M. W. B. Sodium-dependent transport of sugars and iodide from the cerebral ventricles of the rabbit 127

BURDEN, JANET, BRADBURY, M. W. B., DICKER, A., HILLHOUSE, E., JONES, M. T. and PHILBRICK, D. Stimulation of rat hypothalamus *in vitro* 74*P*

BURKE, R. I., LEVINE, D. N., TSAIRIS, P. and ZAJAC III, F. E. Physiological types and histochemical profiles in motor units of the cat gastrocnemius . . . 723

BURKE, R. E. & TSAIRIS, P. Anatomy and innervation ratios in motor units of cat gastrocnemius 749

CAMERON, I. R. and POOLE-WILSON, P. A. The effect of an acute acidosis on the potassium content of cardiac muscle 32*P*

CHAI, C. Y. and LIN, M. T. Effects of thermal stimulation of medulla oblongata and spinal cord on decerebrate rabbits 409

CHEESEMAN, C. I., BOYD, C. A. R. and PARSONS, D. S. Transport and metabolism of peptides and amino acids by frog intestine perfused through vascular bed *in situ* (D) 10*P*

CHIAPPA, SHARON A., AIYER, M. S., FINK, G. and GREIG, FENELLA. A priming effect of luteinizing hormone releasing factor on the anterior pituitary gland in the female rat 81*P*

CHRISTIE, J. E., ANLEZARK, G. M., ARBUTHNOTT, G. W. and CROW, T. J. Electrical self-stimulation with electrodes in the region of the interpeduncular nucleus . 103*P*

COOPER, E., AGUILAR, C. E., BISBY, M. A. and DIAMOND, J. Evidence that axoplasmic transport of trophic factors is involved in the regulation of peripheral nerve fields in salamanders 449

CRAMPTON, R. F., BOULLIN, D. J., HEADING, CHRISTINE E. and PELLING, D. Intestinal absorption of six dipeptides 59*P*

CRITCHLEY, J. A. J. H., UNGAR, A. and WELBURN, P. J. The release of adrenaline and noradrenaline by the adrenal glands of cats and dogs in reflexes arising from the carotid chemoreceptors and baroreceptors 111*P*

CRONLY-DILLON, JOHN. The effect of colchicine on memory 104*P*

CROSS, BRENDA, BARTOLI, A., GUZ, A., JAIN, S. K., NOBLE, M. I. M. and TRENCHARD, DIANA. A vagal reflex modifying ventilation activated by CO_2 in the lungs . 93*P*

CROW, T. J., ANLEZARK, G. M., ARBUTHNOTT, G. W. and CHRISTIE, J. E. Electrical self-stimulation with electrodes in the region of the interpeduncular nucleus . 103*P*

PAGE

CUNNINGHAM, D. J. C., BHATTACHARYA, J., HOWSON, M. G., LEE, M. J. R. and SLEIGHT, P. The effects of mild hypoxia with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the baroreceptor-cardiac-depressor reflex in man 112*P*

CUNNINGHAM, D. J. C., HOWSON, M. G. and PEARSON, S. B. The respiratory effects in man of altering the time profile of alveolar carbon dioxide and oxygen within each respiratory cycle 1

CURRY, F. E., MASON, J. C. and MICHEL, C. C. The development of a method of measuring the filtration coefficient of individually perfused frog mesenteric capillaries (D) 26*P*

CURRY, F. E., MASON, J. C. and MICHEL, C. C. The effect of bovine γ-globulin and Ca^{2+} on the filtration coefficient of individual frog mesenteric capillaries . . 43*P*

CURRY, F. E., MASON, J. C., MICHEL, C. C. and WHITE, I. F. A method for investigating the ultrastructure of a single capillary of known permeability properties (D) 24*P*

DALE, E. and HULLIGER, M. A cycle histogram program for on-line use on a PDP 12A computer (D) 19*P*

DALY, I. DE BURGH and DALY, M. DE BURGH. Sympathetic nerve control of pulmonary vascular resistance and impedance in isolated perfused lungs of the dog 106*P*

DALY, M. DE BURGH and DALY, I. DE BURGH. Sympathetic nerve control of pulmonary vascular resistance and impedance in isolated perfused lungs of the dog 106*P*

DANDO, M. R. and MACMILLAN, D. L. Tendon organs and tendon organ reflexes in decapod crustacea 52*P*

DIAMOND, J., AGUILAR, C. E., BISBY, M. A. and COOPER, E. Evidence that axoplasmic transport of trophic factors is involved in the regulation of peripheral nerve fields in salamanders 449

DICKER, A., BRADBURY, M. W. B., BURDEN, JANET, HILLHOUSE, E., JONES, M. T. and PHILBRICK, D. Stimulation of rat hypothalamus *in vitro* 74*P*

DONAGHY, M. J., BLAKEMORE, C., MAFFEI, L., MOVSHON, J. A., ROSE, D. and VAN SLUYTERS, R. C. Nitrous oxide can be an adequate anaesthetic (T) . . . 110*P*

DRACHMAN, D. B. and JOHNSTON, D. M. Development of a mammalian fast muscle: dynamic and biochemical properties correlated 29

DREHER, B. and SANDERSON, K. J. Receptive field analysis: responses to moving visual contours by single lateral geniculate neurones in the cat 95

DUCHEN, L. W., EXCELL, BARBARA J., PATEL, R. and SMITH, BETTY. Light and electron microscopic changes in mouse muscle fibres and motor end-plates caused by the depolarizing fraction (cardio-toxin) of the venom of *Dendroaspis jamesoni* (D) 1*P*

DULHUNTY, ANGELA F. and GAGE, PETER W. Differential effects of glycerol treatment on membrane capacity and excitation–contraction coupling in toad sartorius fibres. With an Appendix by PETER H. BARRY 373

DUSTING, G. J., ATKINSON, JUDITH M. and RAND, M. J. Acidaemia produced by spinal stimulation in the pithed rat 229

DYER, R. G. An electrophysiological dissection of the hypothalamic regions which regulate the pre-ovulatory secretion of luteinizing hormone in the rat . . 421

EDWARDS, P. A. W. A test for a non-specific diffusion step in glucose transport across the red cell membrane (T) 108*P*

PAGE

EDWARDS, R. H. T., EKELUND, L.-G., HARRIS, R. C., HESSER, C. M., HULTMAN, E., MELCHER, A. and WIGERTZ, O. Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man 481

EIKENS, E. and WILCKEN, D. E. L. Reactive hyperaemia in the dog heart: assessment of post-hyperaemic coronary vascular reactivity and of the effects of temporarily restricting arterial inflow 48P

EKELUND, L.-G., EDWARDS, R. H. T., HARRIS, R. C., HESSER, C. M., HULTMAN, E., MELCHER, A. and WIGERTZ, O. Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man 481

EXCELL, BARBARA J., BRAZIL, O. VITAL and SANATANA DE SA, SONIA. The importance of phospholipase A in the action of the crotoxin complex at the frog neuromuscular junction 63P

EXCELL, BARBARA J., DUCHEN, L. W., PATEL, R. and SMITH, BETTY. Light and electron microscopic changes in mouse muscle fibres and motor end-plates caused by the depolarizing fraction (cardio-toxin) of the venom of *Dendroaspis jamesoni* (D) 1P

FELDBERG, W., GUPTA, K. P., MILTON, A. S. and WENDLANDT, SABINE. Effect of pyrogen and antipyretics on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats 279

FINK, G., AIYER, M. S., CHIAPPA, SHARON A. and GREIG, FENELLA. A priming effect of luteinizing hormone releasing factor on the anterior pituitary gland in the female rat 81P

FINK, R. and LÜTTGAU, H. CH. The effect of metabolic poisons upon the membrane resistance of striated muscle fibres 29P

FISHER, R. F. and PETTET, BARBARA E. Presbyopia and the water content of the human crystalline lens 443

FITZPATRICK, R. J. and SHARMA, S. C. Prostaglandin F in the vena caval blood during the oestrous cycle of the ewe 57P

FÖLSCH, U. R. and WORMSLEY, K. G. Pancreatic enzyme response to secretin and cholecystokinin-pancreozymin in the rat 79

FORBES, J. M. and BAILE, C. A. Diffusion of noradrenaline between hypothalamus and cerebral ventricles of sheep 44P

FOZZARD, HARRY A. & HIRAOKA, MASAYASU. The positive dynamic current and its inactivation properties in cardiac Purkinje fibres 569

FUORTES, M. G. F., SCHWARTZ, E. A. and SIMON, E. J. Colour-dependence of cone responses in the turtle retina 199

GAGE, PETER W. and DULHUNTY, ANGELA F. Differential effects of glycerol treatment on membrane capacity and excitation-contraction coupling in toad sartorius fibres. With an Appendix by PETER H. BARRY 373

GERSCHENFELD, H. M. and PAUPARDIN-TRITSCH, DANIELE. Excitatory and inhibitory monosynaptic actions mediated by a serotonin containing neurone in *Aplysia californica* 28P

GERSHON, MICHAEL D. and THOMPSON, ELIZABETH BARNES. The maturation of neuromuscular function in a multiply innervated structure: development of the longitudinal smooth muscle of the foetal mammalian gut and its cholinergic excitatory, adrenergic inhibitory, and non-adrenergic inhibitory innervation . 257

GETCHELL, THOMAS V. Analysis of unitary spikes recorded extracellularly from frog olfactory receptor cells and axons 533

GINSBURG, S. and SPINDLER, A. J. Apparatus for the formation and study of artificial lipid membranes (D) 14P

PAGE

GONSHOR, A. and MELVILL JONES, G. Changes of human vestibulo-ocular response induced by vision-reversal during head rotation 102*P*

GOSLINE, C. J., MACLEOD, D. I. A. and RUSHTON, W. A. H. Rod dark-adaptation measured above the cone threshold 27*P*

GREEN, G. G. R. and KAY, R. H. The adequate stimuli for channels in the human auditory pathways concerned with the modulation present in frequency-modulated tones 50*P*

GREIG, FENELLA, AIYER, M. S., CHIAPPA, SHARON A. and FINK, G. A priming effect of luteinizing hormone releasing factor on the anterior pituitary gland in the female rat 81*P*

GUPTA, K. P., FELDBERG, W., MILTON, A. S. and WENDLANDT, SABINE. Effect of pyrogen and antipyretics on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats 279

GUZ, A., BARTOLI, A., CROSS, BRENDA, JAIN, S. K., NOBLE, M. I. M. and TRENCHARD, DIANA. A vagal reflex modifying ventilation activated by CO_2 in the lungs . 93*P*

HALES, J. R. S., ALEXANDER, G. and BELL, A. W. Effects of cold exposure on tissue blood flow in the new-born lamb 65

HARPER, A. M., LASSEN, N. A., MACKENZIE, E. T., ROWAN, J. O., SENGUPTA, D. and STRANDGARD, S. The upper limit of 'autoregulation' of cerebral blood flow in the baboon 61*P*

HARRIS, R. C., EDWARDS, R. H. T., EKELUND, L.-G., HESSER, C. M., HULTMAN, E., MELCHER, A. and WIGERTZ, O. Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man 481

HARRISON, F. A. and BEAL, A. M. The effect of renal arterial infusions of alkali metal cations on electrolyte excretion by the sheep kidney 105*P*

HARRISON, M. T. and PAUL, D. H. The block of spontaneous spike discharges in cerebellar Purkinje cells 56*P*

HEADING, CHRISTINE E., BOULLIN, D. J., CRAMPTON, R. F. and PELLING, D. Intestinal absorption of six dipeptides 59*P*

HERPOL, CLAIRE, BANISTER, JEAN, JOHNSTON, DAPHNE and NAIL, B. Perfusion of the vascular beds of the carotid labyrinth of *Rana catesbeiana* (D) . . . 20*P*

HESSER, C. M., EDWARDS, R. H. T., EKELUND, L.-G., HARRIS, R. C., HULTMAN, E., MELCHER, A. and WIGERTZ, O. Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man 481

HILLHOUSE, E., BRADBURY, M. W. B., BURDEN, JANET, DICKER, A., JONES, M. T. and PHILBRICK, D. Stimulation of rat hypothalamus *in vitro* 74*P*

HILLMAN, H., HUSSEIN, T. and SARTORY, P. Autofluorescence in isolated rabbit Deiters' neurones and the presence of a nucleolar membrane (D) . . . 3*P*

HIRAOKA, MASAYASU and FOZZARD, HARRY A. The positive dynamic current and its inactivation properties in cardiac Purkinje fibres 569

HIRAOKA, MARI and HIRAOKA, MASAYASU. Effects of low temperature on the positive dynamic current of cardiac Purkinje fibres 587

HIRAOKA, MASAYASU and HIRAOKA, MARI. Effects of low temperature on the positive dynamic current of cardiac Purkinje fibres 587

HODGKIN, A. L. and BAYLOR, D. A. Detection and resolution of visual stimuli by turtle photoreceptors 163

HOLLIS, P. G., BOSS, J. M. N. and MYŚLIWSKI, A. Nuclear chromatin patterns in the life-cycle of human cells 35*P*

PAGE

HOWSON, M. G., BHATTACHARYA, J., CUNNINGHAM, D. J. C., LEE, M. J. R. and SLEIGHT, P. The effects of mild hypoxia with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the baroreceptor-cardiac-depressor reflex in man 112P

HOWSON, M. G., CUNNINGHAM, D. J. C. and PEARSON, S. B. The respiratory effects in man of altering the time profile of alveolar carbon dioxide and oxygen within each respiratory cycle 1

HULLIGER, M. and DALE, E. A cycle histogram program for on-line use on a PDP 12A computer (D) 19P

HULTMAN, E., EDWARDS, R. H. T., EKELUND, L.-G., HARRIS, R. C., HESSER, C. M., MELCHER, A. and WIGERTZ, O. Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man 481

HUSSEIN, T., HILLMAN, H. and SARTORY, P. Autofluorescence in isolated rabbit Deiters' neurones and the presence of a nucleolar membrane (D) . . . 3P

IANSEK, R. & REDMAN, S. J. An analysis of the cable properties of spinal motoneurones using a brief intracellular current pulse 613

IANSEK, R. & REDMAN, S. J. The amplitude, time course and charge of unitary excitatory post-synaptic potentials evoked in spinal motoneurone dendrites 665

IGGO, A., HANDWERKER, H. and ZIMMERMANN II, M. Dorsal horn neurones driven by cutaneous input: interaction between mechanoreceptors and nociceptors . 84P

ILES, J. F. Demonstration of afferent terminations in the cat spinal cord (D) . . 22P

INSAM, E. and LAL, S. An inexpensive device for computing and displaying the amplitude histograms of slowly varying electrical waveforms (D) . . . 9P

JAIN, S. K., BARTOLI, A., CROSS, BRENDA, GUZ, A., NOBLE, M. I. M. and TRENCHARD, DIANA. A vagal reflex modifying ventilation activated by CO_2 in the lungs 93P

JENKINS, D. M. G. and LEW, V. L. Ca uptake by ATP-depleted red cells from different species with and without associated increase in K permeability . . 41P

JOHNSTON, DAPHNE, BANISTER, JEAN, HERPOL, CLAIRE and NAIL, B. Perfusion of the vascular beds of the carotid labyrinth of *Rana catesbeiana* (D) . . . 20P

JOHNSTON, D. M. and DRACHMAN, D. B. Development of a mammalian fast muscle: dynamic and biochemical properties correlated 29

JONES, D. R. Systemic arterial baroreceptors in ducks and the consequences of their denervation on some cardiovascular responses to diving 499

JONES, HAZEL A., HUGHES, J. M. B. and WILSON, A. G. Extrinsic and intrinsic hysteresis of intrapulmonary bronchi *in situ* 92P

JONES, M. T., BRADBURY, M. W. B., BURDEN, JANET, DICKER, A., HILLHOUSE, E. and PHILBRICK, D. Stimulation of rat hypothalamus *in vitro* 74P

KAY, R. H. and GREEN, G. G. R. The adequate stimuli for channels in the human auditory pathways concerned with the modulation present in frequency-modulated tones 50P

KEAN, C. J. C., LEWIS, D. M. and MCGARRICK, J. D. Isotonic contractions of denervated muscle in the cat 62P

KEATINGE, W. R. and GRAHAM, J. M. Sensitivity of inner and outer parts of the media of the sheep carotid artery to vasodilator drugs 69P

KEATINGE, W. R. and SLOAN, R. E. G. Measurement of deep body temperature from external auditory canal with servo-controlled heating around ear (D) . . 8P

KING-SMITH, P. E. and KULIKOWSKI, J. J. Lateral interaction in the detection of composite spatial patterns (D) 5P

PAGE

KING-SMITH, P. E. and KULIKOWSKI, J. J. Spatial arrangement of the flicker and pattern detectors for a fine line 33*P*

KITNEY, R. I. and WEBER, W. V. The analysis of thermally elicited reflex vasomotor activity in the ferret's paw 42*P*

KULIKOWSKI, J. J. and KING-SMITH, P. E. Lateral interaction in the detection of composite spatial patterns (D) 5*P*

KULIKOWSKI, J. J. and KING-SMITH, P. E. Spatial arrangement of the flicker and pattern detectors for a fine line 33*P*

LAL, S. and INSAM, E. An inexpensive device for computing and displaying the amplitude histograms of slowly varying electrical waveforms (D) . . . 9*P*

LANDAU, E. M., BEN-HAIM, D. and SILMAN, I. The role of a reactive disulphide bond in the function of the acetylcholine receptor at the frog neuromuscular junction 305

LASSEN, N. A., HARPER, A. M., MACKENZIE, E. T., ROWAN, J. O., SENGUPTA, D. and STRANDGAARD, S. The upper limit of 'autoregulation' of cerebral blood flow in the baboon 61*P*

LEE, M. J. R., BHATTACHARYA, J., CUNNINGHAM, D. J. C., HOWSON, M. G. and SLEIGHT, P. The effects of mild hypoxia with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the baroreceptor-cardiac-depressor reflex in man 112*P*

LEVINE, D. N., BURKE, R. E., TSAIRIS, P. and ZAJAC III, F. E. Physiological types and histochemical profiles in motor units of the cat gastrocnemius . . . 723

LEW, V. L. and JENKINS, D. M. G. Ca uptake by ATP-depleted red cells from different species with and without associated increase in K permeability . . 41*P*

LEWIS, D. M., KEAN, C. J. C. and MCGARRICK, J. D. Isotonic contractions of denervated muscle in the cat 62*P*

LIN, M. T. and CHAI, C. Y. Effects of thermal stimulation of medulla oblongata and spinal cord on decerebrate rabbits 409

LJUNGBERG, T., CHRISTIE, JANICE E. and UNGERSTEDT, U. Dopamine neurones and electrical self-stimulation in the lateral hypothalamus 80*P*

LUNDELL, L. & SVENSSON, S. E. Alterations in secretory patterns following vagotomy in rats with Pavlov or Heidenhain pouches 703

LÜTTGAU, H. CH. and FINK, R. The effect of metabolic poisons upon the membrane resistance of striated muscle fibres 29*P*

MCCALL, ELAINE and YOULTEN, L. J. F. Prostaglandin E_1 synthesis by phagocytosing rabbit polymorphonuclear leucocytes: its inhibition by indomethacin and its role in chemotaxis 98*P*

MCGARRICK, J. D., KEAN, C. J. C. and LEWIS, D. M. Isotonic contractions of denervated muscle in the cat 62*P*

MACKENZIE, E. T., HARPER, A. M., LASSEN, N. A., ROWAN, J. O., SENGUPTA, D. and STRANDGAARD, S. The upper limit of 'autoregulation' of cerebral blood flow in the baboon 61*P*

MACLEOD, D. I. A., GOSLINE, C. J. and RUSHTON, W. A. H. Rod dark-adaptation measured above the cone threshold 27*P*

MACMILLAN, D. L. and DANDO, M. R. Tendon organs and tendon organ reflexes in decapod crustacea 52*P*

MCNAUGHTON, P. A. and NOBLE, D. The role of intracellular calcium ion concentration in mediating the adrenaline-induced acceleration of the cardiac pacemaker potential 53*P*

PAGE

McNAUGHTON, P. A. and SPINDLER, A. J. Voltage clamp of cardiac Purkinje fibres using a sucrose gap (D) 16P

MAFFEI, L., BLAKEMORE, C., DONAGHY, M. J., MOVSHON, J. A., ROSE, D. and VAN SLUYTERS, R. C. Nitrous oxide can be an adequate anaesthetic (T) . . . 110P

MAGLEBY, K. L. The effect of repetitive stimulation on facilitation of transmitter release at the frog neuromuscular junction 327

MAGLEBY, K. L. The effect of tetanic and post-tetanic potentiation on facilitation of transmitter release at the frog neuromuscular junction 353

MALLART, A. & TRAUTMAN, A. Ionic properties of the neuromuscular junction of the frog: effects of denervation and pH 553

MASON, J. C., CURRY, F. E. and MICHEL, C. C. The development of a method of measuring the filtration coefficient of individually perfused frog mesenteric capillaries (D) 26P

MASON, J. C., CURRY, F. E. and MICHEL, C. C. The effect of bovine γ-globulin and Ca^{2+} on the filtration coefficient of individual frog mesenteric capillaries . . 43P

MASON, J. C., CURRY, F. E., MICHEL, C. C. and WHITE, I. F. A method for investigating the ultrastructure of a single capillary of known permeability properties (D) 24P

MATTHEWS, E. K., PETERSEN, O. H. & WILLIAMS, J. A. Pancreatic acinar cells: acetylcholine-induced membrane depolarization, calcium efflux and amylase release 689

MATTHEWS, E. K. and SAFFRAN, M. Ionic dependence of adrenal steroidogenesis and ACTH-induced changes in the membrane potential of adrenocortical cells 43

MATTHEWS, MARGARET R. and NELSON, VICKI. Ultrastructural changes at the synapse associated with depression of synaptic transmission in rat superior cervical ganglion after injury of post-ganglionic axons 36P

MEADE, F. and OWEN-THOMAS, J. B. A paramagnetic method for measurement of the carbon dioxide content of a gas mixture (D) 12P

MELCHER, A., EDWARDS, R. H. T., EKELUND, L.-G., HARRIS, R. C., HESSER, C. M., HULTMAN, E. and WIGERTZ, O. Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man 481

MELLOR, D. J. & SLATER, J. S. The composition of maternal plasma and foetal urine after feeding and drinking in chronically catheterized ewes during the last two months of pregnancy 519

MELVILL JONES, G. and GONSHOR, A. Changes of human vestibulo-ocular response induced by vision-reversal during head rotation 102P

MICHEL, C. C., CURRY, F. E. and MASON, J. C. The development of a method of measuring the filtration coefficient of individually perfused frog mesenteric capillaries (D) 26P

MICHEL, C. C., CURRY, F. E., MASON, J. C. and WHITE, I. F. A method for investigating the ultrastructure of a single capillary of known permeability properties (D) 24P

MICHEL, C. C., SNOW, G. R. and TASKER, J. A. A method for measuring the permeability of individually perfused capillaries of the frog mesentery to coloured molecules (D) 25P

MICHELL, A. R. The biochemical basis of salt appetite; preliminary examination of a hypothesis 114P

MILTON, A. S., FELDBERG, W., GUPTA, K. P. and WENDLANDT, SABINE. Effect of pyrogen and antipyretics on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats 279

MORRISON, J. B. and FLORIO, J. T. Ventilatory response to exercise and inspired carbon dioxide measured in divers 70P

PAGE

MOVSHON, J. A., BLAKEMORE, C., DONAGHY, M. J., MAFFEI, L., ROSE, D. and VAN SLUYTERS, R. C. Nitrous oxide can be an adequate anaesthetic (T) . . . 110*P*

MURTHY, K. S. K. and TAYLOR, A. The use of *Rana tigrina* for experiments on dorsal and ventral spinal nerve roots (D) 3*P*

MYŚLIWSKI, A., BOSS, J. M. N. and HOLLIS, P. G. Nuclear chromatin patterns in the life-cycle of human cells 35*P*

NAIL, B., BANISTER, JEAN, HERPOL, CLAIRE and JOHNSTON, DAPHNE. Perfusion of the vascular beds of the carotid labyrinth of *Rana catesbeiana* (D) . . . 20*P*

NAKAJIMA, S., NAKAJIMA, YASUKO and PEACHEY, L. D. Speed of repolarization and morphology of glycerol-treated frog muscle fibre 465

NAKAJIMA, YASUKO, NAKAJIMA, S. and PEACHEY, L. D. Speed of repolarization and morphology of glycerol-treated frog muscle fibres 465

NASH, J. R. G. and DONALDSON, I. M. L. Interaction between visual cortical areas: the effect of a chronic lesion in area 17 on the properties of area 18 units in the cat 77*P*

NELSON, VICKI and MATTHEWS, MARGARET R. Ultrastructural changes at the synapse associated with depression of synaptic transmission in rat superior cervical ganglion after injury of post-ganglionic axons 36*P*

NEWSOM DAVIS, J. Discharge properties of primary and secondary endings in human intercostal muscle spindles studied *in vitro* 30*P*

NOBLE, D. and MCNAUGHTON, P. A. The role of intracellular calcium ion concentration in mediating the adrenaline-induced acceleration of the cardiac pacemaker potential 53*P*

NOBLE, M. I. M., BARTOLI, A., CROSS, BRENDA, GUZ, A., JAIN, S. K. and TRENCHARD, DIANA. A vagal reflex modifying ventilation activated by CO_2 in the lungs 93*P*

OWEN-THOMAS, J. B. and MEADE, F. A paramagnetic method for measurement of the carbon dioxide content of a gas mixture (D) 12*P*

PANT, H. C. Concentrations of plasma LH and FSH in cycling ewes following a single injection of 17β-oestradiol 115*P*

PARSONS, D. S., BOYD, C. A. R. and CHEESEMAN, C. I. Transport and metabolism of peptides and amino acids by frog intestine perfused through vascular bed *in situ* (D) 10*P*

PATEL, R., DUCHEN, L. W., EXCELL, BARBARA J. and SMITH, BETTY. Light and electron microscopic changes in mouse muscle fibres and motor end-plates caused by the depolarizing fraction (cardio-toxin) of the venom of *Dendroaspis jamesoni* (D) 1*P*

PAUL, D. H. and HARRISON, M. T. The block of spontaneous spike discharges in cerebellar Purkinje cells 56*P*

PAUPARDIN-TRITSCH, DANIELE and GERSCHENFELD, H. M. Excitatory and inhibitory monosynaptic actions mediated by a serotonin containing neurone in *Aplysia californica* 28*P*

PEACHEY, L. D., NAKAJIMA, S. and NAKAJIMA, YASUKO. Speed of repolarization and morphology of glycerol-treated frog muscle fibres 465

PEAKER, M. and HANWELL, ANN. The effect of post-ganglionic denervation on functional hypertrophy in the salt gland of the goose during adaptation to salt water 78*P*

PEARSON, S. B., CUNNINGHAM, D. J. C. and HOWSON, M. G. The respiratory effects in man of altering the time profile of alveolar carbon dioxide and oxygen within each respiratory cycle 1

PAGE

PEDERSEN, G. L. and PETERSEN, O. H. Membrane potential measurement in parotid acinar cells 217

PELLING, D., BOULLIN, D. J., CRAMPTON, R. F. and HEADING, CHRISTINE E. Intestinal absorption of six dipeptides 59P

PETERSEN, O. H., MATTHEWS, E. K. and WILLIAMS, J. A. Pancreatic acinar cells: acetylcholine-induced membrane depolarization, calcium efflux and amylase release 689

PETERSEN, O. H. and PEDERSEN, G. L. Membrane potential measurement in parotid acinar cells 217

PETTET, BARBARA E. and FISHER, R. F. Presbyopia and the water content of the human crystalline lens 443

PHILBRICK, D., BRADBURY, M. W. B., BURDEN, JANET, DICKER, A., HILLHOUSE, E. and JONES, M. T. Stimulation of rat hypothalamus *in vitro* 74P

PICHON, Y. and ABBOTT, JOAN. Ionic permeability of perineural sheath of crayfish central nervous system 54P

PICKARD, J. D. The mechanism of action of prostaglandin $F_{2\alpha}$ on cerebral flow in the baboon 46P

POOLE-WILSON, P. A. and CAMERON, I. R. The effect of an acute acidosis on the potassium content of cardiac muscle 32P

POWIS, GARTH. Binding of catecholamines to connective tissue and the effect upon the responses of blood vessels to noradrenaline and to nerve stimulation . 145

POWIS, G., BLAKELEY, A. G. H. and SUMMERS, R. J. Uptake of (L)-noradrenaline in the isolated cat heart perfused with blood containing desmethylimipramine (DMI) and 17-β-oestradiol (17βO) 108P

RAMSAY, D. J., ROLLS, BARBARA J. and WOOD, R. J. Increased drinking in dogs during congestive heart failure 48P

RAND, M. J., ATKINSON, JUDITH M. and DUSTING, G. J. Acidaemia produced by spinal stimulation in the pithed rat 229

REDMAN, S. J. The attenuation of passively propagating dendritic potentials in a motoneurone cable model 637

REDMAN, S. J. and IANSEK, R. An analysis of the cable properties of spinal motoneurones using a brief intracellular current pulse 613

REDMAN, S. J. and IANSEK, R. The amplitude, time course and charge of unitary excitatory post-synaptic potentials evoked in spinal motoneurone dendrites . 665

ROBINSON, I. C. A. F. and WALKER, J. M. Assay of oxytocin on the superfused mouse mammary gland using an automatic apparatus (D) 6P

RODDIE, I. C. and ALLEN, JUDITH A. The effect of a water load on cutaneous water loss in man 119

ROLLS, BARBARA J., RAMSAY, D. J. and WOOD, R. J. Increased drinking in dogs during congestive heart failure 48P

ROLLS, E. T. Polar frequency response of the human ear (D) 18P

ROSE, D., BLAKEMORE, C., DONAGHY, M. J., MAFFEI, L., MOVSHON, J. A. and VAN SLUYTERS, R. C. Nitrous oxide can be an adequate anaesthetic (T) . . 110P

ROWAN, J. O., HARPER, A. M., LASSEN, N. A., MACKENZIE, E. T., SENGUPTA, D. and STRANDGAARD, S. The upper limit of 'autoregulation' of cerebral blood flow in the baboon 61P

RUSHTON, W. A. H., GOSLINE, C. J. and MACLEOD, D. I. A. Rod dark-adaptation measured above the cone threshold 27P

PAGE

SAFFRAN, M. and MATTHEWS, E. K. Ionic dependence of adrenal steroidogenesis and ACTH-induced changes in the membrane potential of adrenocortical cells . 43

SANATANA DE SA, SONIA, BRAZIL, O. VITAL and EXCELL, BARBARA J. The importance of phospholipase A in the action of the crotoxin complex at the frog neuromuscular junction 63*P*

SANDERSON, K. J. and DREHER, B. Receptive field analysis: responses to moving visual contours by single lateral geniculate neurones in the cat 95

SARTORY, P., HUSSEIN, T. and HILLMAN, H. Autofluorescence in isolated rabbit Deiters' neurones and the presence of a nucleolar membrane (D) . . . 3*P*

SCHILD, H. O., ASSEM, E. S. K. and WAN, BEATRICE Y. C. The effect of an H_2-receptor antagonist on histamine-stimulated acid secretion by rat stomach *in vitro* 75*P*

SCHWARTZ, E. A., FUORTES, M. G. F. and SIMON, E. J. Colour-dependence of cone responses in the turtle retina 199

SEARS, T. A. and KIRKWOOD, P. A. Monosynaptic excitation of thoracic expiratory motoneurones from lateral respiratory neurones in the medulla of the cat . 87*P*

SENGUPTA, D., HARPER, A. M., LASSEN, N. A., MACKENZIE, E. T., ROWAN, J. O. and STRANDGAARD, S. The upper limit of 'autoregulation' of cerebral blood flow in the baboon 61*P*

SHARMA, S. C. and FITZPATRICK, R. J. Prostaglandin F in the vena caval blood during the oestrous cycle of the ewe 57*P*

SILMAN, I., BEN-HAIM, D. and LANDAU, E. M. The role of a reactive disulphide bond in the function of the acetylcholine receptor at the frog neuromuscular junction 305

SIMMONDS, M. A., HILL, R. G. and STRAUGHAN, D. W. Presynaptic inhibition and the depressant actions of GABA and glycine in the feline cuneate nucleus: changes related to electrographic seizure activity 83*P*

SIMON, E. J., FUORTES, M. G. F. and SCHWARTZ, E. A. Colour-dependence of cone responses in the turtle retina 199

SLATER, J. S. and MELLOR, D. J. The composition of maternal plasma and foetal urine after feeding and drinking in chronically catheterized ewes during the last two months of pregnancy 519

SLEIGHT, P., BHATTACHARYA, J., CUNNINGHAM, D. J. C., HOWSON, M. G. and LEE, M. J. R. The effects of mild hypoxia with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the baroreceptor-cardiac-depressor reflex in man 112*P*

SLOAN, R. E. G. and KEATINGE, W. R. Measurement of deep body temperature from external auditory canal with servo-controlled heating around ear (D) . . 8*P*

SMITH, BETTY, DUCHEN, L. W., EXCELL, BARBARA J. and PATEL, R. Light and electron microscopic changes in mouse muscle fibres and motor end-plates caused by the depolarizing fraction (cardio-toxin) of the venom of *Dendroaspis jamesoni* (D) 1*P*

SNOW, G. R., MICHEL, C. C. and TASKER, J. A. A method for measuring the permeability of individually perfused capillaries of the frog mesentery to coloured molecules (D) 25*P*

SPINDLER, A. J. and GINSBURG, S. Apparatus for the formation and study of artificial lipid membranes (D) 14*P*

SPINDLER, A. J. and MCNAUGHTON, P. A. Voltage clamp of cardiac Purkinje fibres using a sucrose gap (D) 16*P*

PAGE

STRANDGAARD, S., HARPER, A. M., LASSEN, N. A., MACKENZIE, E. T., ROWAN, J. O. and SENGUPTA, D. The upper limit of 'autoregulation' of cerebral blood flow in the baboon 61P

STRAUGHAN, D. W., HILL, R. G. and SIMMONDS, M. A. Presynaptic inhibition and the depressant actions of GABA and glycine in the feline cuneate nucleus: changes related to electrographic seizure activity 83P

SUMMERS, R. J., BLAKELEY, A. G. H. and POWIS, G. Uptake of (L)-noradrenaline in the isolated cat heart perfused with blood containing desmethylimipramine (DMI) and 17-β-oestradiol (17βO) 108P

SVENSSON, S. E. and LUNDELL, L. Alterations in secretory patterns following vagotomy in rats with Pavlov or Heidenhain pouches 703

TASKER, J. A., MICHEL, C. C. and SNOW, G. R. A method for measuring the permeability of individually perfused capillaries of the frog mesentery to coloured molecules (D) 25P

TAYLOR, A. and MURTHY, K. S. K. The use of *Rana tigrina* for experiments on dorsal and ventral spinal nerve roots (D) 3P

THOMPSON, ELIZABETH BARNES and GERSHON, MICHAEL D. The maturation of neuromuscular function in a multiply innervated structure: development of the longitudinal smooth muscle of the foetal mammalian gut and its cholinergic excitatory, adrenergic inhibitory, and non-adrenergic inhibitory innervation . 257

TRAUTMANN, A. and MALLART, A. Ionic properties of the neuromuscular junction of the frog: effects of denervation and pH 553

TRENCHARD, DIANA, BARTOLI, A., CROSS, BRENDA, GUZ, A., JAIN, S. K. and NOBLE, M. I. M. A vagal reflex modifying ventilation activated by CO_2 in the lungs . 93P

TSAIRIS, P. and BURKE, R. E. Anatomy and innervation ratios in motor units of cat gastrocnemius 749

TSAIRIS, P., BURKE, R. E., LEVINE, D. N. and ZAJAC III, F. E. Physiological types and histochemical profiles in motor units of the cat gastrocnemius . . . 723

TSIEN, R. W. Does adrenaline act by directly modifying the external membrane surface charge of cardiac Purkinje fibres? 37P

UEDA, Y. and DOUGLAS, W. W. Mast cell secretion (histamine release) induced by 48–80: calcium-dependent exocytosis inhibited strongly by cytochalasin only when glycolysis is rate-limiting 97P

UNGAR, A., CRITCHLEY, J. A. J. H. and WELBURN, P. J. The release of adrenaline and noradrenaline by the adrenal glands of cats and dogs in reflexes arising from the carotid chemoreceptors and baroreceptors 111P

UNGERSTEDT, U., CHRISTIE, JANICE E. and LJUNGBERG, T. Dopamine neurones and electrical self-stimulation in the lateral hypothalamus 80P

VAN SLUYTERS, R. C., BLAKEMORE, C., DONAGHY, M. J., MAFFEI, L., MOVSHON, J. A. and ROSE, D. Nitrous oxide can be an adequate anaesthetic (T) . . 110P

WALKER, J. M. and ROBINSON, I. C. A. F. Assay of oxytocin on the superfused mouse mammary gland using an automatic apparatus (D) 6P

WALSH, E. G. Motion at the ankle induced by random forces – frequency analysis 100P

WALTER, S. J. and BANKS, BARBARA E. C. Protein fractions from mouse salivary glands affecting epithelial cells in organ culture 241

WAN, BEATRICE Y. C., ASSEM, E. S. K. and SCHILD, H. O. The effect of an H_2-receptor antagonist on histamine-stimulated acid secretion by rat stomach *in vitro* 75P

WEAKLY, J. N. The action of cobalt ions on neuromuscular transmission in the frog 597

PAGE

WEBER, W. V. and KITNEY, R. I. The analysis of thermally elicited reflex vasomotor activity in the ferret's paw 42*P*

WELBURN, P. J., CRITCHLEY, J. A. J. H. and UNGAR, A. The release of adrenaline and noradrenaline by the adrenal glands of cats and dogs in reflexes arising from the carotid chemoreceptors and baroreceptors 111*P*

WENDLANDT, SABINE, FELDBERG, W., GUPTA, K. P. and MILTON, A. S. Effect of pyrogen and antipyretics on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats 279

WHITE, I. F., CURRY, F. E., MASON, J. C. and MICHEL, C. C. A method for investigating the ultrastructure of a single capillary of known permeability properties (D) 24*P*

WHITWAM, J. G. and NORMAN, J. The vagal contribution to changes in heart rate evoked by stimulation of cutaneous nerves in the dog 89*P*

WIGERTZ, O., EDWARDS, R. H. T., EKELUND, L.-G., HARRIS, R. C., HESSER, C. M., HULTMAN, E., and MELCHER, A. Cardiorespiratory and metabolic costs of continuous and intermittent exercise in man 481

WILCKEN, D. E. L. and EIKENS, E. Reactive hyperaemia in the dog heart; assessment of post-hyperaemic coronary vascular reactivity and of the effects of temporarily restricting arterial inflow 48*P*

WILLIAMS, J. A., MATTHEWS, E. K. and PETERSEN, O. H. Pancreatic acinar cells: acetylcholine-induced membrane depolarization, calcium efflux and amylase release 689

WILSON, A. G., HUGHES, J. M. B. and JONES, HAZEL A. Extrinsic and intrinsic hysteresis of intrapulmonary bronchi *in situ* 92*P*

WOLFF, C. B. and BAND, D. M. The effect of hypoxia on the respiratory fluctuations in chemoreceptor discharge in the cat 71*P*

WOOD, R. J., RAMSAY, D. J. and ROLLS, BARBARA J. Increased drinking in dogs during congestive heart failure 48*P*

WOODS, J. and BIGLAND-RITCHIE, BRENDA. Oxygen consumption and integrated electrical activity of muscle during positive and negative work . . . 39*P*

WOODS, R. I. Penetration of horseradish peroxidase between all elements of the carotid body 109*P*

WORMSLEY, K. G. and FÖLSCH, U. R. Pancreatic enzyme response to secretin and cholecystokinin-pancreozymin in the rat 79

YOULTEN, L. J. F. and MCCALL, ELAINE. Prostaglandin E_1 synthesis by phagocytosing rabbit polymorphonuclear leucocytes: its inhibition by indomethacin and its role in chemotaxis 98*P*

ZAJAC III, F. E., BURKE, R. E., LEVINE, D. N. and TSAIRIS, P. Physiological types and histochemical profiles in motor units of the cat gastrocnemius . . . 723

ZIMMERMANN II, M., HANDWERKER, H. and IGGO, A. Dorsal horn neurones driven by cutaneous input: interaction between mechanoreceptors and nociceptors . 84*P*

SUBJECT INDEX

Acetylcholine, pancreatic acinar cells: acetylcholine-induced membrane depolarization calcium efflux and amylase release (mouse), 689

Acetylcholine receptor, the role of a reactive disulphide bond in the function of the – at the frog neuromuscular junction, 305

Acid secretion, the effect of an H_2-receptor antagonist on histamine-stimulated – by rat stomach *in vitro*, 75*P*

Acidaemia, Produced by spinal stimulation in the pithed rat, 229

Acidosis, the effect of an acute – on the potassium content of cardiac muscle (rabbit), 32*P*

Acinar cells, pancreatic –: acetylcholine-induced membrane depolarization, calcium efflux and amylase release (mouse), 689

Adenine nucleotides, the effect of graduated exercise on the concentration of – in plasma (man), 72*P*

Adhesion, effects of neuraminidase and *N*-acetyl neuraminic acid on the – of circulating granulocytes and platelets in venules, 66*P*

Adrenal cortex, ionic dependence of adrenal steroidogenesis and ACTH-induced changes in the membrane potential of adrenocortical cells (rabbit), 43

Adrenal glands, the release of adrenaline and noradrenaline by the – of cats and dogs in reflexes arising from the carotid chemoreceptors and baroreceptors, 111*P*

Adrenaline, does – act by directly modifying the external membrane surface charge of cardiac Purkinje fibres? (calf), 37*P*

the role of intracellular calcium ion concentration in mediating the adrenaline-induced acceleration of the cardiac pacemaker potentials (sheep), 53*P*

Adrenocorticotrophic hormone secretion, ionic dependence of adrenal steroidogenesis and ACTH-induced changes in the membrane potential of adrenocortical cells (rabbit), 43

Amylase, pancreatic acinar cells: acetylcholine-induced membrane depolarization, calcium efflux and – release (mouse), 689

Angiotensin II, renin and – of extrarenal origin in the plasma of female rabbits, 94*P*

Ankle, motion at the – induced by random forces – frequency analysis (man), 100*P*

Antipyretics, effects of pyrogen and – on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats, 279

Autoregulation, the upper limit of – of cerebral blood flow in the baboon, 61*P*

Axoplasmic flow, evidence that axoplasmic transport of trophic factors is involved in the regulation of peripheral nerve fields in salamanders, 449

Baroreceptor-cardiac-depressor, the effects of mild hypoxia with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the – reflex in man, 112*P*

Baroreceptors, systemic arterial baroreceptors in ducks and the consequences of their denervation on some cardiovascular responses to diving, 499

Bio-assay, a programming device for –, 7*P*

Blood flow, effects of cold exposure on tissue – in the new-born lamb, 65

Blood vessels, binding of catecholamines to connective tissue and the effect upon the responses of – to noradrenaline and to nerve stimulation (rabbit, rat), 145

Brain, sodium-dependent transport of sugars and iodide from the cerebral ventricles of the rabbit, 127

Cable properties, an analysis of the – of spinal motoneurones using a brief intracellular current pulse (cats), 613

the attenuation of passively propagating dendritic potentials in a motoneurone cable model, 637

Calcium, Ca uptake by ATP-depleted red cells from different species with and without associated increase in K permeability, 41*P*

Calcium fluxes, pancreatic acinar cells: acetylcholine-induced membrane depolarization, calcium efflux and amylase release (mouse), 689

Capillary, a method for investigating the ultrastructure of a single – of known permeability properties, 24*P*

Capillary permeability, a method for measuring the permeability of individually perfused capillaries of the frog mesentery to coloured molecules, 25*P*

the development of a method of measuring the filtration coefficient of individually perfused frog mesenteric capillaries, 26*P*

the effect of bovine γ-globulin and Ca^{2+} on the filtration coefficient of individual frog mesenteric capillaries, 43*P*

Carbon dioxide, a paramagnetic method for measurement of the – content of a gas mixture, 12*P*

the respiratory effects in man of altering the time profile of alveolar – and oxygen within each respiratory cycle, 1

ventilatory response to exercise and inspired – measured in divers, 70*P*

Cardiac muscle, the effect of an acute acidosis on the potassium content of –, (rabbit), 32*P*

Cardiovascular system, systemic arterial baroreceptors in ducks and the consequences of their denervation on some cardiovascular responses to diving, 499

Carotid artery, sensitivity of inner and outer parts of the media of the sheep to vasodilator drugs, 69*P*

Carotid body, penetration of horseradish peroxidase between all elements of the – (rat), 109*P*

Carotid labyrinth, perfusion of the vascular beds of the – of *Rana catesbeiana*, 20*P*

Catecholamines, binding of – to connective tissue and the effect upon the responses of blood vessels to noradrenaline and to nerve stimulation (rabbit, rat), 145

Cerebellum, a retinotopic representation in the pigeon –, 68*P*

the block of spontaneous spike discharges in cerebellar Purkinje cells (cat), 56*P*

Cerebral blood flow, the mechanism of action of prostaglandin $F_{1\alpha}$ on – in the baboon, 46*P*

the upper limit of 'autoregulation' of – in the baboon, 61*P*

Cerebral ventricles, diffusion of noradrenaline between hypothalamus and – of sheep, 44*P*

Cerebrospinal fluid, sodium-dependent transport of sugars and iodide from the cerebral ventricles of the rabbit, 127

Chemoreceptors, the effect of hypoxia on the respiratory fluctuations in – discharge in the cat, 71*P*

the release of adrenaline and noradrenaline by the adrenal glands of cats and dogs in reflexes arising from the carotid – and baroreceptors, 111*P*

Chloride current, effects of low temperature on the positive dynamic current of cardiac Purkinje fibres (sheep), 587

Cholecystokinin-pancreozymin, pancreatic enzyme response to secretin and –, in the rat, 79

Cobalt ions, the action of – on neuromuscular transmission in the frog, 597

Colchicine, the effect of – on memory (goldfish), 104*P*

Cold exposure, effects of thermal stimulation of medulla oblongata and spinal cord on decerebrate rabbits, 409

Cold stress, effects of cold exposure on tissue blood flow in the new-born lamb, 65

Congestive heart failure, increased drinking in dogs during –, 48*P*

Connective tissue, binding of catecholamines to – and the effect upon the responses of blood vessels to noradrenaline and to nerve stimulation (rabbit, rat), 145

Coronary vessels, reactive hyperaemia in the dog heart: assessment of post-hyperaemic coronary vascular reactivity and of the effects of temporarily restricting arterial inflow, 48*P*

Crotoxin, the importance of phospholipase A in the action of the crotoxin complex at the frog neuromuscular junction, 63*P*

Cuneate nucleus, presynaptic inhibition and the depressant actions of GABA and glycine in the feline –: changes related to electrographic seizure activity, 83*P*

Cutaneous receptors, dorsal horn neurones driven by cutaneous input: interaction between mechanoreceptors and nociceptors (cat), 84*P*

Cytochalasin, mast cell secretion (histamine release) induced by 48–80: calcium-dependent exocytosis inhibited strongly by – only when glycolysis is rate limiting, 97*P*

Deiters' neurones, autofluorescence in isolated rabbit – and the presence of a nucleolar membrane, 3*P*

Dendritic attenuation, the attenuation of passively propagating dendritic potentials in a motoneurone cable model, 637

Denervation, ionic properties of the neuromuscular junction of the frog: effects of – and pH, 553

Development, of a mammalian fast muscle: dynamic and biochemical properties correlated (rat), 29

Disulphide bond, the role of a reactive – in the function of the acetylcholine receptor at the frog neuromuscular junction, 305

Diurnal changes, the composition of maternal plasma and foetal urine after feeding and drinking in chronically catheterized ewes during the last two months of pregnancy, 519

Diving, systematic arterial baroreceptors in ducks and the consequences of their denervation on some cardiovascular responses to –, 499

Dopamine, neurones and electrical self-stimulation in the lateral hypothalamus (rat), 80*P*

Drinking, increased – in dogs during congestive heart failure, 48*P*

Electrical waveforms, an inexpensive device for computing and displaying the amplitude histograms of slowly varying –, 9*P*

Electrolyte excretion, the effect of renal arterial infusions of alkali metal cations on – by the sheep kidney, 105*P*

Epithelial cells, protein fractions from mouse salivary glands affecting – in organ culture, 241

Excitation-contraction coupling, differential effects of glycerol treatment on membrane capacity and – in toad sartorius fibres, 373

Excretion, the effect of a water load on cutaneous water loss in man, 119

Exercise, cardiorespiratory and metabolic costs of continuous and intermittent – in man, 481

the effect of graduated – on the concentration of adenine nucleotides in plasma (man), 72*P*

ventilatory response to exercise and inspired carbon dioxide measured in divers, 70*P*

Facilitation, the effect of repetitive stimulation on – of transmitter release at the frog neuromuscular junction, 327

the effect of tetanic and post-tetanic potentiation on – of transmitter release at the frog neuromuscular juntion, 353

Foetus, the composition of maternal plasma and foetal urine after feeding and drinking in chronically catheterized ewes during the last two months of pregnancy, 519

Follicle stimulating hormone, concentrations of plasma LH and FSH in cycling ewes following a single injection of 17β-oestradiol, 115*P*

Gamma aminobutyric acid, presynaptic inhibition and the depressant actions of – and glycine in the feline cuneate nucleus: changes related to electrographic seizure activity, 83*P*

Gastric secretion, alterations in secretory patterns following vagotomy in rats with Pavlov or Heidenhain pouches, 703

Geniculate neurones, receptive field analysis: responses to moving visual contours by single lateral – in the cat, 95

γ-globulin, the effect of bovine – and Ca^{2+} on the filtration coefficient of individual frog mesenteric capillaries, 43*P*

Glycerol, differential effects of – treatment on membrane capacity and excitation-contraction coupling in toad sartorius fibres, 373

speed of repolarization and morphology of glycerol-treated frog muscle fibres, 465

Glycine, presynaptic inhibition and the depressant actions of GABA and – in the feline cuneate nucleus: changes related to electrographic seizure activity, 83*P*

Granulocytes, effects of neuraminidase and *N*-acetyl neuraminic acid on the adhesion of circulating – and platelets in venules, 66*P*

Gut, the maturation of neuromuscular function in a multiply innervated structure: development of the longitudinal smooth muscle of the foetal mammalian – and its cholinergic excitatory, adrenergic inhibitory, and non-adrenergic inhibitory innervation (mouse, rabbit), 257

Hearing, polar frequency response of the human ear, 18*P*

the adequate stimuli for channels in the human auditory pathways concerned with the modulation present in frequency-modulated tones, 50*P*

Heart, Uptake of (L)-noradrenaline in the isolated cat – perfused with blood containing desmethylimipramine (DMI) and 17-β-oestradiol (17βO), 108*P*

Heart muscle, effects of low temperature on the positive dynamic current of cardiac Purkinje fibres (sheep), 587

the positive dynamic current and its inactivation properties in cardiac Purkinje fibres (sheep), 569

Heart rate, the vagal contribution to changes in heart rate evoked by stimulation of cutaneous nerves in the dog, 89*P*

Histochemistry, physiological types and histochemical profiles in motor units of the cat gastrocnemius, 723

Hydrogen ions, ionic properties of the neuromuscular junction of the frog: effects of denervation and pH, 553

Hypothalamus, an electrophysiological dissection of the hypothalamic regions which regulate the pre-ovulatory secretion of luteinizing hormone in the rat, 421

diffusion of noradrenaline between – and cerebral ventricles of sheep, 44*P*

dopamine neurones and electrical self-stimulation in the lateral –, (rat), 80*P*

stimulation of rat – *in vitro*, 74*P*

Hypoxia, the effect of – on the respiratory fluctuations in chemoreceptor discharge in the cat, 71*P*

the effects of mild – with constant P_{A,CO_2} and ventilation on the setting and sensitivity of the baroreceptor-cardiac-depressor reflex in man, 112

Impulse, analysis of unitary spikes recorded extracellularly from frog olfactory receptor cells and axons, 533

Innervation, anatomy and – ratios in motor units of cat gastrocnemius, 749

Interpeduncular nucleus, electrical self-stimulation with electrodes in the region of the – (rat), 103*P*

Intestinal absorption, – of six dipeptides (rat), 59*P*

Intestine, transport and metabolism of peptides and amino acids by frog – perfused through vascular bed *in situ*, 10*P*

Ionic current, the positive dynamic current and its inactivation properties in cardiac Purkinje fibres (sheep), 569

Leucocytes, prostaglandin E_1, synthesis by phagocytosing rabbit polymorphonuclear –: its inhibition by indomethacin and its role in chemotaxis (rabbit), 98*P*

Lung, sympathetic nerve control of pulmonary vascular resistance and impedance in isolated perfused lungs of the dog, 106*P*

Luteinizing hormone, a priming effect of – releasing factor on the anterior pituitary gland in the female rat, 81*P*

an electrophysiological dissection of the hypothalamic regions which regulate the pre-ovulatory secretion of – in the rat, 421

concentrations of plasma LH and FSH in cycling ewes following a single injection of 17β-oestradiol, 115*P*

Mammary gland, assay of oxytocin on the superfused mouse – using an automatic apparatus, 6*P*

Mast cell secretion, (histamine release) induced by 48–80; calcium-dependent exocytosis inhibited strongly by cytochalasin only when glycolysis is rate-limiting (rat), 97*P*

Medulla, monosynaptic excitation of thoracic expiratory motoneurones from lateral respiratory neurones in the – of the cat, 87*P*

Medulla oblongata, effects of thermal stimulation of – and spinal cord on decerebrate rabbits, 409

Membrane capacity, cell membrane resistance and capacity measured using lone single-barrelled micro-electrodes, 86*P*

Membrane potential, – measurement in parotid acinar cells (mouse), 217

Membrane resistance, cell – and capacity measured using lone single-barrelled micro-electrodes, 86*P*

Membranes, apparatus for the formation and study of artificial lipid –, 14*P*

Memory, the effect of colchicine on – (goldfish), 104*P*

Metabolism, cardiorespiratory and metabolic costs of continuous and intermittent exercise in man, 481

Motoneurones, an analysis of the cable properties of spinal – using a brief intracellular current pulse (cats), 613

the attenuation of passively propagating dendritic potentials in a – cable model, 637

Motor units, anatomy and innervation ratios in – of cat gastrocnemius, 749

Motor units, physiological types and histochemical profiles in – of the cat gastrocnemius, 723

Muscle, development of a mammalian fast –: dynamic and biochemical properties correlated (rat), 29

isotonic contractions of denervated – in the cat, 62*P*

oxygen consumption and integrated electrical activity of – during positive and negative work, 39*P*

Muscle spindle, a cycle histogram program for on-line use on a PDP 12A computer, 19*P*

discharge properties of primary and secondary endings in human intercostal muscle spindles studied *in vitro*, 30*P*

Nerve sprouting, evidence that axoplasmic transport of trophic factors is involved in the regulation of peripheral nerve fields in salamanders, 449

Nervous activity, analysis of unitary spikes recorded extracellularly from frog olfactory receptor cells and axons, 533

Neuromuscular function, the maturation of – in a multiply innervated structure: development of the longitudinal smooth muscle of the foetal mammalian gut and its cholinergic excitatory, adrenergic inhibitory, and non-adrenergic inhibitory innervation (mouse, rabbit), 257

Neuromuscular junction, ionic properties of the – of the frog: effects of denervation and pH, 553

light and electron microscopic changes in mouse muscle fibres and motor endplates caused by the depolarizing fraction (cardio-toxin) of the venom of *Dendroaspis jamesoni*, 1*P*

the effect of repetitive stimulation on facilitation of transmitter release at the frog –, 327

the effect of tetanic and post-tetanic potentiation on facilitation of transmitter release at the frog –, 353

the importance of phospholipase A in the action of the crotoxin complex at the frog –, 63*P*

the role of a reactive disulphide bond in the function of the acetylcholine receptor at the frog –, 305

Neuromuscular transmission, the action of cobalt ions on – in the frog, 597

Neurone, excitatory and inhibitory monosynaptic actions mediated by a serotonin containing neurone in *Aplysia californica*, 28*P*

Neurones, dorsal horn – driven by cutaneous input: interaction between mechanoreceptors and nociceptors, (cat), 84*P*

Noradrenaline, diffusion of – between hypothalamus and cerebral ventricles of sheep, 44*P*

uptake of (L)-noradrenaline in the isolated cat heart perfused with blood containing desmethylimipramine (DMI) and 17-β-oestradiol (17βO), 108*P*

Nuclear chromatin, – patterns in the life-cycle of human cells, 35*P*

Oestrous cycle, central depressant steroids in the ovaries of rats during different phases of the –, 96*P*

Prostaglandin F in the vena caval blood during the – of the ewe, 57*P*

Olfactory receptor, analysis of unitary spikes recorded extracellularly from frog cells and axons, 533

Ovary, central depressant steroids in the ovaries of rats during different phases of the oestrous cycle, 96*P*

Ovulation, an electrophysiological dissection of the hypothalamic regions which regulate the pre-ovulatory secretion of luteinizing hormone in the rat, 421

Oxygen, the respiratory effects in man of altering the time profile of alveolar carbon dioxide and – within each respiratory cycle, 1

Oxygen consumption, – and integrated electrical activity of muscle during positive and negative work, 39*P*

Oxytocin, assay of – on the superfused mouse mammary gland using an automatic apparatus, 6*P*

Pacemaker potential, the role of intracellular calcium ion concentration in mediating the adrenaline-induced acceleration of the cardiac – (sheep), 53*P*

Pancreas, pancreatic acinar cells: acetylcholine-induced membrane depolarization calcium efflux and amylase release, (mouse), 689

Pancreas secretion, pancreatic enzyme response to secretin and cholecystokinin-pancreozymin in the rat, 79

Parotid acinar cells, membrane potential measurement in –, (mouse) 217

Peptides, intestinal absorption of six dipeptides (rat), 59*P*
transport and metabolism of – and amino acids by frog intestine perfused through vascular bed *in situ*, 10*P*
Perineural sheath – of crayfish central nervous system, 54*P*
Photoreceptors, detection and resolution of visual stimuli by turtle photoreceptors, 163
colour-dependence of cone responses in the turtle retina, 199
Pituitary gland, a priming effect of luteinizing hormone releasing factor on the anterior pituitary gland in the female rat, 81*P*
Platelets, effects of neuraminidase and *N*-acetyl neuraminic acid on the adhesion of circulating granulocytes and – in venules, 66*P*
Post-synaptic potentials, the amplitude, time course and charge of unitary excitatory – evoked in spinal motoneurone dendrites (cats), 665
Post-tetanic potentiation, the effect of tetanic and – on facilitation of transmitter release at the frog neuromuscular junction, 353
Potassium permeability, Ca uptake by ATP-depleted red cells from different species with and without associated increase in K permeability, 41*P*
Presbyopia, – and the water content of the human crystalline lens, 443
Prostaglandin E_1, – synthesis by phagocytosing rabbit polymorphonuclear leucocytes: its inhibition by indomethacin and its role in chemotaxis (rabbit), 98*P*
Prostaglandin F, – in the vena caval blood during the oestrous cycle of the ewe, 57*P*
Prostaglandins, effect of pyrogen and antipyretics on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats, 279
Pulmonary bronchi, extrinsic and intrinsic hysteresis of intrapulmonary bronchi *in situ* (dog), 92*P*
Purkinje fibres, does adrenaline act by directly modifying the external membrane surface charge of cardiac –? (calf), 37*P*
effects of low temperature on the positive dynamic current of cardiac – (sheep), 587
the positive dynamic current and its inactivation properties in cardiac – (sheep), 569
voltage clamp of cardiac – using a sucrose gap, 16*P*
Pyrogen fever, effect of pyrogen and antipyretics on prostaglandin activity in cisternal c.s.f. of unanaesthetized cats, 279

Reactive hyperaemia, – in the dog heart; assessment of post-hyperaemic coronary vascular reactivity and of the effects of temporarily restricting arterial inflow, 48*P*
Receptive fields, – analysis: responses to moving visual contours by single lateral geniculate neurones in the cat, 95
Renin, – and angiotensin II of extrarenal origin in the plasma of female rabbits, 94*P*
Respiration, a vagal reflex modifying ventilation activated by CO_2 in the lungs (dog), 93*P*
extrinsic and intrinsic hysteresis of intrapulmonary bronchi *in situ* (dog), 92*P*
monosynaptic excitation of thoracic expiratory motoneurones from lateral respiratory neurones in the medulla of the cat, 87*P*
periodicities in ventilation in new-born infants, 90*P*
Respiratory cycle, the respiratory effects in man of altering the time profile of alveolar carbon dioxide and oxygen within each –, 1
Retina, colour-dependence of cone responses in the turtle –, 199
detection and resolution of visual stimuli by turtle photoreceptors, 163
is retinal receptive field shape systematically related to retinal location?, 64*P*
Rods, rod dark-adaptation measured above the cone threshold, 27*P*

Salivary glands, protein fractions from mouse – affecting epithelial cells in organ cultures, 241
Salt appetite, the biochemical basis of – preliminary examination of a hypothesis, 114*P*
Salt gland, the effect of post-ganglionic denervation on functional hypertrophy in the – of the goose during adaptation to salt water, 78*P*
Skeletal muscle, differential effects of glycerol treatment on membrane capacity and excitation-contraction coupling in toad sartorius fibres, 373
Skin, the effect of a water load on cutaneous water loss in man, 119

Smooth muscle, the maturation of neuromuscular function in a multiply innervated structure development of the longitudinal – of the foetal mammalian gut and its cholinergic excitatory, adrenergic inhibitory, and non-adrenergic inhibitory innervation (mouse, rabbit), 257

Sodium pump, the biochemical basis of salt appetite; preliminary examination of a hypothesis, 114*P*

Spinal afferents, demonstration of afferent termination in the cat spinal cord, 22*P*

Spinal motoneurones, an analysis of the cable properties of – using a brief intracellular current pulse (cats), 613

the amplitude, time course and charge of unitary excitatory post-synaptic potentials evoked in spinal motoneurone dendrites (cats), 665

Spinal nerve, acidaemia produced by spinal stimulation in the pithed rat, 229

Spinal nerve roots, the use of *Rana tigrina* for experiments on dorsal and ventral –, 3*P*

Steroidogenesis, ionic dependence of adrenal – and ACTH-induced changes in the membrane potential of adrenocortical cells (rabbit), 43

Stomach, the effect of an H_2-receptor antagonist on histamine-stimulated acid secretion by rat – *in vitro*, 75*P*

Striated muscle, the effect of metabolic poisons upon the membrane resistance of striated muscle fibres (frog), 29*P*

Sugar transport, sodium dependent transport of sugars and iodide from the cerebral ventricles of the rabbit, 127

Superior cervical ganglion, ultrastructural changes at the synapse associated with depression of synaptic transmission in rat – after injury of post-ganglionic axons, 36*P*

Sympathetic nerve, acidaemia produced by spinal stimulation in the pithed rat, 229

– control of pulmonary vascular resistance and impedance in isolated perfused lungs of the dog, 106*P*

Synaptic transmission, ultrastructural changes at the synapse associated with depression of – in rat superior cervical ganglion after injury of post-ganglionic axons, 36*P*

Temperature measurement, measurement of deep body temperature from external auditory canal with servo-controlled heating around ear (man), 8*P*

Tendon organs, – and tendon organ reflexes in decapod crustacea, 52*P*

Thermogenesis, effects of cold exposure on tissue blood flow in the new-born lamb, 65

Thermoregulation, effects of thermal stimulation of medulla oblongata and spinal cord on decerebrate rabbits, 409

Transmitter release, the effect of repetitive stimulation on facilitation of – at the frog neuromuscular junction, 327

Transverse tubular system, speed of repolarization and morphology of glycerol-treated frog muscle fibres, 465

Trophic factors, evidence that axoplasmic transport of – is involved in the regulation of peripheral nerve fields in salamanders, 449

Urine, the composition of maternal plasma and foetal – after feeding and drinking in chronically catheterized ewes during the last two months of pregnancy, 519

Vagotomy, alterations in secretory patterns following – in rats with Pavlov or Heidenhain pouches, 703

Vagus, a vagal reflex modifying ventilation activated by CO_2 in the lungs (dog), 93*P*

the vagal contribution to changes in heart rate evoked by stimulation of cutaneous nerves in the dog, 89*P*

Vasodilator drugs, sensitivity of inner and outer parts of the media of the sheep carotid artery to –, 69*P*

Vasomotor activity, the analysis of thermally elicited reflex – in the ferret's paw, 42*P*

Vestibulo-ocular response, changes of human – induced by vision-reversal during head rotation, 102*P*

Vision, a retinotopic representation in the pigeon cerebellum, 68*P*

colour-dependence of cone responses in the turtle retina, 199

detection and resolution of visual stimuli by turtle photoreceptors, 163

interaction between visual cortical areas: the effect of a chronic lesion in area 17 on the properties of area 18 units in the cat, 77*P*

Vision, lateral interaction in the detection of composite spatial patterns (man), 5*P*
Presbyopia and the water content of the human crystalline lens, 443
receptive field analysis: responses to moving visual contours by single lateral geniculate neurones in the cat, 95
rod dark-adaptation measured above the cone threshold, 27*P*
spatial arrangement of the flicker and pattern detectors for a fine line (man), 33*P*

Water loss, the effect of a water load on cutaneous – in man, 119

THE JOURNAL OF PHYSIOLOGY

EDITED FOR

THE PHYSIOLOGICAL SOCIETY

BY

H. B. BARLOW J. A. V. BATES J. BLIGH
J. R. BRONK P. C. CALDWELL J. DIAMOND
R. H. T. EDWARDS D. K. HILL L. L. IVERSEN
J. J. B. JACK D. H. JENKINSON B. R. JEWELL
N. JOELS J. F. LAMB J. LEE A. R. MARTIN
J. N. MILLS C. RASHBASS T. A. SEARS
P. D. WALL J. G. WIDDICOMBE G. WISEMAN
P. F. BAKER (*Secretary*) R. H. ADRIAN (*Chairman*)

Volume 235

1973

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, NW1 2DB
American Branch: 32 East 57th Street, New York, N.Y. 10022

© The Physiological Society 1973

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS OF VOLUME 235

No. 1 *November* 1973

PAGE

Blood flow and fatty acid release by cervical adipose tissue of rabbits. By M. J. HARDMAN and D. HULL 1

Daily loss of calcium and sodium from the skin of two healthy men. By T. E. F. CARR, G. E. HARRISON and J. NOLAN. . . . 9

Evidence for the existence of neural mechanisms selectively sensitive to the direction of movement in space. By K. I. BEVERLEY and D. REGAN 17

Depolarization of sensory nerve endings and impulse initiation in common carotid baroreceptors. By S. MATSUURA 31

Chemoreceptor properties of glomus tissue found in the carotid region of the cat. By S. MATSUURA 57

The relationship between calcium exchange and enzyme secretion in the isolated rat pancreas. By R. M. CASE and T. CLAUSEN . 75

Reconstruction of the action potential of frog sartorius muscle. By R. H. ADRIAN and L. D. PEACHEY 103

Receptive field organization of bipolar and amacrine cells in the goldfish retina. By AKIMICHI KANEKO 133

Cyclic variation of potassium conductance in a burst-generating neurone in *Aplysia*. By DOUGLAS JUNGE and CATHY L. STEPHENS 155

Changes in the adenine nucleotide content of preparations of the rat small intestine *in vitro*. By J. R. BRONK and H. J. LEESE . 183

Temperature dependence of the ionic current kinetics of *Myxicola* giant axons. By C. L. SCHAUF 197

Properties of the depolarizing synaptic potential evoked by peripheral illumination in cones of the turtle retina. By P. M. O'BRYAN 207

Calcium inward currents in internally perfused giant axons. By H. MEVES and W. VOGEL 225

The electrical properties of the ectoderm in the amphibian embryo during induction and early development of the nervous system. By ANNE E. WARNER 267

No. 2 *December* 1973

PAGE

Functional characteristics of mechanoreceptors in sinus hair follicles of the cat. By K.-M. GOTTSCHALDT, A. IGGO and D. W. YOUNG 287

Some effects of preganglionic nerve stimulation on synaptic vesicle populations in the rat superior cervical ganglion. By J. P. QUILLIAM and D. L. TAMARIND 317

Ionic analysis of photoreceptor membrane currents. By RALPH ZUCKERMAN 333

Sensory receptors in the sheep's foot. By M. H. EVANS . . 355

Evidence from the use of vibration during procaine nerve block that the spindle group II fibres contribute excitation to the tonic stretch reflex of the decerebrate cat. By G. J. MCGRATH and P. B. C. MATTHEWS 371

Net placental transfer of free amino acids against varying concentrations. By PENNY M. M. HILL and MAUREEN YOUNG . 409

The contribution of articular receptors to cardiovascular reflexes elicited by passive limb movement. By WENDY BARRON and J. H. COOTE 423

Uptake of [^{3}H]glycine and [^{14}C]glutamate by cultures of chick spinal cord. By Y. D. CHO, R. O. MARTIN and G. TUNNICLIFF . 437

The sequential contractions of the rumen associated with eructation in sheep. By Y. RUCKEBUSCH and T. TOMOV . . 447

The movement of amino acids between blood and skeletal muscle in the rat. By GUADALUPE BAÑOS, P. M. DANIEL, S. R. MOORHOUSE and O. E. PRATT 459

Lymph flow and lymph protein concentration in the skin and muscle of the rabbit hind limb. By CATHERINE BACH and G. P. LEWIS 477

Effect of stimulating right atrial receptors on the urine flow in the dog. By C. T. KAPPAGODA, R. J. LINDEN and H. M. SNOW . 493

The influence of androgens on enzymes (chymotrypsin- and trypsin-like proteases, renin, kallikrein and amylase) and on cellular structure of the mouse submaxillary gland. By K. D. BHOOLA, GUNDULA DOREY and C. W. JONES 503

Sweat storage as a factor influencing sweat discharge in sheep. By K. G. JOHNSON 523

PAGE

Activation of descending control of the spinocervical tract by impulses ascending the dorsal columns and relaying through the dorsal column nuclei. By A. G. BROWN and H. F. MARTIN III . 535

Dependence on calcium concentration and stoichiometry of the calcium pump in human red cells. By H. J. SCHATZMANN . . 551

No. 3 *December* 1973

The maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dogs. By G. E. BARNES, V. S. BISHOP, L. D. HORWITZ and R. L. KASPAR 571

The post-synaptic action of efferent fibres in the lateral line organ of the burbot *Lota lota*. By AKE FLOCK and IAN J. RUSSELL 591

The action of carbon dioxide on constricted airways. By T. W. ASTIN, GWENDA R. BARER, J. W. SHAW and PATRICIA M. WARREN 607

Effect of cations on the blood platelet release reaction. By J. M. SNEDDON and K. I. WILLIAMS 625

The onset of the effects of zinc and tetraethylammonium ions on action potential duration and twitch amplitude of single muscle fibres. By P. R. STANFIELD 639

Voltage clamp analysis of acetylcholine produced end-plate current fluctuations at frog neuromuscular junction. By C. R. ANDERSON and C. F. STEVENS 655

Release of noradrenaline from slices of cat spleen by pretreatment with calcium, strontium and barium. By A. G. GARCIA and S. M. KIRPEKAR 693

Influence of previous mechanical events on the contractility of isolated cat papillary muscle. By B. R. JEWELL and J. M. ROVELL 715

The effect of pain on human sweating. By W. P. ABRAM, JUDITH A. ALLEN and I. C. RODDIE 741

The regional distribution on emotional sweating in man. By JUDITH A. ALLEN, JANET E. ARMSTRONG and I. C. RODDIE . . 749

Kinetics of rhodopsin bleaching in the isolated human retina. By CH. BAUMANN and SILVIA BENDER 761

Localization of pulmonary stretch receptors in the airways of the dog. By G. MESEROCCHI, J. MORTOLA and G. SANT'AMBROGIO . 775

PAGE

The binding of labelled saxitoxin to the sodium channels in nerve membranes. By R. HENDERSON, J. M. RITCHIE and G. R. STRICHARTZ 783

Influence of eye movements on geniculo-striate excitability in the cat. By W. ROSS ADEY and HIROHARU NODA 805

AUTHOR INDEX

PAGE

ABRAM, W. P., ALLEN, JUDITH A. and RODDIE, I. C. The effect of pain on human sweating 741

ADEY, W. ROSS and NODA, HIROHARU. Influence of eye movements on geniculostriate excitability in the cat 805

ADRIAN, R. H. and PEACHEY, L. D. Reconstruction of the action potential of frog sartorius muscle 103

ALLEN, JUDITH A., ABRAM, W. P. and RODDIE, I. C. The effect of pain on human sweating 741

ALLEN, JUDITH A., ARMSTRONG, JANET and RODDIE, I. C. The regional distribution of emotional sweating in man 759

ANDERSON, C. R. and STEVENS, C. F. Voltage clamp analysis of acetylcholine produced end-plate current fluctuations at frog neuromuscular junction 655

ARMSTRONG, JANET E., ALLEN, JUDITH A. and RODDIE, I. C. The regional distribution of emotional sweating in man 749

ASTIN, T. W., BARER, GWENDA R., SHAW, J. W. and WARREN, PATRICIA M. The action of carbon dioxide on constricted airways 607

BACH, CATHERINE and LEWIS, G. P. Lymph flow and lymph protein concentration in the skin and muscle of the rabbit hind limb 477

BAÑOS, GUADALUPE, DANIEL, P. M., MOORHOUSE, S. R. and PRATT, O. E. The movement of amino acids between blood and skeletal muscle in the rat . . 459

BARER, GWENDA R., ASTIN, T. W., SHAW, J. W. and WARREN, PATRICIA M. The action of carbon dioxide on constricted airways 607

BARNES, G. E., BISHOP, V. S., HORWITZ, L. D. and KASPAR, R. L. The maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dogs . . . 571

BARRON, WENDY and COOTE, J. H. The contribution of articular receptors to cardiovascular reflexes elicited by passive limb movement 423

BAUMANN, CH. and BENDER, SILVIA. Kinetics of rhodopsin bleaching in the isolated human retina 761

BENDER, SILVIA and BAUMANN, CH. Kinetics of rhodopsin bleaching in the isolated human retina 761

BEVERLEY, K. I. and REGAN, D. Evidence for the existence of neural mechanisms selectively sensitive to the direction of movement in space 17

BHOOLA, K. D., DOREY, GUNDULA and JONES, C. W. The influence of androgens on enzymes (chymotrypsin- and trypsin-like proteases, renin, kallikrein and amylase) and on cellular structure of the mouse submaxillary gland . . . 503

BISHOP, V. S., BARNES, G. E., HORWITZ, L. D. and KASPAR, R. L. The maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dogs 571

BRONK, J. R. and LEESE, H. J. Changes in the adenine nucleotide content of preparations of the rat small intestine *in vitro* 183

BROWN, A. G. and MARTIN, H. F. III. Activation of descending control of the spinocervical tract by impulses ascending the dorsal columns and relaying through the dorsal column nuclei 535

CARR, T. E. F., HARRISON, G. E. and NOLAN, J. Daily loss of calcium and sodium from the skin of two healthy men 9

PAGE

CASE, R. M. and CLAUSEN, T. The relationship between calcium exchange and enzyme secretion in the isolated rat pancreas 75

CHO, Y. D., MARTIN, R. O. and TUNNICLIFF, G. Uptake of [^{3}H]glycine and [^{14}C]-glutamate by cultures of chick spinal cord 437

CLAUSEN, T. and CASE, R. M. The relationship between calcium exchange and enzyme secretion in the isolated rat pancreas 75

COOTE, J. H. and BARRON, WENDY. The contribution of articular receptors to cardiovascular reflexes elicited by passive limb movement 423

DANIEL, P. M., BAÑOS, GUADALUPE, MOORHOUSE, S. R. and PRATT, O. E. The movement of amino acids between blood and skeletal muscle in the rat . . 459

DOREY, GUNDULA, BHOOLA, K. D. and JONES, C. W. The influence of androgens on enzymes (chymotrypsin- and trypsin-like proteases, renin, kallikrein and amylase) and on cellular structure of the mouse submaxillary gland. . . 503

EVANS, M. H. Sensory receptors in the sheep's foot 355

FLOCK, ÅKE and RUSSELL, IAN J. The post-synaptic action of efferent fibres in the lateral line organ of the burbot *Lota lota* 591

GARCIA, A. G. and KIRPEKAR, S. M. Release of noradrenaline from slices of cat spleen by pre-treatment with calcium, strontium and barium 693

GOTTSCHALDT, K.-M., IGGO, A. and YOUNG, D. W. Functional characteristics of mechanoreceptors in sinus hair follicles of the cat 287

HARDMAN, M. J. and HULL, D. Blood flow and fatty acid release by cervical adipose tissue of rabbits 1

HARRISON, G. E., CARR, T. E. F. and NOLAN, J. Daily loss of calcium and sodium from the skin of two healthy men 9

HENDERSON, R., RITCHIE, J. M. and STRICHARTZ, G. R. The binding of labelled saxitoxin to the sodium channels in nerve membranes 783

HILL, PENNY M. M. and YOUNG, MAUREEN. Net placental transfer of free amino acids against varying concentrations. 409

HORWITZ, L. D., BARNES, G. E., BISHOP, V. S. and KASPAR, R. L. The maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dogs 571

HULL, D. and HARDMAN, M. J. Blood flow and fatty acid release by cervical adipose tissue of rabbits 1

IGGO, A., GOTTSCHALDT, K.-M. and YOUNG, D. W. Functional characteristics of mechanoreceptors in sinus hair follicles of the cat 287

JEWELL, B. R. and ROVELL, J. M. Influence of previous mechanical events on the contractility of isolated cat papillary muscle 715

JOHNSON, K. G. Sweat storage as a factor influencing sweat discharge in sheep . 523

JONES, C. W., BHOOLA, K. D. and DOREY, GUNDULA. The influence of androgens on enzymes (chymotrypsin- and trypsin-like proteases, renin, kallikrein and amylase) and on cellular structure of the mouse submaxillary gland. . . 503

JUNGE, DOUGLAS and STEPHENS, CATHY L. Cyclic variation of potassium conductance in a burst-generating neurone in *Aplysia* 155

KANEKO, AKIMICHI. Receptive field organization of bipolar and amacrine cells in the goldfish retina. 133

KAPPAGODA, C. T., LINDEN, R. J. and SNOW, H. M. Effect of stimulating right atrial receptors on urine flow in the dog 493

KASPAR, R. L., BARNES, G. E., BISHOP, V. S. and HORWITZ, L. D. The maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dogs 571

PAGE

KIRPEKAR, S. M. and GARCIA, A. G. Release of noradrenaline from slices of cat spleen by pre-treatment with calcium, strontium and barium 693

LEESE, H. J. and BRONK, J. R. Changes in the adenine nucleotide content of preparations of the rat small intestine *in vitro* 183

LEWIS, G. P. and BACH, CATHERINE. Lymph flow and lymph protein concentration in the skin and muscle of the rabbit hind limb 477

LINDEN, R. J., KAPPAGODA, C. T. and SNOW, H. M. Effect of stimulating right atrial receptors on the urine flow in the dog 493

MCGRATH, G. J. and MATTHEWS, P. B. C. Evidence from the use of vibration during procaine nerve block that the spindle group II fibres contribute excitation to the tonic stretch reflex of the decerebrate cat 371

MARTIN, H. F. III and BROWN, A. G. Activation of descending control of the spinocervical tract by impulses ascending the dorsal columns and relaying through the dorsal column nuclei 535

MARTIN, R. O., CHO, Y. D. and TUNNICLIFF, G. Uptake of [^{3}H]glycine and [^{14}C]-glutamate by cultures of chick spinal cord 437

MATSUURA, S. Depolarization of sensory nerve endings and impulse initiation in common carotid baroreceptors 31

MATSUURA, S. Chemoreceptor properties of glomus tissue found in the carotid region of the cat 57

MATTHEWS, P. B. C. and MCGRATH, G. J. Evidence from the use of vibration during procaine nerve block that the spindle group II fibres contribute excitation to the tonic stretch reflex of the decerebrate cat 371

MEVES, H. and VOGEL, W. Calcium inward currents in internally perfused giant axons 225

MISEROCCHI, G., MORTOLA, J. and SANT'AMBROGIO, G. Localization of pulmonary stretch receptors in the airways of the dog 775

MOORHOUSE, S. R., BAÑOS, GUADALUPE, DANIEL, P. M. and PRATT, O. E. The movement of amino acids between blood and skeletal muscle in the rat . . 459

MORTOLA, J., MISEROCCHI, G. and SANT'AMBROGIO, G. Localization of pulmonary stretch receptors in the airways of the dog 775

NODA, HIROHARU and ADEY, W. ROSS. Influence of eye movements on geniculo-striate excitability in the cat 805

NOLAN, J., CARR, T. E. F. and HARRISON, G. E. Daily loss of calcium and sodium from the skin of two healthy men 9

O'BRYAN, P. M. Properties of the depolarizing synaptic potential evoked by peripheral illumination in cones of the turtle retina 207

PEACHEY, L. D. and ADRIAN, R. H. Reconstruction of the action potential of frog sartorius muscle 103

PRATT, O. E., BAÑOS, GUADALUPE, DANIEL, P. M. and MOORHOUSE, S. R. The movement of amino acids between blood and skeletal muscle in the rat . . 459

QUILLIAM, J. P. and TAMARIND, D. L. Some effects of preganglionic nerve stimulation on synaptic vesicle populations in the rat superior cervical ganglion . . 317

REGAN, D. and BEVERLEY, K. I. Evidence for the existence of neural mechanisms selectively sensitive to the direction of movement in space 17

RITCHIE, J. M., HENDERSON, R. and STRICHARTZ, G. R. The binding of labelled saxitoxin to the sodium channels in nerve membranes 783

RODDIE, I. C., ABRAM, W. P. and ALLEN, JUDITH A. The effect of pain on human sweating 741

PAGE

RODDIE, I. C., ALLEN, JUDITH A. and ARMSTRONG, JANET E. The regional distribution of emotional sweating in man 749

ROVELL, J. M. and JEWELL, B. R. Influence of previous mechanical events on the contractility of isolated cat papillary muscle 715

RUCKEBUSCH, Y. and TOMOV, T. The sequential contractions of the rumen associated with eructation in sheep 447

RUSSELL, IAN J. and FLOCK, AKE. The post-synaptic action of efferent fibres in the lateral line organ of the burbot *Lota lota* 591

SANT'AMBROGIO, G., MESEROCCHI, G. and MORTOLA, J. Localization of pulmonary stretch receptors in the airways of the dog 775

SCHATZMANN, H. J. Dependence on calcium concentration and stoichiometry of the calcium pump in human red cells 551

SCHAUF, C. L. Temperature dependence of the ionic current kinetics of *Myxicola* giant axons 197

SHAW, J. W., ASTIN, T. W., BARER, GWENDA R. and WARREN, PATRICIA M. The action of carbon dioxide on constricted airways 607

SNEDDON, J. M. and WILLIAMS, K. I. Effect of cations on the blood platelet release reaction 625

SNOW, H. M., KAPPAGODA, C. T. and LINDEN, R. J. Effect of stimulating right atrial receptors on the urine flow in the dog 493

STANFIELD, P. R. The onset of the effects of zinc and tetraethylammonium ions on action potential duration and twitch amplitude of single muscle fibres . . 639

STEPHENS, CATHY L. and JUNGE, DOUGLAS. Cyclic variation of potassium conductance in a burst-generating neurone in *Aplysia* 155

STEVENS, C. F. and ANDERSON, C. R. Voltage clamp analysis of acetylcholine produced end-plate current fluctuations at frog neuromuscular junction . . 655

STRICHARTZ, G. R., HENDERSON, R. and RITCHIE, J. M. The binding of labelled saxitoxin to the sodium channels in nerve membranes 783

TAMARIND, D. L. and QUILLIAM, J. P. Some effects of preganglionic nerve stimulation on synaptic vesicle populations in the rat superior cervical ganglion . 317

TOMOV, T. and RUCKEBUSCH, Y. The sequential contractions of the rumen associated with eructation in sheep 447

TUNNICLIFF, G., CHO, Y. D. and MARTIN, R. O. Uptake of [^{3}H]glycine and [^{14}C]-glutamate by cultures of chick spinal cord 437

VOGEL, W. and MEVES, H. Calcium inward currents in internally perfused giant axons 225

WARNER, ANNE E. The electrical properties of the ectoderm in the amphibian embryo during induction and early development of the nervous system . . 267

WARREN, PATRICIA M., ASTIN, T. W., BARER, GWENDA R. and SHAW, J. W. The action of carbon dioxide on constricted airways 607

WILLIAMS, K. I. and SNEDDON, J. M. Effect of cations on the blood platelet release reaction 625

YOUNG, D. W., GOTTSCHALDT, K.-M. and IGGO, A. Functional characteristics of mechanoreceptors in sinus hair follicles of the cat 287

YOUNG, MAUREEN and HILL, PENNY M. M. Net placental transfer of free amino acids against varying concentrations. 409

ZUCKERMAN, RALPH. Ionic analysis of photoreceptor membrane currents . . 333

SUBJECT INDEX

Acetylcholine, voltage clamp analysis of – produced end-plate current fluctuations at frog neuromuscular junction, 655
Action potential, reconstruction of the – of frog sartorius muscle, 103
the onset of the effects of zinc and tetraethylammonium ions on – duration and twitch amplitude of single muscle fibres (frog), 639
Adenine nucleotide, changes in – content of preparations of the rat small intestine *in vitro*, 183
Adipose tissue, blood flow and fatty acid release by cervical – of rabbits, 1
Afferent nerves, sensory receptors in the sheep's foot, 355
Airway occlusion, localization of pulmonary stretch receptors in the airways of the dog, 775
Amacrine cells, receptive field organization of bipolar and – in the goldfish retina, 133
Amino acids, net placental transfer of free – against varying concentrations (guinea-pig), 409
the movement of – between blood and skeletal muscle in the rat, 459
Androgens, the influence of – on enzymes (chymotrypsin- and trypsin-like proteases renin, kallikrein and amylase) and on cellular structure of the mouse submaxillar gland, 503
Articular reflex, the contribution of articular receptors to cardiovascular reflexes elicited by passive limb movement (cat), 423
Atrial receptors, effect of stimulating right – on the urine flow in the dog, 493

Baroreceptors, depolarization of sensory nerve endings and impulse initiation in common carotid – (cat), 31
Bipolar cells, receptive field organization of bipolar and amacrine cells in the goldfish retina, 133
Blood flow, – and fatty acid release by cervical adipose tissue of rabbits, 1
Blood platelets, effect of cations on the – release reaction (rabbit), 625
Broncho constriction, the action of carbon dioxide on constricted airways (cat, dog), 607
Bronchodilatation, the action of carbon dioxide on constricted airways (cat, dog), 607

Calcium, daily loss of – and sodium from the skin of two healthy men, 9
dependence on calcium concentration and stoichiometry of the calcium pump in human red cells, 551
effect of cations on the blood platelet release reaction (rabbit), 625
release of noradrenaline from slices of cat spleen by pre-treatment with –, strontium and barium, 693
the relationship between – exchange and enzyme secretion in the isolated rat pancreas, 75
Calcium currents, calcium inward currents in internally perfused giant axons (squid), 225
Carbon dioxide, the action of – on constricted airways (cat, dog), 607
Cardiac muscle, influence of previous mechanical events on the contractility of isolated cat papillary muscle, 715
Cardiovascular reflex, the contribution of articular receptors to – elicited by passive limb movement (cat), 423
Chemoreceptors, chemoreceptor properties of glomus tissue found in the carotid region of the cat, 57
Common carotid, depolarization of sensory nerve endings and impulse initiation in – baroreceptors (cat), 31
Cones, properties of the depolarizing synaptic potential evoked by peripheral illumination in – of the turtle retina, 207
Contractility, influence of previous mechanical events on the – of isolated cat papillary muscle, 715

Development, the electrical properties of the ectoderm in the amphibian embryo during induction and early – of the nervous system (*Ambystoma mexicanum*), 267
Diuresis, effect of stimulating right atrial receptors on the urine flow in the dog, 493
Dog, the maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dogs, 571

Dorsal columns, activation of descending control of the spinocervical tract by impulses ascending the – and relaying through the dorsal column nuclei (cat), 535

Ectoderm, the electrical properties of the – in the amphibian embryo during induction and early development of the nervous system (*Ambystoma mexicanum*), 267
Efferent fibres, the post-synaptic action of – in the lateral line organ of the burbot *Lota lota*, 591
Emotion, the regional distribution of emotional sweating in man, 749
End-plate current, voltage clamp analysis of acetylcholine produced – fluctuations at frog neuromuscular junction, 655
Eructation, the sequential contractions of the rumen associated with – in sheep, 447
Erythrocyte, dependence on calcium concentration and stoichiometry of the calcium pump in human red cells, 551
Exercise reflex, the contribution of articular receptors to cardiovascular reflexes elicited by passive limb movement (cat), 423
Exocytosis, effect of cations on the blood platelet release reaction (rabbit), 625
Eye movement, influence of – on geniculostriate excitability in the cat, 805

Fatty acids, blood flow and – release by cervical adipose tissue of rabbits, 1
Fusimotor fibres, evidence from the use of vibration during procaine nerve block that the spindle group II fibres contribute excitation to the tonic stretch reflex of the decerebrate cat, 371

Glomus tissue, chemoreceptor properties of – found in the carotid region of the cat, 57
Glutamate, uptake of [^{3}H]glycine and [^{14}C]glutamate by cultures of chick spinal cord, 437
Glycine, uptake of [^{3}H]glycine and [^{14}C]-glutamate by cultures of chick spinal cord, 437

Hair follicles, functional characteristics of mechanoreceptors in sinus – of the cat, 287
Heart, the maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dogs, 571
Hoof, sensory receptors in the sheep's foot, 355

Inhibitory post-synaptic potentials, the post-synaptic action of efferent fibres in the lateral line organ of the burbot *Lota lota*, 591
Inotropic indices, the maximum derivatives of left ventricular pressure and transverse internal diameter as indices of the inotropic state of the left ventricle in conscious dog, 571
Intestine, changes in the adenine nucleotide content of preparations of the rat small – *in vitro*, 183

Lateral geniculate nucleus, influence of eye movements on geniculo-striate excitability in the cat, 805
Lateral line, the post-synaptic action of efferent fibres in the – organ of the burbot *Lota lota*, 591
Limb, lymph flow and lymph protein concentration in the skin and muscle of the rabbit hind –, 477
Limb movement, the contribution of articular receptors to cardiovascular reflexes elicited by passive –, (cat), 423
Lung inflation, localization of pulmonary stretch receptors in the airways of the dog, 775
Lymph, – flow and – protein concentration in the skin and muscle of the rabbit hind limb, 477

Mechanoreceptors, functional characteristics of – in sinus hair follicles of the cat, 287
Movement detection, evidence for the existence of neural mechanisms selectively sensitive to the direction of movement in space (man), 17
Myxicola axon, temperature dependence of the ionic current kinetics of *Myxicola* giant axon, 197

Nerve, temperature dependence of the ionic current kinetics of *Myxicola* giant axons, 197
the binding of labelled saxitoxin to the sodium channels in – membranes (rabbits, garfish), 783

Nervous system, the electrical properties of the ectoderm in the amphibian embryo during induction and early development of the – (*Ambystoma mexicanum*), 267
Neuromuscular junction, voltage clamp analysis of acetylcholine produced end-plate current fluctuations at frog –, 655
Neurone, cyclic variation of potassium conductance in a burst-generating – in *Aplysia*, 155
Noradrenaline, release of – from slices of cat spleen by pre-treatment with calcium, strontium and barium, 693

Pain, the effect of – on human sweating, 741
Pancreas, the relationship between calcium exchange and enzyme secretion in the isolated rat –, 75
Photoreceptor currents, ionic analysis of photoreceptor membrane currents (frog), 333
Placenta, net placental transfer of free amino acids against varying concentrations (guinea-pig), 409
Potassium conductance, cyclic variation of – in a burst-generating neurone in *Aplysia*, 155
Potentiation, influence of previous mechanical events on the contractility of isolated cat papillary muscle, 715

Receptive fields, receptive field organization of bipolar and amacrine cells in the goldfish retina, 133
Reflex, effect of stimulating right atrial receptors on the urine flow in the dog, 493
Retina, kinetics of rhodopsin bleaching in the isolated human –, 761
properties of the depolarizing synaptic potential evoked by peripheral illumination in cones of the turtle –, 207
receptive field organization of bipolar and amacrine cells in the goldfish –, 133
Rhodopsin, kinetics of – bleaching in the isolated human retina, 761
Rumen, the sequential contractions of the – associated with eructation in sheep, 447

Saxitoxin, the binding of labelled – to the sodium channels in nerve membranes (rabbit, garfish), 783
Secretion, the relationship between calcium exchange and enzyme – in the isolated rat pancreas, 75
Sensory endings, depolarization of sensory nerve endings and impulse initiation in common carotid baroreceptors (cat), 31
Sensory receptors, – in the sheep's foot, 355
Sheep, sweat storage as a factor influencing sweat discharge in –, 523
Skeletal muscle, reconstruction of the action potential of frog sartorius muscle, 103
the movement of amino acids between blood and – in the rat, 459
the onset of the effects of zinc and tetraethylammonium ions on action potential duration and twitch amplitude of single muscle fibres (frog), 639
Skin, daily loss of calcium and sodium from the – of two healthy men, 9
Sodium, daily loss of calcium and – from the skin of two healthy men, 9
Sodium channels, the binding of labelled saxitoxin to the sodium channels in nerve membranes (rabbit, garfish), 783
Spinal cord, uptake of [^{3}H]glycine and [^{14}C]glutamate by cultures of chick –, 437
Spino cervical tract, activation of descending control of the – by impulses ascending the dorsal columns and relaying through the dorsal column nuclei (cat), 535
Spleen, release of noradrenaline from slices of cat – by pre-treatment with calcium, strontium and barium, 693
Squid axons, calcium inward currents in internally perfused giant axons (squid), 225
Stretch receptors, localization of pulmonary – in the airways of the dog, 775
Stretch reflex, evidence from the use of vibration during procaine nerve block that the spindle group II fibres contribute excitation to the tonic – of the decerebrate cat, 371
Submaxillary salivary gland, the influence of androgens on enzymes (chymotrypsin- and trypsin-like proteases, renin, kallikrein and amylase) and on cellular structure of the mouse – (mouse), 503
Superior cervical ganglion, some effects of preganglionic nerve stimulation on synaptic vesicle populations in the rat –, 317
Sweat, – storage as a factor influencing sweat discharge in sheep, 523

Sweating, the effect of pain on human –, 741
the regional distribution of emotional – in man, 749
Synaptic potential, properties of the depolarizing – evoked by peripheral illumination in cones of the turtle retina, 207
Synaptic vesicle, some effects of preganglionic nerve stimulation on – populations in the rat superior cervical ganglion, 317

Temperature, – dependence of the ionic current kinetics of *Myxicola* giant axons, 197
Tetraethylammonium, the onset of the effects of zinc and – ions on action potential duration and twitch amplitude of single muscle fibres (frog), 639
Transport, dependence on calcium concentration and stoichiometry of the calcium pump in human red cells, 551

Vibration, evidence from the use of – during procaine nerve block that the spindle group II fibres contribute excitation to the tonic stretch reflex of the decerebrate cat, 371
Vision, evidence for the existence of neural mechanisms selectively sensitive to the direction of movement in space (man), 17
Visual cortex, influence of eye movements on geniculo-striate excitability in the cat, 805

Zinc, the onset of the effects of – and tetraethylammonium ions on action potential duration and twitch amplitude of single muscle fibres (frog), 639

DATE DUE

FEB 1 7 1975